

A SYNONYMIC LIST
OF THE
NEARCTIC RHOPALOCERA


by

CYRIL F. DOS PASSOS

The Lepidopterists' Society

Memoir No. 1

1964



A SYNONYMIC LIST
OF THE
NEARCTIC RHOPALOCERA

by

CYRIL F. DOS PASSOS, LL.B.

Research Associate, Department of Insects & Spiders,
The American Museum of Natural History

Research Associate, Section of Insects & Spiders,
Carnegie Museum

The Lepidopterists' Society

Memoir No. 1

1964

Memoirs of the Lepidopterists' Society

Manager, SIDNEY A. HESSEL

Entomology Section
Peabody Museum of Natural History
Yale University
New Haven, Connecticut, U. S. A.

INTRODUCTION

Most introductions to check lists and synonymic lists commence by stating how many years have elapsed since the publication of the preceding one. In order that this introduction may be no exception to that rule it will be observed that twenty-six years have passed since the publication of McDUNNOUGH's (1938) *Check List of the Lepidoptera of Canada and the United States of America*; thirty-eight years since BARNES & BENJAMIN's (1926) *Check List of the Diurnal Lepidoptera of Boreal America*; and forty-seven years since BARNES & McDUNNOUGH's (1917) *Check List of the Lepidoptera of Boreal America*. Two of the preceding lists were complete lists of the Lepidoptera of Canada and the continental United States, while the other chiefly, and the present list entirely, are confined to the Nearctic Rhopalocera. The demand for a new list has been insistent.

In the preparation of the four lists just mentioned the tendency of the authors has been to swing between conservatism and radicalism, or perhaps it would be more exact to say from a liberal interpretation to a strict adherence to the rules of zoological nomenclature. Once more the pendulum swings to a strict adherence to the rules, bearing in mind that the rules referred to are those in force after the adoption of many amendments at the 13th International Congress of Zoology held in Paris during the summer of 1948, the 14th International Congress held in Copenhagen in 1953 and the 15th International Congress held in London in 1958. The exact texts of these amendments have not yet been published in full and when published some of them will not become effective until a later date. Future check lists may be radically different from the present one. There may be two lists, one containing the species and subspecies and the other names proposed for lower categories. The London Congress reversed the Paris Congress by eliminating all references to infrasubspecific names. However, they are retained in this list.

For the first time, in this Synonymic List an effort has been made to give generic synonymies and to cite the type species of each generic name that has been used. In the preparation of this part of the work the classical treatise of Mr. FRANCIS HEMMING (1934) on the *Generic names of the Holarctic Butterflies* has been followed, subject to such modification thereto as that author and others have made in later papers. Perhaps a word of explanation should be said respecting the two indentations to be found in many of the generic synonymies. The first indentation consists of names that are not strictly synonyms because their type species are considered merely congeneric but not conspecific with the type of the generic name that has been used. These are called subjective synonyms. The second indentation — two ems back — consists of generic names that are objective synonyms because for one reason or another they have the same type species. While this practice is not of universal usage in America, it is believed preferable to treating both classes of synonyms similarly because it shows at a glance which generic names are available in case some specialist proposes to split a genus further. To the objective synonym column has been also added preoccupied names and misspellings.

Another innovation in this Synonymic List which is hoped will prove useful is the addition of the dates of publication following the authors' names. This should prove valuable to those who contemplate proposing new names, because occasionally an author will carelessly propose a name as new, when there is one available in the synonymy.

This innovation in effect makes the Synonymic List almost a catalogue. Knowing the date of publication one may find easily the original description by referring to the *Zoological Record* for all names published after 1864. Earlier specific names may be found in SHERBORN (1902, 1922-1933). The utmost care has been exercised to cite all dates in strict compliance with the Règles, but some dates and even the authors of some names are still in doubt.

The arrangement of the superfamilies and families follows generally that proposed by WARREN (1947) in *Some Principles of Classification in Lepidoptera, with special reference to the butterflies* and consists in starting with the lower superfamily, Hesperioidae, followed by the higher, Papilioidea. Within the superfamilies the arrangement of the families and subfamilies must necessarily be somewhat arbitrary. No lineal arrangement can show the true relationships even if that were unanimously agreed upon. However, commencing with Papilionidae and following with Pieridae seems to present no room for criticism. Beyond that there is no infallible plan, except possibly to end with Satyridæ, probably the highest family. Within these extremes and in the families and subfamilies it has been possible to follow only what was considered the best of many conflicting opinions.

Nearly all names have been checked with the original descriptions. In those few cases where a publication was not in the author's library or in that of the American Museum of Natural History, it has been necessary to rely upon other authors, but in those exceptional cases several authors have been consulted to see if their references agree.

It may be thought that too great liberality has been exercised in the number of genera and subgenera used. This is due to an endeavor to make an American check list more like a European one, where splitting has proceeded farther than with us. Genera and especially subgenera where well-founded, are instructive and useful; they need not be used by those who do not favor them.

Without wishing to shirk any responsibility in the preparation of this work, it may be said that the latest revisionary papers have more or less been followed in the arrangement of superfamilies, families, subfamilies and genera. Whenever there has been disagreement on these subjects an effort has been made to solve the problems along the most reasonable lines. In particular I have followed the late Brigadier W. H. EVANS' (1951, 1952, 1953, 1955) *Catalogue of the American HESPERIIDÆ*, but in the reverse order; Dr. EDMUND B. FORD in the arrangement of PAPILIONINÆ; Prof. ALEXANDER B. KLOTS in PIERIDÆ — particularly in the genera *Colias* and *Eurema* and in the nymphalid genus *Boloria*; the late JEANE D. GUNDER in *Euphydryas*; Prof. WILLIAM T. M. FORBES in MELITÆINÆ — especially in the genera *Microtia*, *Phyciodes* and *Eresia*; and Prof. VLADIMIR NABOKOV in the PLEBEJINÆ to the extent that he has revised the genera and species. The excellent catalogue of the American Hesperioidae prepared by Mr. ERNEST L. BELL (1938) and his valuable card index of the genera and species in the American Museum of Natural History have been of inestimable assistance to me.

GUNDER proposed a number of names as transition forms (tr. f.). This term has no taxonomic standing. Most of such names represent aberrations and have been treated as such in this work.

Finally, I have not hesitated to impose upon my colleagues, Mr. BELL and Professor KLOTS, to read parts of the manuscript, and I am deeply obliged to them for so

generously taking time from their other pressing work to do this and to give me the benefit of their advice upon numerous questions that arose from time to time. Mr. F. MARTIN BROWN of Colorado Springs, Colorado, owing to his proximity to the printer, has been particularly helpful in seeing the List through the press.

I cannot close without expressing my sincere thanks and appreciation to Miss HELEN G. YOUNG, for typing the original manuscript, running down many references, checking and rechecking the names, authorships and dates. Without her intelligent and devoted assistance the work would have been more difficult to complete. I am also indebted to Mrs. HENRY DAVISON, Mrs. GHISLAINE P. HEERENS, and Mrs. ANTHONY FRANCO for completing and comparing the manuscript.

A work such as this is founded more or less upon the lists that have preceded it. Therefore, it is fitting that my obligation be expressed to the late Dr. WILLIAM BARNES and the late Mr. FOSTER H. BENJAMIN, and especially to my friend, the late Dr. JAMES H. McDUNNOUGH, whose scientific work and kindly advice and assistance have always been of the greatest value and inspiration to me.

To Dr. CHARLES L. REMINGTON, Editor of *The Journal of the Lepidopterists' Society* and of this Synonymic List, I am indebted for the tedious work of seeing the manuscript through the press. To Mr. SIDNEY A. HESSEL, Business Manager of the *Memoirs of the Lepidopterists' Society*, I am grateful for handling the business and many other details of the publication. He has even had the kindness to assist in checking the Index, for which my thanks are extended.

During the writing of this List, a catalogue of the original descriptions of the Nearctic Rhopalocera was prepared and it is hoped that it will be published within another year or two. Consequently, it would be of great assistance if anyone noting an omitted name or any typographical or other error would advise the author of that fact at his earliest convenience. Criticisms of any part of the present work and suggestions for its improvement, if another edition should become necessary, will be welcome also.

Following prior practice species preceded by an asterisk (*) are of doubtful North American occurrence; preoccupied names or those cited in error are marked with a double dagger (‡). This list is supposed to include all names published up to and including December 31, 1958, shortly after which the *ms.* was submitted to the Editor, but it has been possible to bring most specific names up to the time of publication. Recent generic names such as those proposed (1961) by my colleague Mr. HARRY K. CLENCH in the *Lycenidae* could not be incorporated in the work.

CYRIL F. DOS PASSOS

Mendham, New Jersey, U. S. A.

Superfamily HESPERIOIDEA

Family MEGATHYMICÆ (Opinion 483, name 192)

AGATHYMYUS H. A. Freeman, "1958" [1959]

Type: *Megathymus neumoegeni* Edwards, 1882

- 1 **neumoegeni** (Edwards), 1882 (Opinion 483, name 1386)
aryxna (Dyar), 1905 (Declaration 35, Opinion 483, name 1385)
drucei (Skinner), 1911
- 2 **carlsbadensis** (Stallings & Turner), 1957
- 3 **florenceæ** (Stallings & Turner), 1957
- 4 **judithæ** (Stallings & Turner), 1957
- 5 **macalpinei** (H. A. Freeman), 1955 (*emendatio*)
- 6 **chisosensis** (H. A. Freeman), 1952
- 7 **baueri** (Stallings & Turner), 1954
- 7½ **freemani** Stallings & Turner, 1960
- 8 **evansi** (H. A. Freeman), 1950
- 9 **mariæ** (Barnes & Benjamin), 1924
- 10 **stephensi** (Skinner), 1912
- 11 **polingi** (Skinner), 1905
- 12 **alliae** (Stallings & Turner), 1957

MEGATHYMYUS Scudder, 1872 (Opinion 483, name 1222)

Type: *Eudamus?* *yuccæ* Boisduval & Le Conte, "1833" [1834]

- 13 **yuccæ** (Boisduval & Le Conte), "1833" [1834] (Opinion 483, name 1387)
 - a **y. yuccæ** (Boisduval & Le Conte), "1833" [1834]
alabamæ H. A. Freeman, 1943
 - b **y. buchholzi** H. A. Freeman, 1952
 - c **y. stallingsi** H. A. Freeman, 1943
form ♀ *dee* H. A. Freeman, 1943
 - d **y. coloradensis** Riley, 1877
 - e **y. browni** Stallings & Turner, 1960
 - f **y. navajo** Skinner, 1911
 - g **y. arizonæ** Tinkham, 1954
 - h **y. martini** Stallings & Turner, "1956" [1957]
- 14 **cofaqui** (Strecker), 1876
- 15 **harrisi** H. A. Freeman, 1955

- 16 **streckeri** (Skinner), 1895
 a **s. streckeri** (Skinner), 1895
 b **s. texanus** Barnes & McDunnough, 1912
 leussleri Holland, 1931
 form *albocincta* Holland, 1930
- 17 **ursus** Poling, 1902
 a **u. ursus** Poling, 1902
 b **u. violæ** Stallings & Turner, 1956

STALLINGSIA H. A. Freeman, "1958" [1959]

Type: *Megathymus maculosus*, H. A. Freeman, 1955

- 18 **smithi** (Druce), (1896)
 19 **maculosus** (H. A. Freeman), 1955

Family **HESPERIIDÆ**

Subfamily **HESPERIINÆ**

THESPIEUS Godman, (1900)

Type: *Hesperia dalman* Latreille, "1819" [1824]

- 20 **macareus** (Herrich-Schäffer), 1869
 emacareus (Plötz), 1882

NYCTELIUS Hayward, 1948

Type: *Hesperia nyctelius* Latreille, "1819" [1824]

Panoquina Hemming, 1934 (*partim*)

- 21 **nyctelius** (Latreille), "1819" [1824]
 ares (Felder), 1862
 coscinia (Herrich-Schäffer), 1865
 aegialea (Plötz), 1883

PANOQUINA Hemming, 1934

Type: *Hesperia panoquin* Scudder, 1863

‡*Prenes* Scudder (*nec* Gistler, 1848), 1872

- 22 **panoquin** (Scudder), 1863
ophis (Edwards), "1870-1" (1871)
wimico (Plötz), 1883
cochles (Scudder), 1889
- 23 **panoquinoides** (Skinner), 1891
 a **p. panoquinoides** (Skinner), 1891
 b **p. errans** (Skinner), 1892
- 24 **ocola** (Edwards), "1863-4" (1863)
stratyllis (Burmeister), 1878
heterospila (Mabille), 1878
ortygia (Möschler), 1882
- 25 **sylvicola** (Herrich-Schäffer), 1865
nero Auctorum (*nec* Fabricius, 1798)
^{*hacebo* (S. Scudder) 1872}
woodruffi Watson, 1937
- *26 **fusina** (Hewitson), 1868
 a **f. evansi** (H. A. Freeman), 1946

CALPODES Hübner, "1816" [1819]

Type: *Papilio ethlius* Stoll, 1782
Colpodes Hübner, 1827 (*lapsus calami*)

- 27 **ethlius** (Stoll), 1782
chemnis (Fabricius), 1793
olynthus (Boisduval & Le Conte), "1833" [1834]
ethlinus Anonymous, 1960 (*lapsus calami*)

OLIGORIA Scudder, 1872

Type: *Hesperia maculata* Edwards, 1865

- 28 **maculata** (Edwards), 1865
grossula (Herrich-Schäffer), 1869
deleta (Herrich-Schäffer), 1869
norus (Plötz), 1883
orthomenes (Scudder), 1889

LERODEA Scudder, 1872

Type: *Hesperia eufala* Edwards, "1868-9" (1869)

- 29 **eufala** (Edwards), "1868-9" (1869)
osyka (Edwards), 1867 (*partim ♀*)
dispersa (Herrich-Schäffer), 1869
floridæ (Mabille), 1876
micylla (Burmeister), 1878
obscura Mabille, 1904

30 **arabus** (Edwards), 1882

AMBLYSCIRTES Scudder, 1872

Type: *Hesperia vialis* Edwards, 1862

Stomyles Scudder, 1872

Mastor Godman, (1900)

Epiphyes Dyar, 1905

Ephiphiyes Evans, 1955 (*lapsus calami*)

31 **exoteria** (Herrich-Schäffer), 1869

nanno Edwards, 1882

marcus (Strand), 1909

32 **simius** Edwards, 1881

33 **cassus** Edwards, 1883

34 **ænus** Edwards, "1877" [1878]

a a. **ænus** Edwards, "1877" [1878]

b a. **linda** H. A. Freeman, 1943

35 **oslari** (Skinner), 1899

36 **fluonia** Godman, (1900)

erna H. A. Freeman, 1943

37 **samoset** (Scudder), 1863

hegon (Scudder), 1863

nemoris (Edwards), 1864

argina (Plötz), 1884

38 **texanæ** Bell, 1927

*39 **tolteca** Scudder, 1872

a **t. prenda** Evans, 1955

40 **aesculapius** (Fabricius), 1793

textor (Hübner), [1827]-[1831]

oneko (Scudder), 1863

oneko McDunnough, 1938 (*lapsus calami*)

wakulla (Edwards), "1868-9" (1869)

41 **carolina** (Skinner), 1892

form *reversa* Jones, 1926

42 **nereus** (Edwards), 1876

43 **nysa** Edwards, 1877

similis (Strecker), 1878

44 **eos** (Edwards), "1870-1" (1871)

comus (Edwards), 1876

nilus Edwards, "1877" [1878]

quinquemacula (Skinner), 1911

45 **vialis** (Edwards), 1862

asella (Herrich-Schäffer), 1869

- 46 **celia** Skinner, 1895
 a *c. celia* Skinner, 1895
 b *c. belli* H. A. Freeman, 1941
 47 **alternata** (Grote & Robinson), 1867
 meridionalis Dyar, 1905
 48 **phylace** (Edwards), "1877" [1878]
 49 **fimbriata** (Plötz), 1882
 bellus (Edwards), 1884

ATRYTONOPSIS Godman, (1900)

Type: *Hesperia deva* Edwards, "1874-6" (1876)

- 50 **hianna** (Scudder), 1868
 a *h. hianna* (Scudder), 1868
 grotei (Plötz), 1883
 b *h. turneri* H. A. Freeman, 1948
 51 **deva** (Edwards), "1874-6" (1876)
 52 **lunus** (Edwards), 1884
 53 **vierecki** (Skinner), 1902
 54 **loammi** (Whitney), 1876
 regulus (Edwards), 1881
 apostologica (Strand), 1921
 55 **pittacus** (Edwards), 1882
 56 **python** (Edwards), 1882
 57 **cestus** (Edwards), 1884
 a *c. cestus* (Edwards), 1884
 b *c. margarita* (Skinner), 1913
 *58 **ovinia** (Hewitson), 1866
 a *o. edwardsi* Barnes & McDunnough, 1916
 ab. polingi Gunder, 1925

ASBOLIS Mabille, 1904

Type: *Goniloba sandarac* Herrich-Schäffer, 1865 (= *Eudamus capucinus* Lucas, "1856" [1857])

- 59 **capucinus** (Lucas), "1856" [1857]
 sandarac (Herrich-Schäffer), 1865
 palaea (Hewitson), 1868

EUPHYES Scudder, 1872

Type: *Hesperia metacomet* Harris, 1862 (= *Hesperia vestris* Boisduval, 1852, ssp.)

- Arotis* Mabille, 1904
Pereneia Lindsey, 1925
 60 **arpa** (Boisduval & Le Conte) "1833" [1834]
 61 **palatka** (Edwards), 1867 (*emendatio*)
 pilatka (Edwards), 1867
 pilalka (Kirby), 1871 (*lapsus calami*)
 floridensis (Plötz), 1883
 62 **dion** (Edwards), 1879
 a **d. dion** (Edwards), 1879
 b **d. alabamæ** (Lindsey), 1923
 63 **dukесi** (Lindsey), 1923
 64 **conspicua** (Edwards), "1863-4" (1863)
 a **c. conspicua** (Edwards), "1863-4" (1863)
 pontiac (Edwards), "1863-4" (1863)
 orono (Scudder), 1872
 b **c. buchholzi** (Ehrlich & Gillham), 1951
 65 **berryi** (Bell), 1941
 66 **bimacula** (Grote & Robinson), 1867
 acanootus (Scudder), 1868
 illinois (Dodge), 1872
 ab. *contradicta* (Leussler), 1933
 67 **vestris** (Boisduval), 1852
 a **v. vestris** (Boisduval), 1852
 ruricola Auctorum (*nec* Boisduval, 1852)
 b **v. metacomet** (Harris), 1862
 rurea (Edwards), 1862
 kiowah (Reakirt), "1866-7" (1866)
 osyka (Edwards), 1867 (*partim ♂*)
 osceola (Lintner), 1878
 californica (Mabille), 1883
 bæsis (Scudder), 1889
 form *immaculatus* (Williams), 1914

MELLANA Hayward, 1948

Type: *Atrytone mella* Godman, (1900) (=*Hesperia clavus* Erichson, 1848)

- 68 **eulogius** (Plötz), 1883
 mellona (Godman), (1900)
 heberia (Dyar), 1914

CHORANTHUS Scudder, 1872

Type: *Hesperia radians* Lucas, 1857

- 69 **radians** (Lucas), 1857
magica (Plötz), 1883
streckeri (Skinner), 1893
70 **haitensis** (Skinner), 1920

PARATRYTONE Godman, (1900)

Type: *Paratrytone rhexenor* Godman, (1900)

- 71 **melane** (Edwards), "1868-9" (1869)

POANES Scudder, 1872

Type: *Hesperia massasoit* Scudder, 1863

- Phycanassa* Scudder, 1872
‡Paratrytone Dyar (nec Godman, [1900]), 1905

- 72 **massasoit** (Scudder), 1863
a **m. massasoit** (Scudder), 1863
b **m. hughi** Clark, 1931
form *suffusa* (Laurent), 1892
73 **hobomok** (Harris), 1862
quadaquina (Scudder), 1868
quadraquina (Kirby), 1871 (*lapsus calami*)
ridingsii Chermock & Chermock, 1940
ab. *friedlei* Watson, 1920
ab. *pallida* Watson, 1921
form ♀ *pocahontas* (Scudder), 1863
form ♀ *alfaratta* Holland, 1930
74 **zabulon** (Boisduval & Le Conte), "1833" [1834]
erratica (Plötz), 1883
ogeechensis (Scudder), 1889
75 **taxiles** (Edwards), 1881
76 **aaroni** (Skinner), 1890
a **a. aaroni** (Skinner), 1890
b **a. howardi** (Skinner), 1896
77 **yehl** (Skinner), 1893
bavia Evans, 1955
78 **viator** (Edwards), 1865

OCHLODES Scudder, 1872

Type: *Hesperia nemorum* Boisduval, 1852 (= *Hesperia agricola* Boisduval, 1852, ssp.)

- Augiades Auctorum* (nec Hübner, "1816" [1819])

- 79 **sylvanoides** (Boisduval), 1852
 a **s. sylvanoides** (Boisduval), 1852
 francisca (Plötz), 1883
 b **s. pratincola** (Boisduval), 1852 (*partim ♀*)
 c **s. napa** (Edwards), 1865
 amanda (Plötz), 1883
- 80 **agricola** (Boisduval), 1852
 a **a. agricola** (Boisduval), 1852
 yreka (Edwards), 1866
 milo (Edwards), 1883
 b **a. verus** (Edwards), 1881
 c **a. nemorum** (Boisduval), 1852
 pratincola (Boisduval), 1852 (*partim ♂*)
- 81 **snowi** (Edwards), 1877
- 82 **yuma** (Edwards), "1872-3" (1873)
 scuddereri (Skinner), 1899

PROBLEMA Skinner & Williams, 1924

Type: *Pamphila byssus* Edwards, 1880

- 83 **byssus** (Edwards), 1880
 kumskaka (Scudder), 1887
- 84 **bulenta** (Boisduval & Le Conte), "1833" [1834]

ATRYTONE Scudder, 1872

Type: *Hesperia iowa* Scudder, 1868 (= *Hesperia arogos* Boisduval & Le Conte, "1833" [1834])

Anatrytone Dyar, 1905

- 85 **arogos** (Boisduval & Le Conte), "1833" [1834]
 iowa (Scudder), (1868)
 jowa (Plötz), 1884 (*lapsus calami*)
 mutius (Plötz), 1883
- 86 **delaware** (Edwards), "1863-4" (1863)
 a **d. delaware** (Edwards), "1863-4" (1863)
 logan (Edwards), "1863-4" (1863)
 b **d. lagus** (Edwards), 1881

ATALOPEDES Scudder, 1872

Type: *Hesperia huron* Edwards, 1863 (= *Hesperia campestris* Boisduval, 1852)

Pansydia Scudder, 1872

- 87 **campestris** (Boisduval), 1852
huron (Edwards), "1863-4" (1863)
kedema (Butler), 1870
amphissa (Plötz), 1883
augustus (Plötz), 1883
flaveola (Mabille), 1891

POMPEIUS Evans, 1955

Type: *Hesperia pompeius* Latreille, "1819" [1824]

- 88 **verna** (Edwards), 1862
 a **v. verna** (Edwards), 1862
pottawattomie (Worthington), 1880
vetulina (Plötz), 1883
sigida (Mabille), 1891
 b **v. sequoyah** (H. A. Freeman), 1942

WALLENGRENIA Berg, 1897

Type: *Hesperia premnas* Wallengren, 1860

Catia Godman, (1900)

- 89 **otho** (Smith), 1797
 a **o. otho** (Smith), 1797
pustula (Geyer), 1832
 b **o. egeremet** (Scudder), 1863
ursa (Worthington), 1880
cinna (Plötz), 1883

POLITES Scudder, 1872

Type: *Hesperia peckius* Kirby, 1837 (=*Papilio coras* Cramer, "1779" [1775])

- Hedone* Scudder, 1872
Limochores Scudder, 1872
Pyrrhosidia Scudder, 1874
Pyrrhosydia Auctorum (nec Scudder, 1874)
Talides Auctorum nec Hübner, "1816" [1819]
- 90 **coras** (Cramer), "1779" [1775]
peckius (Kirby), 1837
wamsutta (Harris), 1862
enys Scudder, 1889

- 91 **sabuleti** (Boisduval), 1852

- b v. **præceps** (Scudder), 1872
 - lumida* (Möschler), 1878
 - golenia* (Möschler), 1878
 - phormio* (Mabille), 1878
 - sulfurina* (Mabille), 1878
 - ?zenkei* (Plötz), 1883
 - combinata* (Plötz), 1883
 - stigma* (Skinner), 1896
 - hypozona* (Dyar), 1918
- c v. **brettoides** (Edwards), 1883
 - clara* (Plötz), 1883

HESPERIA Fabricius, 1793

- Type: *Papilio comma* Linnæus, 1758
- Pamphila* Fabricius, 1807
 - Symmachia* Sodovskii, 1837
 - Anthomaster* Scudder, 1872
 - Hespena* Edwards, 1872 (*lapsus calami*)
 - Ocytes* Scudder, 1872
 - Urbicola* Tutt, "1905"-1906 [1905]

- 100 **uncas** Edwards, "1863-4" (1863)
 - uncus* Brown, Eff & Rotger, 1956 (*lapsus calami*)
- a u. **uncas** Edwards, "1863-4" (1863)
 - ridingsii* Reakirt, "1866-7" (1866)
- b u. **lasus** (Edwards), 1884
- 101 **metea** Scudder, 1863
 - licinus* (Edwards), "1870-1" (1871)
 - horus* Edwards, "1870-1" (1871)
 - belfragei* H. A. Freeman, 1944
- *102 **comma** (Linnæus), 1758
 - a c. **borealis** Lindsey, 1942
 - b c. **laurentina** (Lyman), 1892
 - c c. **assiniboa** (Lyman), 1892
 - d c. **hulbirti** Lindsey, 1939
 - e c. **manitoba** (Scudder), 1874
 - f c. **colorado** (Scudder), 1874
 - g c. **idaho** (Edwards), 1883
 - h c. **ochracea** Lindsey, 1941
 - i c. **ruricola** Boisduval, 1852
 - harpalus* (Edwards), 1881
 - arpaalus* Brown, Eff & Rotger, 1956 (*lapsus calami*)

- cabelus (Edwards), 1881
 oregonia (Edwards), 1883
 j c. yosemitae Leussler, 1933
 k c. leussleri Lindsey, 1940
 l c. dodgei (Bell), 1927
 102½ susanæ Miller, 1962
 102½ miriamæ MacNeill, 1959
 103 tildeni H. A. Freeman, "1955" [1956]
 104 woodgatei (Williams), 1914
 105 nevada (Scudder), 1874
 106 lindseyi Holland, 1930
 107 columbia (Scudder), 1872
 california (Wright), 1905
 erynnioides (Dyar), 1907
 108 pahaska Leussler, 1938
 a p. pahaska Leussler, 1938
 b p. williamsi Lindsey, 1940
 109 viridis (Edwards), 1883
 110 juba (Scudder), 1872
 ab. ogdenensis Holland, 1931
 111 pawnee Dodge, 1874
 a p. pawnee Dodge, 1874
 b p. montana (Skinner), 1911
 112 ottoe Edwards, 1866
 ogallala Leussler, 1921
 113 dacotæ (Skinner), 1911
 114 sassacus Harris, 1862
 a s. sassacus Harris, 1862
 b s. manitoboides (Fletcher), 1889
 115 meskei (Edwards), 1877
 straton (Edwards), 1881
 116 attalus (Edwards), "1870-1" (1871)
 a a. attalus (Edwards), "1870-1" (1871)
 quaiapen (Scudder), 1889
 quaiapan Evans, 1955 (*lapsus calami*)
 slossonæ (Skinner), 1890
 b a. seminole (Scudder), 1872
 117 leonardus Harris, 1862
 ?lidia Plötz, 1883
 liberia Plötz, 1883
 stallingsi H. A. Freeman, 1943

STINGA Evans, 1955

Type: *Pamphila morrisoni* Edwards, 1878

Hesperia Auctorum (nec Fabricius, 1807)

Ochloides Auctorum (nec Scudder, 1872)

118 **morrisoni** (Edwards), 1878

PSEUDOCOPÆODES Skinner & Williams, 1923

Type: *Copæodes eunus* Edwards, 1881

119 **eunus** (Edwards), 1881

wrightii (Edwards), 1882

YVRETTA Hemming, 1935

Type: *Pamphila citrus* Mabille, 1889 (= *Pamphila carus* Edwards, 1883
= *Hesperia subreticulata* Plötz, 1883, ssp.)

‡*Chærephon* Godman (nec Dobson, 1872), (1900)

120 **rhesus** (Edwards), "1877" [1878]

axius (Plötz), 1883

121 **carus** (Edwards), 1883

HYLEPHILA Billberg, 1820

Type: *Papilio phyleus* Drury, "1770" [1773]

Euthymus Scudder (nec Gray, 1867), 1872

Andinus Hayward, 1940

Cordillana Hayward, 1941

122 **phyleus** (Drury), "1770" [1773]

phylæus *Auctorum*

phareus (Panzer), 1785

carin (Hübner), 1823

bucephalus (Stephens), 1828

hala (Butler), 1870

form *pallida* Hayward, 1944

THYMELICUS Hübner, "1816" [1819]

Type: *Papilio acteon* Rottemburg, 1775

Adopæa Billberg, 1820

Thymelinus Stephens, 1835 (*lapsus calami?*)

Adopæa McDunnough, 1938 (*lapsus calami*)

Pelion Kirby, 1858

- 123 **lineola** (Ochsenheimer), 1808
virgula (Hübner), "1805" [1808-13]
ludoviciae (Mabille), 1883
 form *pallida* Tutt, 1896

ADOPÆOIDES Godman, (1900)

- Type: "*Adopæoides simplex*" Godman (*nec* R. Felder, 1869), (1900)
 (= *Apaustus prittwitzi* Plötz, 1884)
Neadopæa Hayward, 1941
- 124 **prittwitzi** (Plötz), 1884
simplex Auctorum (*nec* R. Felder, 1869)

COPÆODES Edwards, 1877

Type: *Heteropterus procris* Edwards, "1870-1" (1871) (= *Ancyloxypha aurantiaca* Hewitson, 1868)

- 125 **aurantiaca** (Hewitson), 1868
waco (Edwards), 1868
simplex (R. Felder), 1869
procris (Edwards), "1870-1" (1871) (*partim* ♂)
macra (Plötz), 1884
candida Wright, 1890
- 126 **minima** (Edwards), "1870-1" (1870)
procris (Edwards), "1870-1" (1871) (*partim* ♀)
singularis (Plötz *nec* Herrich-Schäffer, 1865), 1884
rayata Barnes & McDunnough, 1913

OARISMA Scudder, 1872

Type: *Hesperia powesheik* Parker, 1870
Paradopæa Godman, (1900)

- 127 **powesheik** (Parker), 1870
- 128 **garita** (Reakirt), 1866
hylax (Edwards), "1870-1" (1871)
- 129 **edwardsii** (Barnes), 1897

ANCYLOXYPHA Felder, 1862

Type: *Hesperia numitor* Fabricius, 1793
Ancyloxipha Auctorum

- 130 **numitor** (Fabricius), 1793
bion (Fabricius), 1798
puer (Hübner), 1823

- 131 **arene** *marginatus* (Harris), 1862
longleyi French, 1897
(Edwards), "1870-1" (1871)
myrtis (Edwards), 1882
euphrasia (Plötz), 1884
leporina (Plötz), 1884
isidorus (Plötz), 1884

DECINEA Evans, 1955

Type: *Hesperia decinea* Hewitson, 1876

- 132 **percosius** (Godman), (1900)

PERICHARES Scudder, 1872

Type: *Papilio coridon* Fabricius, 1775 (*nec* Poda, 1761 = *Hesperia phocion* Fabricius [*nec* Fabricius, 1781], 1793 = *Papilio philetes* Gmelin, 1790)

- *133 **philetes** (Gmelin), 1790

- ‡*coridon* (Fabricius *nec* Poda, 1761), 1775
 ‡*phocion* (Fabricius *nec* Fabricius, 1781, *nec* Fabricius, 1787), 1793
julianus (Turton), 1802
trinitad (Lucas), 1857
 a **p. adela** (Hewitson), 1867
dolores (Reakirt), 1868
marmorata (Scudder), 1872

LEREMA Scudder, 1872

Type: *Papilio accius* Smith, 1797

Sarega Mabille, 1904

- 134 **accius** (Smith), 1797

- monoco* (Scudder), 1863
punctella (Grote & Robinson), 1867
nortonii (Edwards), 1867
parumpunctata (Herrich-Schäffer), 1869
pattenii Scudder, 1872
phocylides (Plötz), 1883
chamis Scudder, 1889
curtius Scudder, 1889

CYMÆNES Scudder, 1872

Type: *Cobalus tripunctus* Herrich-Schäffer, 1865

Megistias Godman, (1900)

- 135 **tripunctus** (Herrich-Schäffer), 1865
jamacá (Schaus), 1902
sinepunctis (Avinoff & Shoumatoff), 1946
- *136 **odilia** (Burmeister), 1878
corescens Schaus, 1902
 a **o. trebius** (Mabille), 1891
isus (Godman), (1900)

NASTRA Evans, 1955

Type: *Hesperia lherminier* Latreille, "1819" [1824]

- 137 **Iherminier** (Latreille), "1819" [1824]
lherminieri Auctorum
fusca (Grote & Robinson), 1867
- 138 **julia** (H. A. Freeman), 1945
- 139 **neamathla** (Skinner & Williams), 1923

MONCA Evans, 1955

Type: *Cobalus telata* Herrich-Schäffer, 1869

- *140 **telata** (Herrich-Schäffer), 1869
 a **t. tyrtæus** (Plötz), 1883

CALLIMORMUS Scudder, 1872

Type: *Callimormus juventus* Scudder, 1872

- 141 **saturnus** (Herrich-Schäffer), 1869
tenera (Plötz), 1884

PYRRHOCALLES Mabille, 1904

Type: *Pamphila antiqua* Herrich-Schäffer, 1863

- *142 **jamaicensis** Schaus, 1902
antiqua Auctorum (nec Herrich-Schäffer, 1863)

SYNAPTE Mabille, 1904

Type: *Carystus salenus* Mabille, 1883

Godmania Skinner & Ramsden, 1923
Cymænes Auctorum (nec Scudder, 1871)

- *143 **malitiosa** (Herrich-Schäffer), 1865
 a **m. pecta** Evans, 1955

PIRUNA Evans, 1955

Type: *Pholisora pirus* Edwards, 1878
Butleria Auctorum (nec Kirby, 1871)

- 144 **pirus** (Edwards), 1878
semicæca (Mabille & Boullet), 1917
- 145 **polingii** (Barnes), 1900
- 146 **microsticta** (Godman), (1900)

CARTEROCEPHALUS Lederer, 1852

Type: *Papilio paniscus* Fabricius, 1775 (= *Papilio palæmon* Pallas, 1771)
Aubertia Oberthür, 1896
Pamphilida Lindsey, 1925
Steropes Auctorum (nec Boisduval, 1832)

- *147 **palæmon** (Pallas), 1771
paniscus (Fabricius), 1775
brontes ([Denis & Schiffermüller]), 1775
- a **p. mandan** (Edwards), "1863-4" (1863)
skada (Edwards), "1870-1" (1870)
- b **p. mesapano** (Scudder), 1868

Subfamily PYRGINÆ

PHOLISORA Scudder, 1872

Type: *Hesperia catullus* Fabricius, 1793
Hesperopsis Dyar, 1905

- 148 **catullus** (Fabricius), 1793
- 149 **mejicana** (Reakirt), 1866
mexicana Godman & Salvin, (1897)
- 150 **libya** (Scudder), 1878
a **l. libya** (Scudder), 1878
b **l. lena** (Edwards), 1882
- 151 **alpheus** (Edwards), 1876
oricus Edwards, 1879
arizonensis (Mabille & Boullet), 1917

CELOTES Godman & Salvin, (1899)Type: *Pholisora nessus* Edwards, 1877152 *nessus* (Edwards), 1877 *notabilis* (Strecker), "1877" [1878] *radiatus* (Plötz), 1884**HELIOPETES** Billberg, 1820Type: *Papilio niveus* Cramer, "1779" [1775] (= *Papilio arsalte* Linnæus, 1758) *Leucoscirtes* Scudder, 1872153 *domicella* (Erichson), 1848 a d. *domicella* (Erichson), 1848 *nearchus* (Edwards), 1882 *aconita* (Plötz), 1884 b d. *willi* (Plötz), 1884154 *ericetorum* (Boisduval), 1852 *alba* (Edwards), 1866155 *laviana* (Hewitson), 1868 *pastor* (R. Felder), 1869 *oceanus* (Edwards), "1870-1" (1871) *dividua* Röber, 1925156 *macaira* (Reakirt), 1866 *locutia* (Hewitson), 1875 *eulalia* (Plötz), 1885 *cnemus* Godman & Salvin, (1897)**PYRGUS** Hübner, "1816" [1819]Type: *Papilio alveolus* Hübner, "1805" [1800-3] (= *Papilio malvæ* Linnaeus, 1758) *Syrichtus* Boisduval, 1834 *Scelotrix* Rambur, 1858 *Scelothrix* Scudder, 1875 (*lapsus calami*) *Bremeria* Tutt (nec Alpheraky, 1892), 1906 *Teleomorpha* Warren, 1926 *Hemiteleomorpha* Warren, 1926 *Ateleomorpha* Warren, 1926*157 *centaureæ* (Rambur), [1837] a c. *freija* (Warren), 1924 ab. *fasciata* Warren, 1926

- b c. **wyandot** (Edwards), "1863-4" (1863)
 c c. **loki** Evans, 1953
158 ruralis (Boisduval), 1852
 cæspitatis (Boisduval), 1852
 cæspitalis (Boisduval), 1869 (*lapsus calami*)
 ricara (Edwards), 1865
 ricaria McDunnough, 1938 (*lapsus calami*)
 petreius (Edwards), "1870-1" (1870)
159 xanthus Edwards, 1878
 xanthus Plötz, 1884
 form *macdonnoughi* (Oberthür), 1913
160 scriptura (Boisduval), 1852
161 communis (Grote), 1872
 a c. **communis** (Grote), 1872
 †*tessellata* (Scudder nec Hewitson, 1866), 1872
 albovittata (Grote), 1873
 insolatrix Plötz, 1884
 varus Plötz, 1884
 ab. ♀ *skinneri* (Gunder), 1927
 b c. **albescens** Plötz, 1884
 occidentalis Skinner, 1906
162 oileus (Linnæus), 1767
 a o. **oileus** (Linnæus), 1767
 syrichthus (Fabricius), 1775
 adjutrix Plötz, 1884
 fumosa (Reverdin), 1919
 fumata (Reverdin), 1921 (*lapsus calami*)
 form *montivagus* Reakirt, 1866 ,
 b o. **philetas** Edwards, 1881
 Oilius MacNeil (1962) (lapsus calami)

ERYNNIS Schrank, 1801

Type: *Papilio tages* Linnæus, 1758

- Thymele* Fabricius, 1807
Thymale Oken, 1815 (*lapsus calami*)
Astycus Hübner, 1822
Thanaos Boisduval, 1834
Thanatos [Dunning & Pickard], 1858
 †*Hallia* Tutt (nec Rochebrune, 1884 nec Milne-Edwards & Haime, 1850), 1906
Nisoniades Auctorum (nec Hübner, "1816" [1819])

- 163 **icelus** (Scudder & Burgess), 1870
 bautista (Plötz), 1884
 hamamælidis (Scudder), 1889
- 164 **brizo** (Boisduval & Le Conte), "1833" [1834]
 a **b.** *brizo* (Boisduval & Le Conte), "1833" [1834]
 b **b.** *somnus* (Lintner), 1881
 c **b.** *burgessi* (Skinner), 1914
 d **b.** *lacustra* (Wright), 1905
 callidus (Grinnell), 1904 (*partim* ♀)
- 165 **persius** (Scudder), 1863
 a **p.** *persius* (Scudder), 1863
 ‡cervantes (Boisduval *nec* Graslin, 1836), 1852
 rutilius Evans, 1953
 b **p.** *fredericki* H. A. Freeman, 1943
 c **p.** *borealis* (Cary), 1907
 avinoffi (Holland), 1931
- 166 **lucilius** (Scudder & Burgess), 1870
 a **l.** *lucilius* (Scudder & Burgess), 1870
 b **l.** *afranius* (Lintner), 1878
- 167 **baptisiæ** (Forbes), 1936
- 168 **zarucco** (Lucas), 1857
 a **z.** *zarucco* (Lucas), 1857
 jarucco (Gundlach), 1881 (*lapsus calami*)
 terentius (Scudder & Burgess), 1870
 ovidius (Scudder & Burgess), 1870
 nævius (Lintner), 1881
 diogenes (Plötz), 1884
 b **z.** *funeralis* (Scudder & Burgess), 1870
 clericalis (Burmeister), 1878
 australis (Mabille), 1883
- 169 **martialis** (Scudder), 1869
 quercus (Butler), 1870
 ab. *ausonius* (Lintner), 1872
- 170 **pacuvius** (Lintner), 1878
 ~~b.~~ *Pacuvius* (L.)
 ~~b.~~ *c. callidus* (Grinnell), 1904 (σ *nec* ♀)
 ~~c.b.~~ *c. pernigra* (Grinnell), 1905
 ~~d.e.~~ *c. lilius* (Dyar), 1904
- 171 **scudderi** (Skinner), 1914
- 172 **tristis** (Boisduval), 1852
 a **t.** *tristis* (Boisduval), 1852
 b **t.** *tatius* (Edwards), 1882
 albomarginatus (Godman & Salvin), (1899)

- 173 **horatius** (Scudder & Burgess), 1870
virgilius (Scudder & Burgess), 1870
petronius (Lintner), 1881
- 174 **juvenalis** (Fabricius), 1793
 a **j. juvenalis** (Fabricius), 1793
juvenis (Hübner), "1816" [1819]
costalis (Westwood), "1850-2" [1852]
ennius (Scudder & Burgess), 1870
- b **j. meridianus** Bell, 1927
 c **j. plautus** (Scudder & Burgess), 1870
 d **j. clitus** (Edwards), 1882
mæstus (Godman), (1899)

- 175 **propertius** (Scudder & Burgess), 1870
 175½ **telemachus** Burns, 1960
tibullus (Scudder & Burgess), 1870
 → *syn. of Propertius not Telemachus*

EPHYRIADES Hübner, "1816" [1819]

Type: *Papilio otreus* Stoll, 1782 (= *Papilio arcas* Drury, "1770" [1773])
 = *Papilio philemon* Fabricius, 1775, ssp.)

- Oileides* Hübner, "1806" [1825]
Brachycoryne Mabille, 1883
Melanthes Mabille, 1904

- *176 **brunnea** (Herrich-Schäffer), 1864
electra (Lintner), 1881
 a **b. floridensis** Bell & Comstock, 1948

GESTA Evans, 1953

Type: *Thanaos gesta* Herrich-Schäffer, 1863

- *177 **gesta** (Herrich-Schäffer), 1863
bigutta (Prittewitz), 1868
brusus (Burmeister), 1878
blanda (Plötz), 1884
 a **g. invisus** (Butler & Druce), 1872
gorgona (Plötz), 1884
llano (Dodge), 1903

CHIOMARA Godman & Salvin, (1899)

Type: *Achlyodes mithrax* Möschler, 1878

- *178 **asychis** (Stoll), "1782" [1780]
dilucida (Möschler), 1878
palica (Mabille), 1888

- a a. **georgina** (Reakirt), 1868
pelagica (Weeks), 1891

TIMOCHARES Godman & Salvin, (1896)

Type: *Leucochitonnia trifasciata* Hewitson, 1868

- 179 **ruptifasciatus** (Plötz), 1884

GRAIS Godman & Salvin, (1894)

Type: *Anastrus stigmaticus* Mabille, 1883

- 180 **stigmaticus** (Mabille), 1883
fumosus (Plötz), 1884

ACHLYODES Hübner, "1816" [1819]

Type: *Papilio busirus* Cramer, "1782" [1780]

Eantis Boisduval, [1836]

Sebaldia Mabille, 1903

- *181 **thraso** (Hübner), "1806" [1807]
peruvianus (Mabille & Boullet), 1917
a **t. tamenund** (Edwards), "1870-1" (1871)

SYSTASEA Edwards, 1877

Type: *Hesperia zampa* Edwards, 1876 (= *Leucochitonnia pulverulenta* R. Felder, 1869)

Antigonus Auctorum (nec Hübner, "1816" [1819])

‡*Lintneria* Edwards (nec Butler, 1877), 1877

‡*Plesiocera* Mabille (nec Macquart, 1841), 1891

- 182 **pulverulenta** (R. Felder), 1869
zampa (Edwards), 1876
tæniatus (Plötz), 1884
tamiatus Evans, 1953 (*lapsus calami*)
filipalpis (Mabille), 1891

- 183 **evansi** (Bell), 1941

XENOPHANES Godman & Salvin, (1895)

Type: *Papilio tryxus* Stoll, "1782" [1784]

- 184 **trixus** (Stoll), "1782" [1784]
tryxus Auctorum
salvianus (Fabricius), 1793
euphemie (Ehrmann), 1907
perplexus Bell, 1942

CARRHENES Godman & Salvin, (1895)Type: *Leucochitonea fuscescens* Mabille, (1891)

- 185
- canescens**
- (R. Felder), 1869

GORGYTHION Godman & Salvin, (1896)Type: *Helias pyralina* Möschler, 1876 (= *Pamphila begga* Kirby, 1870, ssp.)

- 186 **begga** (Kirby), 1870
tucumana (Burmeister), 1878
 a **b. pyralina** (Möschler), 1876
marginata Schaus, 1902

STAPHYLUS Godman & Salvin, (1896)Type: *Helias ascalaphus* Staudinger, 1875 (= *Carcharodus mazans* Reakirt, 1866, ssp.)*Scantilla* Godman & Salvin, (1896)

- 187 **ceos** (Edwards), 1882
 188 **mazans** (Reakirt), 1866
 a **m. mazans** (Reakirt), 1866
ascalaphus Staudinger, 1875
ascaphalus Evans, 1953 (*lapsus calami*)
 b **m. hayhurstii** (Edwards), "1870-1" (1870)

BOLLA Mabille, 1903Type: *Pythonides*, *Achlyodes Auctorum pullata* Mabille, 1878 (= *Pythonides*, *Achlyodes Auctorum phylo* Mabille, 1878, ssp.)

- 189
- brennus**
- (Godman & Salvin), (1896)

PELLICIA Herrich-Schäffer, 1870Type: *Pellicia dimidiata* Herrich-Schäffer, 1870*Hemipteris* Mabille, 1889

- 190
- angra**
- Evans, 1953

NISONIADES Hübner, "1816" [1819]Type: *Papilio bromius* Stoll, "1791" [1787] (= *Papilio mimas* Cramer, "1779" [1775])

- 191 **rubescens** (Möschler), 1876
bromias (Godman & Salvin), (1894)
triangulus (Mabille), 1897
clara (Mabille & Boullet), 1916
nigra (Mabille & Boullet), 1916

COGIA Butler, 1870

Type: *Cogia hassan* Butler, 1870

- ‡*Phædinus* Godman & Salvin (*nec* Dupont, 1834), (1894)
Anaperus Mabille & Boullet (*nec* Trosche, 1846), 1916
 ‡*Caicella* Hemmings, 1934

- 192 **calchas** (Herrich-Schäffer), 1869
terranea (Butler), 1872
anacreon (Plötz), 1882
- 193 **hippalus** (Edwards), 1882
 a h. **hippalus** (Edwards), 1882
gila (Plötz), 1886
- b h. **outis** (Skinner), 1894
- *194 **caicus** (Herrich-Schäffer), 1869
schaefferi (Plötz), 1882
- a c. **moschus** (Edwards), 1882

SPATHILEPIA Butler, 1870

Type: *Papilio clonius* Cramer, "1779" [1776]

- 195 **clonius** (Cramer), "1779" [1776]

CELÆNORRHINUS Hübner, "1816" [1819]

Type: *Papilio eligius* Stoll, 1782

- Ancistrocampta* Felder & Felder, 1862
Hantana Moore, 1881
Gehlota Doherty, 1889
Narga Mabille, 1891
Apallaga Strand, 1911

- 196 **fritzgærtneri** (Bailey), 1880
 197 **stallingsi** H. A. Freeman, 1946

DYSCOPHELLUS Godman & Salvin, (1893)

Type: *Papilio sebaldus* Stoll, "1782" [1781]

- ‡*Dyscophus* Burmeister (*nec* Grandidier, 1872), 1878
Nascus Auctorum (*nec* Watson, 1893)

- 198 **euribates** (Stoll), 1782
nicias (Fabricius), 1787
hesus (Westwood), 1852
etias (Hewitson), 1867
gaurus (Plötz), 1882
tychios (Plötz), 1882

CABARES Godman & Salvin, (1894)

Type: *Thanaos potrillo* Lucas, 1857

- 199 **potrillo** (Lucas), 1857
paterculus (Herrich-Schäffer), 1863

THORYBES Scudder, 1872

Type: *Papilio bathyllus* Smith, 1797

Cocceius Godman & Salvin, (1900)

- 200 **bathyllus** (Smith), 1797
daunus Auctorum (nec Cramer, "1779" [1777])
?syloson (Mabille), 1903
- 201 **pylades** (Scudder), (1870)
bathyllus Harris (nec Smith, 1797), 1862
 ab. *immaculata* (Skinner), 1911
 form *albosuffusa* H. A. Freeman, 1943
- 202 **diversus** Bell, 1927
- 203 **mexicana** (Herrich-Schäffer), 1869
 a **m. mexicana** (Herrich-Schäffer), 1869
ananius (Plötz), 1882
 b **m. nevada** Scudder, 1872
æmilea (Skinner), 1893
 c **m. dobra** Evans, 1952
- 204 **confusis** Bell, 1922
corusis Evans, 1952 (*lapsus calami*)
- 205 **drusius** (Edwards), 1883
paucipuncta Dyar, 1916
paucipunctata Evans, 1952 (*lapsus calami*)
- 206 **valeriana** (Plötz), 1882
mysie Dyar, 1904
valerius (Godman), 1907

ACHALARUS Scudder, 1872

Type: *Papilio lycidas* Smith (nec Cramer, "1779" [1777]), 1797 (== *Proteides lyciades* Geyer, 1832)

Murgaria Watson, 1893

- 207 **lyciades** (Geyer), 1832
 ‡*lycidas* (Smith nec Cramer, "1779" [1777]), 1797
 hedysarum (Scudder), 1889
- 208 **casica** (Herrich-Schäffer), 1869
 epigena (Butler), 1870
 epigona (Godman & Salvin), (1894) (*lapsus calami*)
 orestes (Edwards), 1877
- 209 **albociliatus** (Mabille), 1877
- 210 **toxeus** (Plötz), 1882
 coyote (Skinner), 1892
 negrociliata (Mabille & Boullet), 1912

AUTOCHTON Hübner, 1823

Type: *Autochton itylus* Hübner, 1823

- ‡*Cecrops* Hübner (nec Leach, 1816), "1816" [1819]
 Cecropterus Herrich-Schäffer, 1869
 Rhabdoides Scudder, 1889

- 211 **cellus** (Boisduval & Le Conte), "1833" [1834]
 festus (Geyer), 1837
 mexicana Draudt, (1922)
 ab. *aerofuscus* (Gunder), 1925
 ab. *leilæ* (Clark), 1934
- 212 **pseudocellus** (Collidge & Clemence), 1911

ASTRAPTES Hübner, "1816" [1819]

Type: *Papilio aulestis* Cramer (=*Papilio aulestes Auctorum*), "1782"
 [1780]

- Teleonus* Hübner, "1816" [1819]
 Creteus Westwood, 1852
 Euthymele Mabille, 1878

- *213 **fulgerator** (Walch), 1775
 a f. *azul* (Reakirt), 1866
- *214 **anaphus** (Cramer), "1779" [1777]
 a a. *annetta* Evans, 1952
- *215 **alector** (Felder & Felder), "1864-7" [Dec. 1866]
 a a. *hopfferi* (Plötz), 1882
 uridon (Dyar), 1912
- *216 **galesus** (Mabille), 1888
 subflavus (Williams), 1927
 a g. *cassius* Evans, 1952
 hahneli Auctorum (nec Staudinger, 1888)

URBANUS Hübner, "1806" [1807]Type: *Papilio proteus* Linnæus, 1758

- ‡*Urbanus* Hübner, [1806] (Opinion 278, name 86)
Goniurus Hübner, "1816" [1819]
Eudamus Swainson, 1831
Lyroptera Plötz, 1881 (*nomen nudum*)

217 **proteus** (Linnæus), 1758218 **dorantes** (Stoll), "1791" [1790]

- ?*proteus* Hübner (*nec* Linnæus, 1758), [1807]
torones (Hübner), 1821
atletes (Felder & Felder), 1862
amisus (Hewitson), 1867
protillus (Herrich-Schäffer), 1869
kefersteinii (Plötz), 1880
retractus (Plötz), 1880
velinus (Plötz), 1880
rauterbergi (Skinner), 1895
calafia (Williams), 1926

219 **procne** (Plötz), 1880220 **simplicius** (Stoll), "1791" [1790]

- dorantes* Hübner (*nec* Stoll, "1791" [1790]), [1808]
pilatus (Plötz), 1880
gracillcauda (Plötz), 1880
thiemei (Ehrmann), 1907
borja (Ehrmann), 1907
teleus (Hübner), 1821
 ‡*dorantes* Hübner (*nec* Stoll, 1791), [1808]
eurycles (Latrelle), "1819" [1824]
zalanthus (Plötz) 1880
latipennis (Mabille & Vuillot), 1891

222 **tanna** Evans, 1952223 **doryssus** Swainson, 1831

- brachius* (Geyer), 1832
leucites (Mabille), 1888
cleopatra (Ehrmann), 1907
interruptus (Williams), 1926

CODATRACTUS Lindsey, 1921Type: *Heteropia imitatrix* Mabille (= *Teleonus imalena* Butler, 1872
 = *Eudamus bryaxis* Hewitson, 1867, ssp.), 1889224 **melon** (Godman & Salvin), (1893)225 **arizonensis** (Skinner), 1905

- 226 **alcæus** (Hewitson), 1867
montezuma (Scudder), 1872

ZESTUSA Lindsey, 1925

- Type: *Plestia staudingeri* Mabille, 1888
 ‡*Plestia* Mabille (*nec* Stål, 1871), 1888

- 227 **dorus** (Edwards), 1882

POLYTHRIX Watson, 1893

- Type: *Eudamus metallescens* Mabille, 1888

- 228 **procerus** (Plötz), 1881
ælius (Plötz), 1881
uginulus Godman & Salvin, (1893)
callicina (Schaus), 1902

TYPHEDANUS Butler, 1870

- Type: *Typhedanus zephus* Butler (= *Cobalus umber* Herrich-Schäffer, 1869), 1870

- 229 **undulatus** (Hewitson), 1867
sumichrasti (Scudder), 1872
nicasius (Plötz), 1880
elongatus (Plötz), 1880

AGUNA Williams, 1927

- Type: *Eudamus camagura* Williams, 1926
 ‡*Tmetocerus* Poujade (*nec* Hartert, 1891), 1895

- 230 **asander** (Hewitson), 1867
panthius (Herrich-Schäffer), 1869
scheba (Plötz), 1882
euthymides (Mabille & Boullet), 1912

CHIOIDES Lindsey, 1921

- Type: *Eudamus albofasciatus* Hewitson, 1867 (= *Papilio catillus* Cramer. "1782" [1780], ssp.)

- *231 **catillus** (Cramer), "1782" [1780]
tarchon (Hübner), "1806" [1825]
lingicauda (Sepp), 1848
 a c. **albofasciatus** (Hewitson), 1867
 232 **zilpa** (Butler), 1874

POLYGONUS Hübner, "1806" [1825]

Type: *Polygonus lividus* Hübner, "1806" [1825] (= *Papilio leo* Gmelin, 1790 = *Papilio amyntas* Fabricius, 1775 [*nec Poda, 1761*]
 †*Acolastus* Scudder (*nec Gerst, 1855*), 1872
Nennius Kirby, 1902

*233 **leo** (Gmelin), 1790

†*amyntas* (Fabricius *nec Poda, 1761*), 1775
histrio Röber, (1925)
 a l. **arizonensis** (Skinner), 1911
pallida Röber, (1925)

234 **manueli** Bell & Comstock, 1948

EPARGYREUS Hübner, "1816" [1819]

Type: *Papilio tityrus* Fabricius (*nec Poda, 1761*), 1775 (= *Papilio clarus* Cramer, "1779" [1775])

Eridamus Burmeister, 1875

235 **zestos** Geyer, 1832

oberon (Worthington), 1881
arsaces Mabille, 1903

236 **clarus** (Cramer), "1779" [1775]

a c. **clarus** (Cramer), "1779" [1775]
 †*tityrus* (Fabricius *nec Poda, 1761*), 1775
californica (J. B. Smith), 1891
argentosus Hayward, 1933
argenteola (Matsumura), 1940
ab. oblitteratus (Scudder), 1889
ab. smythi (Williams), 1927

b c. **huachuca** (Dixon), 1955

*237 **exadeus** (Cramer), "1782" [1780]
 a e. **cruza** Evans, 1952

PROTEIDES Hübner, "1816" [1819]

Type: *Papilio mercurius* Fabricius, 1787 (= *Papilio idas* Cramer, "1782" [1780] *nec Linnæus, 1758*)

Dicranaspis Mabille, 1878

238 **mercurius** (Fabricius), 1787

a m. **mercurius** (Fabricius), 1787
 †*idas* (Cramer *nec Linnæus, 1758*), "1782" [1780]
 b m. **sanantonio** (Lucas), 1857 (*emendatio*)

PHOCIDES Hübner, "1816" [1819]

Type: *Phocides cruentus* Hübner, "1816" [1819] (=*Papilio palemon* Cramer, "1779" [1777] [nec Pallas, 1771] =*Hesperia polybius* Fabricius, 1793)

Erycides Hübner, "1816" [1819]

Dysenius Scudder, 1872

*239 **pigmalion** (Cramer), "1782" [1779]

tenuistriga Mabille & Boullet, 1912

vulcanides Röber, (1925)

iocularis Röber, (1925)

disparilis Röber, (1925)

a p. *okeechobee* (Worthington), 1881

*240 **polybius** (Fabricius), 1793

‡*palemon* Cramer (nec Pallas, 1771), "1779" [1777]

‡*cruentus* Scudder (nec Hübner, "1816" [1819]), 1872

a p. *lilea* (Reakirt), 1866

albicilla (Herrich-Schäffer), 1869

socius (Butler & Druce), 1872

sanguineus (Scudder), 1872

decolor Mabille, 1880

albiciaria Röber, (1925)

241 **urania** (Westwood), "1846-52" [1852]

texanus (Scudder), 1872

Subfamily PYRRHOPYGINÆ

PYRRHOPYGE Hübner, "1816" [1819]

Type: *Papilio bixæ* Linnæus, 1758, (=*Papilio phidias* Linnæus, 1758)

Tamyris Swainson, 1820

Pachyrhopala Wallengren, 1851

Pyrrhopuga Scudder, 1872 (*lapsus calami*)

Yanguna Watson, 1893

Apyrrothrix Lindsey, 1921

Apyrrhothrix Evans, 1951 (*lapsus calami*)

*242 **araxes** (Hewitson), 1867

cyrillus (Plötz), 1879

a a. *arizonæ* (Godman & Salvin), (1893)

Superfamily PAPILIONOIDEA

Family PAPILIONIDÆ

Subfamily PARNASSIINÆ

PARNASSIUS Latreille, 1804

Type: *Papilio apollo* Linnæus, 1758
Doribis Fabricius, 1807
Therius Billberg, 1820

*243 **eversmanni** Ménétriés, 1849

versmanni Bryk & Eisner, 1937 (*lapsus calami*)

- a **e. thor** H. Edwards, 1881
 - form *quincunx* Bryk & Eisner, 1934
 - form *desubmarginatus* Bryk, 1935
 - ab. *kohlsaatii* Gunder, 1932
 - ochreoocellatus* Bryk & Eisner, 1932

244 **clodius** Ménétriés, 1855

- a **c. incredibilis** Bryk, 1932
- b **c. pseudogallatinus** Bryk, 1913
- c **c. claudianus** Stichel, 1907
 - baldus* Ehrmann, 1918
 - kallias* Ehrmann, 1918
- d **c. hel** Eisner, 1956
- e **c. clodius** Ménétriés, 1855
 - form *extinctoanalis* Bryk & Eisner, 1932
 - ab. *castus* Bryk, 1913
 - ab. *sulfureus* Gunder, 1932
- f **c. altaurus** Dyar, "1902" [1903]
 - form *flavoocellatus* Bryk, 1935
- g **c. gallatinus** Stichel, 1907
 - ab. *immaculatus* Skinner, 1911
- h **c. baldur** Edwards, 1877
 - form *lusca* Stichel, 1907
 - form *primoetertio picta etornatus* Bryk & Eisner, 1932 (*emendatio*)
 - form *medionigroocellatus* Bryk, 1935
 - form *medionigroocellatus* Bryk & Eisner, 1937
 - ab. *lorquinii* Oberthür, 1891
 - ab. *binigrimaculellus* Gunder, 1926

- i **c. sol** Bryk & Eisner, 1932
- j **c. menetriesii** H. Edwards, "1876" [1877]
 - form ♀ *medionigrocellatus* Bryk & Eisner, 1932 (*emendatio*)
 - form ♀ *nigroanalis* Bryk & Eisner, 1932
 - form ♀ *albocentratus* Bryk & Eisner, 1932
- k **c. strohbeeni** Sternitzky, 1945
 - ab. *dodgei* Gunder, 1932
- *245 **phœbus** Fabricius, 1793
 - a **p. golovinus** Holland, 1930
 - b **p. apricatus** Stichel, 1906
 - c **p. elias** Bryk, 1934
 - d **p. alaskaensis** Eisner, 1957 (*emendatio*)
 - alaskensis* Eisner, 1956 (*lapsus calami*)
 - e **p. magnus** Wright, 1905
 - f **p. olympianus** Burdick, 1941
 - g **p. smintheus** Doubleday, 1847
 - sedakovii* Ménétriés, 1849
 - rocky* Grum-Grschimailo, 1890
 - ernestinæ* Bryk & Eisner, 1935
 - manitobaensis* Bryk & Eisner, 1935
 - form *verity* Ehrmann, 1918
 - †*minor* Verity, "1905-11" [1907]
 - ab. *minusculus* Bryk, 1912
 - ab. *quincunx* Bryk, 1914
 - h **p. nanus** Neumoegen, 1890
 - i **p. xanthus** Ehrmann, 1918
 - idahoensis* Bryk & Eisner, 1931
 - j **p. montanulus** Bryk & Eisner, 1935
 - k **p. maximus** Bryk & Eisner, 1937
 - form *mendicus* Stichel, 1907
 - form *pseudocorybas* Verity, "1905-11" [1907]
 - l **p. dakotaensis** Bryk & Eisner, 1935
 - m **p. sayii** Edwards, "1863-4" (1863)
 - polus* Ehrmann, 1917
 - pholus* Barnes & Benjamin, 1926 (*lapsus calami*)
 - montanus* Ehrmann, 1918
 - utahensis* Rothschild, 1918
 - sordellus* Fruhstorfer, 1923
 - aristion* Fruhstorfer, 1923
 - n **p. rotgeri** O. Bang-Haas, 1938
 - form *reducta* O. Bang-Haas, 1938

- o p. alt. **hermodur** H. Edwards, 1881
hermador Brown, Eff & Rotger, 1956 (*lapsus calami*)
catullius Fruhstorfer, 1923
 form *discocircumcintus* Eisner, 1955
 ab. *nigerrimus* Verity, "1905-11" [1907]
 ab. *mariae* Bryk, 1912
 ab. *quincunx* Bryk, 1915
 ab. *fermatus* Bryk, 1921
 ab. *melanophorus* Bryk, 1921
- p p. **sternitzkyi** McDunnough, 1936
- q p. **behrii** Edwards, 1870
niger Wright, 1905
astriotes Fruhstorfer, 1923
- r p. **hollandi** Bryk & Eisner, 1935

Subfamily PAPILIONINÆ

BATTUS Scopoli, 1777

Type: *Papilio polydamas* Linnæus, 1758
Ithobalus Hübner, "1816" [1819]
Lærtias Hübner, "1816" [1819]
Lærtiades Doubleday, (1846)

- 246 **philenor** (Linnæus,) 1771
 - a p. **philenor** (Linnæus), 1771
astinous (Drury), "1770" [1773]
 ab. *obsoleta* (Ehrmann), 1900
 ab. *wasmuthii* (Weeks), 1901
 - b p. **acauda** (Oberthür), 1879
nezahualcoyotl (Strecker), 1885
corbis (Godman & Salvin), (1890)
orsua (Godman & Salvin), (1890)
 - c p. **hirsuta** (Skinner), 1908
 ab. *inghami* (Gunder), 1927
- *247 **polydamas** (Linnæus), 1758
polydamus (McDunnough), 1938 (*lapsus calami*)
 - a p. **lucayus** (Rothschild & Jordan), 1906

PAPILIO Linnæus, 1758

Type: *Papilio machaon* Linnæus, 1758

- ‡*Princeps* Hübner, [1806] (Opinion 278, name 83)
- Amaryssus* Dalman, 1816
- Jasoniades* Hübner, "1816" [1819]
- Euphæades* Hübner, "1816" [1819]
- Heraclides* Hübner, "1816" [1819]
- Caliades* Hübner, "1816" [1819]
- Clytia* Swainson, 1833
- Thoas* Swainson, 1833
- Aërnauta* Berge, 1842
- Achivus* Kirby, 1896

*248 **polyxenes** Fabricius, 1775

- a p. **asterius** Stoll, 1782
 - ajax* Linnæus, 1758 (Opinion 286)
 - asteriodes* Reakirt, 1866
 - viridis* Cockerell, 1889
 - mediocauda* Eimer, 1895
 - mediocanda* Eimer, 1895 (*lapsus calami*)
 - semialbus* Ehrmann, 1900
 - form *ampliata* Ménétrier, 1857
 - form *curvifascia* Skinner, 1902
 - form *subampliata* Dufrane, 1946
 - ab. *calverleyi* Grote, 1864
 - ab. *alunatus* Skinner & Aaron, 1889
 - ab. *ehrmanni* Ehrmann, 1925
 - ab. *streckeri* Holland, 1927
 - ab. *forsythæ* Wood, 1937
- b p. **stabilis** Rothschild & Jordan, 1906
 - form *pseudoamericanus* Brown, 1942

249 **brevicauda** Saunders, 1869

- a b. **brevicauda** Saunders, 1869
 - anticostiensis* Strecker, 1873
 - medicanda* Bryk, 1930
- b b. **gaspeensis** McDunnough, 1934
- c b. **bretonensis** McDunnough, 1939

250 **bairdii** Edwards, 1866

- a b. **bairdii** Edwards, 1866
 - uitahensis* Strecker, 1878
- b b. **hollandii** Edwards, 1892
 - form *brucei* Edwards, 1895
- c b. **oregonius** Edwards, 1876

- d **b. rudkini** J. A. Comstock, 1935
 form *clarki* Chermock & Chermock, 1937
 form *comstocki* Chermock & Chermock, 1937
- 251 **nitra** Edwards, "1883" [1884]
 form *kahli* Chermock & Chermock, 1937
- 252 **zelicaon** Lucas, 1852
 zolicaon Boisduval, 1852
 zelicayn Skinner, 1898 (*lapsus calami*)
 californica Ménétriés, 1855
 coloro Wright, 1905
 impunctata Fischer, 1908
 formosus Fischer, 1908
 ab. *melanotenia* Fischer, 1908
 ab. *macdunnoughi* Gunder, 1928 (*emendatio*)
- *253 **machaon** Linnæus, 1758
 a **m. aliaska** Scudder, 1869
 joannisi Verity, "1905-11" [1905]
 petersii Clark, 1932
 b **m. hudsonianus** Clark, 1932
 avinoffi Chermock & Chermock, 1937
 c **m. dodi** McDunnough, 1939
- 254 **indra** Reakirt, "1866-7" (1866)
 a **i. indra** Reakirt, "1866-7" (1866)
 b **i. minori** Cross, 1936
 c **i. pergamus** H. Edwards, 1874
 d **i. kaibabensis** Bauer, 1955
 e **i. fordi** Comstock & Martin, "1955" [1956]
- *255 **thoas** Linnæus, 1771
 a **t. autocles** Rothschild & Jordan, 1906
 b **t. nealces** Rothschild & Jordan, 1906
 c **t. oviedo** Gundlach, 1866
- 256 **cresphontes** Cramer, "1779" [1777]
 a **c. cresphontes** Cramer, "1779" [1777]
 oxilus Hübner, "1816" [1819]
 ab. *maxwelli* Franck, 1919
 ab. *forsythæ* Gunder, 1933
 b **c. pennsylvanicus** Chermock & Chermock, 1945
 luxuriosus, Forbes 1960 (REIFFERS)
- 257 **ornythion** Boisduval, 1836
- *258 **aristodemus** Esper, 1794
 cresphontinus Martyn, 1797
 daphnis Gray, 1852
 daphnis Skinner, 1898 (*lapsus calami*)
 a **a. ponceanus** Schaus, 1911

- 259 **anchisiades** Esper, 1788
 a a. **anchisiades** Esper, 1788
 b a. **idæus** Fabricius, 1793
 pandion Felder & Felder, "1864-7" [1864]
- *260 **lycophron** (Hübner), "1806" [1823]
 a l. **pallas** Gray, 1852
- *261 **andræmon** (Hübner), "1806" [1823]
 a a. **bonhotei** Sharpe, 1900
- 262 **glaucus** Linnæus, 1764⁵⁸
 a g. **glaucus** Linnæus, 1764⁵⁸
 form ♀ *turnus* Linnæus, 1771
 †*ajax* Linnæus, 1758 (*partim*)
 antilochus Linnæus, 1758
 alcidamus Cramer, "1779" [1775]
 ab. *fletcheri* Kemp, 1900
 ab. *dietzi* Gunder, 1927
 ab. *gerhardi* Gunder, 1927
 ab. *ehrmanni* McDunnough, 1938
 b g. **canadensis** Rothschild & Jordan, 1906
 arcticus Skinner, 1906
 ab. *deficiens* Dufrane, 1946
- c g. **australis** Maynard, 1891
- 263 **rutulus** Lucas, 1852
 a r. **rutulus** Lucas, 1852
 ab. *hospitonina* LeCerf, 1912
 ab. *fannyæ* Gunder, 1927
 b r. **ammoni** Behrens, 1887
 c r. **arizonensis** Edwards, 1883
- 264 **multicaudata** (Peale MS.) Kirby, 1884
 †*daunus* Boisduval (*nec* Cramer, [1777]), 1836
 ab. *ragani* Barnes, 1928
- 265 **eurymedon** Lucas, 1852
 lewisii Kirby, 1884
 form *albanus* Felder & Felder, "1864-7" [1864]
 ab. *cocklei* Gunder, 1925
 ab. *columbiana* Gunder, 1927
- 266 **pilumnus** Boisduval, 1836
- 267 **troilus** Linnæus, 1758
 a t. **troilus** Linnæus, 1758
 ab. *radiatus* Strecker, 1900
 ab. *flavus* Dufrane, 1946
 ab. *obliteratus* Dufrane, 1946

ab. *berioi* Dufrane, 1946
 ab. *addenda* Dufrane, 1946

b t. **ilioneus** Smith, 1797

texanus Ehrmann, 1900

268 **palamedes** Drury, "1770" [1773]
chalcas Fabricius, 1775

GRAPHIUM Scopoli, 1777

Type: *Papilio sarpedon* Linnaeus, 1758

Zetides Hübner, "1816" [1819]

Chlorisses Swainson, 1832

Iphicrides Hübner, "1816" [1819]

Podalirius Swainson, 1833

269 **marcellus** (Cramer), "1779" [1777] (*gen. vern.*)
 †*ajax* (Linnaeus), 1758 (*partim*) (Opinion 286)
walshii (Edwards), 1872
carolinianus (Holland), 1931 (Opinion 259)
 form *telamonides* (Felder & Felder), "1864-67" [1864]
 form *floridensis* (Holland), 1898
gen. æst. lecontei (Rothschild & Jordan), 1906
 ab. *abbotii* (Edwards), 1872
 ab. *broweri* (Gunder), 1927
 ab. *pricei* (Field), 1936
 ab. *nigrosuffusa* (Field), 1936

PARIDES Hübner, "1816" [1819]

Type: *Princeps dominans echelus* Hübner, "1806" [1815]

†*Polydorus* Swainson (*nec de Blainville*, 1826), 1833

Atrophaneura Reakirt, 1864

*270 **arcas** (Cramer), "1779" [1777]
 a a. **mylotes** (Bates), 1861

Family PIERIDÆ (Opinion 500)

Subfamily DISMORPHIINÆ

ENANTIA Hübner, "1816" [1819]

Type: *Enantia lininia* Cramer, Hübner, "1816" [1819] (*lapsus calamii*)
 (= *Papilio licinia* Cramer, "1779" [1777])

Dismorphia Hübner, 1816 (*partim*)

*271 **elite** (Johansson), 1763

Subfamily PIERINÆ

NEOPHASIA Behr, 1869

Type: *Neophasia terlootii* Behr, 1869

272 **menapia** (Felder & Felder), 1859

a **m. menapia** (Felder & Felder), 1859

b **m. tau** (Scudder), 1861

ninonia (Boisduval), 1869

form ♀ *suffusa* (Stretch), 1882

ab. *nigracosta* J. A. Comstock, 1918

273 **terlootii** Behr, 1869

epyaxa Strecker, 1900

ab. *princetonia* Poling, 1900

APPIAS Hübner, "1816" [1819]

Type: *Papilio zelmire* Stoll, 1782 (= *Papilio zelmira Auctorum* = *Papilio libythea* Fabricius, 1775, f.)

Appius Brown, 1942 (*lapsus calami*)

Catophaga Hübner, "1816" [1819]

Hiposcritia Geyer, 1832

Trigonia Geyer (*nec* Bruguière, 1789), 1837

*274 **drusilla** (Cramer), "1779" [1777]

a **d. poeyi** (Butler), 1872

b **d. neumoegenii** (Skinner), 1894

hollandi Röber, 1909

PIERIS Schrank, 1801

Type: *Papilio brassicæ* Linnæus, 1758

‡*Mancipium* Hübner, [1806] (Opinion 278, name 84)

‡*Danaus* Oken (*nec* Kluk, 1802), 1815

Ganoris Dalman, 1816

Andropodium Hübner, 1822

Tachyptera Berg, 1842

Pierio Edwards, 1873 (*lapsus calami*)

Pinis Edwards, 1875 (*lapsus calami*)

Ascia Auctorum (*nec* Scopoli, 1777)

- 275 **b. beckerii** Edwards, 1871
 a **b. beckerii** Edwards, 1871
 ab. *gunderi* (Ingham), 1933
 b **b. pseudochloridice** McDunnough, 1928
- 276 **sisymbrii** Boisduval, 1852
 a **s. sisymbrii** Boisduval, 1852
 form *flava* Edwards (*nec* Edwards, 1881), 1883
 gen. vern. transversa (Barnes & Benjamin), 1926
 b **s. flavitineta** J. A. Comstock, 1924
 c **s. elevata** (Barnes & Benjamin), 1926
 transvera (Barnes & Benjamin), 1926
- 277 **protodice** Boisduval & Le Conte, 1829
 protodin Edwards, 1872 (*lapsus calami*)
 a **p. protodice** Boisduval & Le Conte, 1829 (*gen. æst.*)
 gen. vern. vernalis Edwards, 1864
 b **p. occidentalis** Reakirt, "1866-7" (1866) (*gen. æst.*)
 gen. vern. ?nasturtii Edwards, 1864
 c **p. calyce** Edwards, "1870-1" (1870)
 d **p. nelsoni** Edwards, 1883
- *278 **napi** (Linnæus), 1761^{ss}
 napæ Edwards, 1881 (*lapsus calami*)
 a **n. pseudobryoniæ** Verity, "1905-11" [1908]
 arctica Verity, "1905-11" [1911]
 b **n. hulda** Edwards, "1868-9 (1869)
 c **n. frigida** Scudder, 1861 (*gen. vern.*)
 borealis Grote, 1873
 pseudoleracea Verity, "1905-11" [1908]
 gen. æst. acadica Edwards, 1881
 d **n. oleracea** Harris, 1829 (*gen. vern.*)
 hyemalis Harris, 1829
 casta (Kirby), 1837
 ab. *virginiensis* Edwards (*nec* Edwards, 1870), 1881
 gen. æst. cruciferarum Boisduval, 1836
 æstiva Harris, 1850
 e **n. venosa** Scudder, 1861 (*gen. vern.*)
 ‡nasturtii Boisduval (*nec* Edwards, 1864), 1869
 microstriata J. A. Comstock, 1927
 form ♀ *flava* Edwards, 1881
 gen. æst. castoria Reakirt, 1866
 iberidis Boisduval, 1869
 ab. *resedæ* Boisduval, 1869
 ab. *flava* Edwards, 1881
 ab. *cottlei* Gunder, 1925

- f **n. marginalis** Scudder, 1861 (*gen. vern.*)
gen. æst. pallida Scudder, 1861
- g **n. macdunnoughii** Remington, 1954 (*gen. vern.*)
‡*pseudonapi* Barnes & McDunnough (*nec Verity, "1905-11"*
[1911]), 1916
- gen. *æst. pallidissima* Barnes & McDunnough, 1916
- h **n. mogollon** Burdick, 1942
- 279 **virginiensis** Edwards, "1870-1" (1870)
- 280 **rapæ** (Linnæus), 1758
 - metra* Stephens, 1827
 - immaculata* de Selys-Longchamps, 1857
 - ‡*immaculata* Cockerell, 1889
 - ‡*immaculata* Skinner & Aaron, 1889
 - gen. æst. yreka* Reakirt, 1866
 - ab. *novangliae* Scudder, 1872

ASCIA (ASCIA) Scopoli, 1777

Type: *Papilio monuste* Linnæus, 1764

Ganyra Billberg, 1820 (*partim*)

- *281 **monuste** (Linnæus), 1764
 - feronia* (Stephens), 1828
 - cleomes* (Boisduval & Le Conte), 1829
 - crameri* Holland, 1931
- a **m. phileta** (Fabricius), 1775
- b **m. raza** Klots, 1930

ASCIA (GANYRA) Billberg, 1820

Type: *Papilio amaryllis* Fabricius (=*Pieris josephina* Godart, 1819), 1793

- *282 **josephina** (Godart), 1819
‡*amaryllis* Fabricius (*nec Stoll, 1782*), 1793
- a **j. josepha** (Salvin & Godman), 1868

Subfamily COLIADINÆ

COLIAS (COLIAS) Fabricius, 1807 (Opinion 146)

Type: *Papilio hyale* Linnæus, 1758

‡*Eurymus* Horsfield (*nec Rafinesque, 1815*), 1829

- 283 **meadii** Edwards, "1870-1" (1871)
 - a **m. meadii** Edwards, "1870-1" (1871)
form ♀ *medi* (Gunder), 1934
 - b **m. elis** Strecker, 1885
form ♀ *lambillioni* Dufrane, 1947

- 284 **hecla** Lefèbre, 1836
 a **h. hecla** Lefèbre, 1836
 glacialis M'Lachlan, 1878
 grænlandica Ruehl, "1892" [1893]
 form ♀ *pallida* [Skinner], 1892
 palamedes Hemming, 1934
 b **h. hela** Strecker, 1880
 chrysothemooides Verity, "1905-11" [1911]
- 285 **boothii** Curtis, 1835
 form *chione* Curtis, 1835
- 286 **eurytheme** Boisduval, 1852
 enegthenu Edwards, 1872 (*lapsus calami*)
 a **e. eurytheme** Boisduval, 1852 (*gen. vern.*)
 ariadne Edwards, "1870-1" (1870)
 form ♀ *alba* Strecker, 1878
 pallida Cockerell, 1888
 ab. *rudkini* (Gunder), 1932
 gen. æst. amphidusa Boisduval, 1852
 amphidona Edwards, 1869 (*lapsus calami*)
 californiana Ménétriés, 1855
 ab. *flava* Strecker, 1878
 unicitrina (Gunder), 1924
 b **e. keewaydin** Edwards, 1869 (*gen. vern.*)
 form ♀ *alba* Strecker, 1878
 pallida Cockerell, 1888
 hybrida Strecker, 1878 (hybrid)
 luteitincta Wolcott, 1893
 typica Cockerell, 1888
 intermedia Cockerell, 1888
 gen aut. hagenii Edwards, "1883" [1884]
 gen. æst. autumnalis Cockerell, 1888
 ab. *fumosa* Strecker, 1900
 c **e. eriphyle** Edwards, 1876 (*gen. vern. et gen. aut.*)
 ab. *lauræ* (Chermock), 1929
 ab. *nigricosta* (Chermock), 1929
 form *alt. kootenai* Cockle, 1910
- 287 **philodice** Godart, 1819
 philodin Edwards, 1872 (*lapsus calami*)
 a **p. philodice** Godart, 1819 (*gen. æst.*)
 ‡*europome* Haworth (*nec* Esper, 1778), 1803
 dorippe Godart, 1819
 ‡*europome* Stephens (*nec* Esper, 1778 *nec* Haworth, 1803),
 1827 (?1828)

- santes* Fitch, "1853" [1854]
maria Edwards, 1884
notatus Clark & Clark, 1941
 form ♀ *alba* Strecker, 1878
pallidice (Scudder), 1889
miscidice (Scudder), 1889 (*partim*)
albinic Skinner, 1898
alba Röber, (1910)
albida (Chermock), 1928
 \ddagger *alba* Chermock (*nec* Röber, [1910]), 1927
 ab. *nigra* Strecker, 1878
nigridice (Scudder), 1889
melanic Skinner, 1898
nigrina Strecker, 1900
 ab. *virida* Strecker, 1878
 ab. *rothkei* Reiff, 1917
 ab. *inversata* Nakahara, 1925
 ab. *serrata* (Chermock), 1929
 ab. *suffusa* Cockerell, 1889
nigrofasciata Reiff, 1917
 ab. *plicaduta* Nakahara, 1925
reducta Dufrane, 1947
 ab. *ehrmanni* Chermock, 1927
gen. vern. anthyale Hübner, 1823
 form ♀ *miscidice* (Scudder), 1889 (*partim*)
 ab. *nigrofasciata* Reiff, 1918
 ab. *minor* Chermock, 1927
b p. vitabunda Hovanitz, 1943
 288 **barbara** H. Edwards, 1877
 form ♀ *martini* (Gunder), 1931
 ab. *weaveræ* (Gunder), 1924
 289 **harfordii** H. Edwards, 1877
 hartfordii Autorum
 290 **occidentalis** Scudder, 1862
 a **o. occidentalis** Scudder, 1862
 b **o. chrysomelas** H. Edwards, 1877
 chryomelas H. Edwards, 1877
 form ♀ *shastæ* (Barnes & Benjamin), 1926
 291 **interior** Scudder, 1862
 a **i. interior** Scudder, 1862
 interier Kirby, 1877 (*lapsus calami*)
 solivaga Edwards, 1877
 form ♀ *nepi* (Barnes & Benjamin), 1926

- b. *vividior* Berger 1945
 c. b. i. *laurentina* (Scudder), 1876
 ab. *raritus* Gunder, 1928
- 292 **scudderii** Reakirt, 1865
 a. s. *scudderii* Reakirt, 1865
 form ♀ *flavotincta* Cockerell, 1901
 b. s. *ruckesi* Klots, 1937
 c. s. *harroweri* Klots, 1940
 mayi Chermock & Chermock, 1940
 form ♀ *marjorie* Chermock & Chermock, 1940
 d. s. *astraea* Edwards, "1872-3" (1872)
 e. s. *gigantea* Strecker, 1900
 pelidneides Staudinger, 1901
- 293 **alexandra** Edwards, "1863-4" (1863)
 a. a. *alexandra* Edwards, "1863-4" (1863)
 form ♀ *alba* Strecker, 1878
 pallida Cockerell, 1889
 b. a. *edwardsii* Edwards, "1870-1" (1870)
 form ♀ *hatui* (Barnes & Benjamin), 1926
 c. a. *emilia* Edwards, "1870-1" (1870)
 d. a. *christina* Edwards, "1863-4" (1863)
 form ♀ *pallida* Cockerell, 1889
 e. a. *alberta* Bowman, 1942
 form ♀ *pallidissima* Bowman, 1942
 f. a. *krauthii* Klots, 1935
- 294 **pelidne** Boisduval & Le Conte, 1829
 a. p. *pelidne* Boisduval & Le Conte, 1829
 anthyale Möschler (*nec* Hübner, 1823), 1870
 b. p. *labradorensis* Scudder, 1862
 ab. *moeschleri* Grum-Grschimailo, 1893
 ab. *mira* Verity, "1905-11" [1911]
 c. p. *minisni* Bean, 1895
 menisme Verity, "1905-11" [1908] (*lapsus calami*)
 form ♀ *isni* (Barnes & Benjamin), 1926
 d. p. *skinneri* Barnes, 1897
 form ♀ *neri* (Barnes & Benjamin), 1926
- 295 **palæno** (Linnæus), 1761
 a. p. *palæno* (Linnæus), 1761
 ?*philomene* (Hübner), 1805
 ?*lapponica* Staudinger, 1871
 ?*werdandi* Herrich-Schäffer (*nec* Zetterstedt, 1840), "1843"
 [1844]

- b **p. chippewa** Edwards, "1872" [1870]
 ‡helena Edwards (*nec* Herrich-Schäffer, "1843" [1844]),
 1863
 ab. *kohlsaatii* (Gunder), 1931
- 296 **nastes** Boisduval, 1832
 a **n. nastes** Boisduval, 1832
 standfussi Röber, (1910) (hybrid)
 b **n. rossii** Guenée, 1864
 gueneei Avinoff, 1935
 c **n. moina** Strecker, 1880
 ab. *harperi* (Gunder), 1932
 d **n. streckeri** Grum-Grshimailo, 1895
 obscurata Verity, "1905-11" [1911]
 ab. *palliflava* McDunnough, 1927
 e **n. cocandicides** Verity, "1905-11" [1911]
 subarctica McDunnough, 1928
 f **n. thula** Hovanitz, 1955
 g **n. aliaska** O. Bang-Haas, 1927
 alaskæ McDunnough, 1938 (*lapsus calami*)
- 297 **behrii** Edwards, 1866
 form ♀ *canescens* (J. A. Comstock), 1925

COLIAS (ZERENE) Hübner, "1816" [1819]

Type: *Papilio cesonia* Stoll, "1791" [1790]

Meganostoma Reakirt, 1863

Meganostoma Auctorum

- 298 **eurydice** Boisduval, 1855
- ab. *Nigrocincta* ♀ *lorquini* Boisduval, 1855
 Riddell 1941 *wosnesenskii* (Ménétriés), 1855
- ~~ab.~~ *marginalata* *helena* (Reakirt), 1863
 Riddell 1941
- ab. *Flavolineata* *amorphæ* (H. Edwards), 1876
 Riddell 1941
- F. *rubrosuffusa* form ♂ *bernardino* (Edwards), 1887
 Riddell 1941 form ♂ *lineainita* Gunder, 1928
 form ♀ *masumbrosus* Gunder, 1928
 form ♀ *doudoroffi* Gunder, 1932
 ab. *fanniae* Gunder, 1924
 ab. *newcombi* Gunder, 1925

- 299 **cesonia** (Stoll), "1791" [1790]
 cæsonia Auctorum
 gen. aut. *rosa* M'Neill, 1889
 form ♀ *immaculsecunda* Gunder, 1928
 form ♀ *stainkeæ* (Field), 1936
 form *rosea* (Röber), (1910)

ANTEOS Hübner, "1816" [1819]Type: *Papilio mærula* Fabricius, 1775*Rhodocera* Boisduval & Le Conte, "1829" [1830]*Amynthia* Swainson, 1831*Gonepteryx Auctorum* (nec Leach, 1815)*300 **clorinde** (Godart), "1819" [1824]*godarti* (Perty), "1830-4" [1833]*swainsonia* (Swainson), 1833a c. **nivifera** Fruhstorfer, 1907*301 **mærula** (Fabricius), 1775a m. **lacordairei** (Boisduval), 1836**PHŒBIS (PHŒBIS)** Hübner, "1816" [1819]Type: *Phœbis cypris* Hübner, "1816" [1819] (=*Papilio argante* Fabricius, 1775)*Callidryas* Boisduval & Le Conte, "1829" [1830]302 **sennæ** (Linnæus), 1758a s. **sennæ** (Linnæus), 1758b s. **eubule** (Linnæus), 1767gen. vern. *drya* (Fabricius), 1775form ♀ *pallida* Cockerell, 1889form ♀ *browni* Field, 1936c s. **marcellina** (Cramer), "1779" [1777]form ♀ *yamana* Reakirt, 1863303 **philea** (Johansson), 1763♀ *aricye* (Cramer), "1779" [1776]

corday (Hübner), "1816" [1819]

gen. vern. *melanippe* (Stoll), 1782form ♀ *obsoleta* Niepelt, 1920304 **argante** (Fabricius), 1775*cipris* (Cramer), "1779" [1777]*larra* (Fabricius), 1798*cnidia* (Godart), 1819305 **agarithe** (Boisduval), 1836a a. **agarithe** (Boisduval), 1836b a. **maxima** (Neumoegen), 1891‡*floridensis* (Röber nec Neumoegen, 1891), 1910form ♀ *albarithe* Brown, 1929*306 **neocypris** (Hübner), "1806" [1823]a n. **bracteolata** (Butler), 1865‡*cipris* (Fabricius nec Cramer, "1779" [1777]), 1793

PHŒBIS (APHRISSA) Butler, 1873Type: *Papilio statira* Cramer, "1779" [1777]*307 **statira** (Cramer), "1779" [1777]

- a **s. floridensis** (Neumoegeen), 1891
- b **s. jada** (Butler), 1870

KRICOGONIA Reakirt, 1863Type: *Colias lysis* Godart, 1819308 **lyside** (Godart), 1819

- lanice* Lintner, 1884 (σ partim)
- xanthophila* Röber, (1910)
- form σ *terissa* (Lucas), 1852
- form φ *fantasia* Butler, 1871
- form φ *unicolor* Godman & Salvin, (1889)
- lanice* Lintner, 1884 (φ partim)

309 **castalia** (Fabricius), 1793**EUREMA (EUREMA) Hübner, "1816" [1819]**Type: *Eurema demoditas* Hübner, "1816" [1819] (=*Pieris daira* Godart, 1819)310 **daira** (Godart), 1819a **d. daira** (Godart), 1819

\ddagger *delia* (Cramer nec Denis & Schiffermüller, "1782" [1780]),
1775

elathea Auctorum (nec Cramer, "1779" [1777])

demoditas Hübner, "1816" [1819]

gen. $\alpha\epsilon\sigma\tau.$ *jucunda* Boisduval & Le Conte, 1829

form *pallida* Klots, 1928

ab. *albina* (Poey), 1851

ab. *fusca* L. Harris, 1931

b **d. palmira** (Poey), "1851" [1853]

\ddagger *palmyra Auctorum*

form *delioides* Haskin, 1933

c **d. lydia** (Felder & Felder), 1861311 **boisduvaliana** Felder & Felder, "1864-7" [1865]

ingrata R. Felder, 1869

- 312 **mexicana** (Boisduval), 1836
 damaris (Felder & Felder), "1864-7" [1865]
 depuiseti (Boisduval), 1870
 gen. hiem. rosa Whittaker & Stallings, 1944
 ab. *biedermanni* Ehrmann, 1927
 ab. *recta* Klots, 1928
 *313 **salome** (Felder), 1861
 a **s. limoneus** (Felder & Felder), 1861

EUREMA (PYRISITIA) Butler, 1870

- Type: *Papilio proterpia* Fabricius, 1775
 Pyristia Scudder, 1875 (*lapsus calami*)
- 314 **proterpia** (Fabricius), 1775 (*gen. æst.*)
 ♀ *longicauda* (Bates), 1864
 gen. vern. gundlachia (Poey), 1851
- 315 **lisa** Boisduval & Le Conte, 1829
 euterpe (Ménétriés), 1832
 clappii (Maynard), 1891
 form ♀ *alba* (Strecker), 1878
 gen. æst. immaculata Whittaker & Stallings, 1944
- 316 **nise** (Cramer), "1779" [1776]
 a **n. nise** (Cramer), "1779" [1776]
 neda (Godart), 1819
 b **n. nelphe** (R. Felder), 1869
 linda (Edwards), 1884
 perimede Klots (*nec Prittitz*, 1865), 1929
- *317 **messalina** (Fabricius), 1787
 a **m. blakei** (Maynard), 1891
- *318 **dina** (Poey), 1832
 a **d. westwoodi** (Boisduval), 1836
 b **d. helios** M. Bates, 1934

EUREMA (ABÆIS) Hübner, "1816" [1819]

- Type: *Papilio nicippe* Cramer, "1782" [1780]
 Xanthidia Boisduval & Le Conte, 1829

- 319 **nicippe** (Cramer), "1782" [1780]
 gen. æst. pallens Whittaker & Stallings, 1944
 ab. *flava* (Strecker), 1878
 ab. *dammersi* Gunder, 1930
 ab. *callæ* Field, 1936

NATHALIS Boisduval, 1836

- Type: *Nathalis iole* Boisduval, 1836

320 **iole** Boisduval, 1836

luteolus Reakirt, 1863

gen. hiem. viridis Whittaker & Stallings, 1944

form *immaculata* Field, 1936

ab. *irene* Fitch, 1856

ab. *pallida* Field, 1936

Subfamily EUCHLOEINÆ

ANTHOCARIS (ANTHOCARIS) Boisduval, Rambur & Graslin, [1833]

Type: *Papilio cardamines* Linnæus, 1758

Anthocharis Auctorum

Anthochris Cook, 1948, (*lapsus calami*)

321 **cethura** (Felder & Felder), "1864-7" (Oct. 1865)

a **c. cethura** (Felder & Felder), "1864-7" (Oct. 1865)

cooperii Behr, 1869

angelina Boisduval, 1869

b **c. morrisoni** Edwards, 1881

c **c. caliente** Wright, 1905

d **c. deserti** Wright, 1905

e **c. catalina** Meadows, 1937

322 **pima** Edwards, 1888

323 **dammersi** J. A. Comstock, 1929

324 **sara** Lucas, 1852

a **s. sara** Lucas, 1852

mollis Wright, 1905

gen. vern. reakirtii Edwards, "1868-9" (1869)

ab. *wrighti* J. A. Comstock, 1924

ab. *sternitzkyi* Gunder, 1925

ab. *corcorani* Gunder, 1931

ab. *broweri* Gunder, 1932

ab. *flavicoloris* Gunder, 1933

b **s. gunderi** Ingham, 1933

c **s. inghami** Gunder, 1932

ab. *duncani* Gunder, 1932

d **s. stella** Edwards, 1879

e **s. flora** Wright, 1905

f **s. julia** Edwards, "1872-3" (1872)

thoosa Scudder, 1878

ab. *sulfuris* Gunder, 1931

- g **s. brownningi** Skinner, 1905
 h **s. alaskensis** Gunder, 1932

ANTHOCARIS (FALCAPICA) Klots, 1930

Type: *Papilio genutia* Fabricius (*nec* Cramer, "1782" [1780]), 1793

‡*Midea* Herrich-Schäffer (*nec* Walker, 1863 *nec* Bruzelius, 1854), 1867

Anthocaris Boisduval, Rambur & Graslin, [1833] (*partim*)

- 325 **midea** Hübner, "1806" [1809]

medea Leussler, 1938 (*lapsus calami*)

‡*genutia* (*nec* Fabricius *nec* Cramer, "1782" [1780]), 1793

lherminieri Godart, 1819

flavida Skinner, 1917

- 326 **lanceolata** Lucas, 1852

- a **I. lanceolata** Lucas, 1852

edwardsii Behr, 1869

- b **I. australis** (Grinnell), 1908

EUCHLOE Hübner, "1816" [1819] (Opinion 177)

Type: *Euchloë ausonia* Hübner, "1805" [1803-4] var. *esperi* Kirby, 1871

- 327 **creusa** (Doubleday), "1846-52" [1847]

- a **c. creusa** (Doubleday), "1846-52" [1847]

elsa (Beutenmüller), 1898

pumilio Strand, 1914

- b **c. hyantis** (Edwards), "1870-1" (1871)

pseudoausonides (Verity), "1905-11" [1911]

- c **c. orientalides** (Verity), "1905-11" [1908]

- d **c. lotta** (Beutenmüller), 1898

beliooides (Verity), "1905-11" [1911]

- 328 **ausonides** Lucas, 1852

ansonoides Edwards, 1872 (*lapsus calami*)

- a **a. ausonides** Lucas, 1852

form ♀ *flavidalis* J. A. Comstock, 1924

ab. *semiflava* J. A. Comstock, 1924

ab. *boharti* Doudoroff, 1930

- b **a. andrewsi** Martin, 1936

- c **a. coloradensis** (H. Edwards), 1881

montana Verity, "1905-11" [1911]

ab. *hemiflava* Field, 1936

- d **a. mayi** Chermock & Chermock, 1940

- 329 **olympia** (Edwards), "1870-1" (1871)
 a **o. olympia** (Edwards), "1870-1" (1871)
 b **o. rosa** (Edwards), 1882

Family RIODINIDÆ

Subfamily EUSELASIINÆ

EUSELASIA Hübner, "1816" [1819]

Type: *Papilio crotopus* Stoll, 1782

Eurygona Boisduval, 1836

- 330 **abreas** (Edwards), 1881
sergia Godman & Salvin, (1885)

Subfamily RIODININÆ

CARIA Hübner, 1823

Type: *Caria colubris* Hübner, 1823 (= *Hesperia plutargus* Fabricius, 1793)

- *331 **domitianus** (Fabricius), 1793
 a **d. ino** Godman & Salvin, (1886)
melicerta Schaus, 1890

LASAIA Bates, 1868

Type: *Papilio meris* Stoll, 1782

- 332 **narses** Staudinger, 1888

- 333 **sessilis** Schaus, 1890

APODEMIA Felder & Felder, "1864-7" [1865]

Type: *Lemonias mormo* Felder & Felder, 1859

- 334 **mormo** (Felder & Felder), 1859
 a **m. mormonia** (Boisduval), 1869
cythera (Edwards), "1872-3" (1873)
 b **m. mormo** (Felder & Felder), 1859
dumetii (Behr), 1865
 c **m. langei** J. A. Comstock, 1938
 d **m. vergulti** (Behr), 1865
sonorensis Felder & Felder, "1864-7" [1865]
vergulti Anonymous, 1927, (*lapsus calami*)

- e m. *tuolumnensis* Opler & Powell, "1961" [1962]
- f m. *deserti* Barnes & McDunnough, 1918
- g m. *mejicanus* (Behr), 1865
 duryi (Edwards), 1882
- 335 p. *palmerii* (Edwards), "1870-1" (1870)
 - a p. *palmerii* (Edwards), "1870-1" (1870)
 form *marginalis* (Skinner), 1920
 - b p. *hepburni* Godman & Salvin, (1886)
- 336 w. *walkeri* Godman & Salvin, (1886)
- 337 m. *multiplaga* Schaus, 1902
- 338 n. *nais* (Edwards), "1874-6" (1876)
- 339 p. *phyciodoides* Barnes & Benjamin, 1924

LEPHELISCA Barnes & Lindsey, 1922

Type: *Erycina virginiensis* Guérin-Méneville, "1829-44" [1831]

Nymphidium Auctorum (nec Fabricius, 1807)

Calephelis Auctorum

Calephalis Wright, 1908 (*lapsus calami*)

Calaphelis Stichel, 1930 (*lapsus calami*)

?*Nymphidia* Boisduval & Le Conte, 1833

- 340 v. *virginiensis* (Guérin-Méneville), "1829-44" [1831]
 - a v. *virginiensis* (Guérin-Méneville), "1829-44" [1831]
 - b v. *pumila* (Boisduval & Le Conte), 1833
 †*cænius Auctorum*
 louisiana (Holland), 1931
- 341 r. *rawsoni* (McAlpine), 1939
- 342 b. *borealis* (Grote & Robinson), 1866
 geda (Scudder), 1876
- 343 m. *muticum* (McAlpine), 1937
- 344 n. *nemesis* (Edwards), "1870-1" (1871)
 - australis* (Edwards), 1877
 guadeloupe (Strecker), "1877" [1878]
- 345 p. *perditalis* (Barnes & McDunnough), 1918
- 346 w. *wrighti* (Holland), 1930

EMESIS Fabricius, 1807 (Opinion 232, name 660)

Type: *Hesperia ovidius* Fabricius, 1793

- *347 z. *zela* Butler, 1870
 - zeia* Brown, Eff & Rotger, 1955 (*lapsus calami*)
 - a z. *ares* (Edwards), 1882
 form *cleis* (Edwards), 1882
- 348 e. *emesia* (Hewitson), 1867

Family LYCÆNIDÆ

Subfamily THECLINÆ

EUMÆUS Hübner, "1816" [1819]

Type: *Eumæus minyas* Hübner, "1816" [1819] (=*Rusticus adolescens minijas* Hübner, "1806" [1809])

Eumenia Godart, "1819" [1824]

*349 **atala** (Poey), 1832

a **a. florida** (Röber), 1926

grayi Comstock & Huntington, 1943

350 **minyas** Hübner, "1816" [1819] (*emendatio*)

minijas Hübner, "1806" [1809]

toxeia (Godart), "1819" [1824]

HABRODAIS Scudder, 1876

Type: *Thecla grunus* (Boisduval), 1852

Habrodias McDunnough, 1914 (*lapsus calami*)

351 **grunus** (Boisduval), 1852

a **g. grunus** (Boisduval), 1852

b **g. lorquini** Field, 1938

 form *chloris* Field, 1938

c **g. herri** Field, 1938

HYPAUROTIS Scudder, 1876

Type: *Thecla chrysalus* Edwards, "1872-3" (1873) (=*Thecla cysalus* Edwards, "1872-3" [1873])

352 **cysalus** (Edwards), "1872-3" (1873)

chrysalus Auctorum

 form *citima* (H. Edwards), 1881

ATLIDES Hübner, "1816" [1819]

Type: *Papilio halesus* Cramer, "1779" [1777]

353 **halesus** (Cramer), "1779" [1777]

a **h. halesus** (Cramer), "1779" [1777]

dolichos (Hübner), 1823

juanita (Scudder), 1868

b **h. corcorani** Gunder, 1934

 form *estesi* Clench, 1942

CALLIPSYCHE Scudder, 1876

Type: *Thecla behrii* Edwards, "1870-1" (1870)

- 354 **behrii** (Edwards), "1870-1" (1870)
 a **b. behrii** (Edwards), "1870-1" (1870)
 kali (Strecker), 1878
 ab. *nigroinita* Gunder, 1924
 b **b. crossi** Field, 1938
 c **b. columbia** McDunnough, 1944

EUPSYCHE Scudder, 1876

Type: *Thecla m-album* Boisduval & Le Conte, 1833

- 355 **m-album** (Boisduval & Le Conte), 1833
 ♂ *psyche* (Boisduval & Le Conte), [June] 1833

SATYRIUM Scudder, 1876

Type: *Lycæna fuliginosa* Edwards, 1861

- 356 **fuliginosum** (Edwards), 1861
 a **f. fuliginosum** (Edwards), 1861
 suasa (Boisduval), 1869
 ab. *immaculata* Gunder, 1927
 b **f. semiluna** Klots, 1930

MITOURA Scudder, 1872

Type: *Thecla smilacis* Boisduval & Le Conte, [1833] (=*Papilio damon* Stoll, 1782=*Lycus gryneus* Hübner, "1816" [1819])

Mitouri Scudder, 1872

Mitura Rye, 1874

- 357 **spinetorum** (Hewitson), 1867
 ninus (Edwards), "1870-1" (1871)
 cuyamaca (Wright), 1922
- 358 **johsoni** (Skinner), 1904
- 359 **nelsoni** (Boisduval), 1869
 a **n. nelsoni** (Boisduval), 1869
 ab. *exoleta* (H. Edwards), 1881
 b **n. muiri** (H. Edwards), 1881
- 360 **siva** (Edwards), "1874-6" (1874)
 a **s. siva** (Edwards), "1874-6" (1874)
 rhodope (Godman & Salvin), (1887)
 b **s. juniperaria** J. A. Comstock, 1925
 c **s. mansfieldi** Tilden, 1951

- 361 **xami** (Reakirt), 1866
 blenina (Hewitson), 1868
- 362 **loki** (Skinner), 1907
- 363 **gryneus** (Hübner), "1816" [1819]
 a g. *gryneus* (Hübner), "1816" [1819] (*gen. vern.*)
 ‡*damon* (Stoll nec [Denis & Schiffermüller], 1775), 1782
 damastus (Godart), "1819" [1824]
 auburniana (Harris), 1862 (*partim*)
 ab. *octoscripta* Buchholz, 1951
 gen. æst. smilacis (Boisduval & Le Conte), [1833]
 auburniana (Harris), 1862 (*partim*)
 patersonia (Brehme), 1907
- b g. *sweadneri* Chermock, 1944
- c g. *castalis* (Edwards), "1870-1" (1871)
 discoidalis (Skinner), 1897
 form *brehmei* Barnes & Benjamin, 1923
- 364 **hesseli** Rawson & Ziegler, 1950

INCISALIA Scudder, 1872

Type: *Licus niphon* Hübner, "1816" [1819]

- 365 **augustinus** (Westwood), "1846-52" [1852]
 a a. *augustinus* (Westwood), "1846-52" [1852]
 ‡*augustus* (Kirby nec Fabricius, 1793) [1837]
 b a. *helenæ* dos Passos, 1943
 c a. *crœsioides* (Scudder), 1876
- 366 **iroides** (Boisduval), 1852
 a i. *iroides* (Boisduval), 1852
 ab. *immaculata* (Cockle), 1910
 b i. *annetteæ* dos Passos, 1943
- 367 **irus** (Godart), "1819" [1824]
 arsace (Boisduval & Le Conte), [1833]
 ab. *balteata* (Scudder), 1889
- 368 **hadros** Cook & Watson, 1909
- 369 **henrici** (Grote & Robinson), 1867
 a h. *henrici* (Grote & Robinson), 1867
 b h. *turneri* Clench, 1943
 c h. *margaretæ* dos Passos, 1943
 d h. *solatus* Cook & Watson, 1909
- 370 **polios** Cook & Watson, 1907
 ab. *davisi* Watson & Comstock, 1920

- 371 **fotis** (Strecker), "1877" [1878]
 a f. *mossii* (H. Edwards), 1881
 b f. *schryveri* Cross, 1937
 c f. *doudoroffi* dos Passos, 1940
 d f. *windi* Clench, 1943
 e f. *fotis* (Strecker), "1877" [1878]
- 372 **lanoraieensis** Sheppard, 1934
- 373 **eryphon** (Boisduval), 1852
 a e. *eryphon* (Boisduval), 1852
 b e. *sheltonensis* Chermock & Frechin, "1948" [1949]
- 374 **niphon** (Hübner), "1816" [1819]
 a n. *niphon* (Hübner), "1816" [1819]
 nipha (Morris), 1860 (*lapsus calami*)
 b n. *clarki* Freeman, 1938

ERORA Scudder, 1872Type: *Thecla lœta* Edwards, 1862

- 375 **lœta** (Edwards), 1862
 a l. *lœta* (Edwards), 1862
 ♀ *clothilde* (Edwards), "1863-4" (1863)
 b l. *sanfordi* dos Passos, 1940
- 375½ **quaderna** (Hewitson), 1868

STRYMON Hübner, 1818 (Opinion 165, name 1332)Type: *Strymon melinus* Hübner, 1818 (Opinion 541, name 1602)

- Bithys* Hübner, 1818 (Opinion 541, name 1234)
Bythis Geyer [1827-1831] (Opinion 541, name 1236)
Chrysophanus Hübner, 1818 (Opinion 541, name 1235)
Argus Gerhard (nec Bohadsch, 1761 nec Scopoli, 1763), 1850
Callicista Grote, 1873
Thecla Auctorum (nec Fabricius, 1807)

- *376 **endymion** (Fabricius), 1775
 hugon (Godart), "1819" [1824]
 hugo (Westwood & Hewitson), "1846-52" [1852]
 a e. *cyphara* (Hewitson), 1874
- 377 **jada** (Hewitson), "1862" [1867]
- 378 **mæsites** (Herrich-Schäffer), 1864
 a m. *mæsites* (Herrich-Schäffer), 1864
 b m. *telea* (Hewitson), 1868
- 379 **critola** (Hewitson), 1874
- 380 **martialis** (Herrich-Schäffer), 1864

- *381 **acis** (Drury), "1770" [1773]
 - mars* (Fabricius), 1777
 - a a. **bartrami** (Comstock & Huntington), 1943
- *382 **simæthis** (Drury), "1770" [1773]
 - a s. **sarita** (Skinner), 1895
- 383 **pastor** (Butler & Druce), (1869)
 - a p. **pastor** (Butler & Druce), (1869)
 - b p. **facuna** (Hewitson), "1862" [1877]
- 384 **cecropis** (Fabricius), 1793
 - pœas* (Hübner), "1806" [1811]
 - ab. *gottschalki* Clark & Clark, 1938
- 385 **beon** (Cramer), 1782
- *386 **columella** (Fabricius), 1793
 - erytalus* (Butler), "1869" [1870]
 - a c. **istapa** (Reakirt), 1866
 - b c. **modesta** (Maynard), 1873
 - ocellifera* Grote, 1873
- 387 **laceyi** (Barnes & McDunnough), 1910
- 388 **bazochii** (Godart), "1819" [1824]
- 389 **clytie** (Edwards), 1877
 - gen. *hiem. mævia* (Godman & Salvin), (1887)
- 390 **azia** (Hewitson), 1873
 - nipona* (Hewitson), 1877
- 391 **leda** (Edwards), 1882
 - a l. **leda** (Edwards), 1882
 - b l. **ines** (Edwards), 1882
- 392 **avalona** (Wright), 1905
- 393 **melinus** Hübner, 1818 (Opinion 541, name 1602)
 - a m. **melinus** Hübner, 1818
 - hyperici* (Boisduval & Le Conte), [27 July 1833]
 - ab. *youngi* Field, 1936
 - b m. **humuli** (Harris), 1841
 - ab. *meinersi* Gunder, 1927
 - c m. **franki** Field, 1938
 - d m. **pudica** (H. Edwards), 1876
 - e m. **atrofasciata** McDunnough, 1921
 - f m. **setonia** McDunnough, 1927
- 394 **buchholzi** H. A. Freeman, 1950
- 395 **zebina** (Hewitson), "1862" [1869]
- 396 **echion** (Linnæus), 1768
- 397 **rufofusca** (Hewitson), "1862" [1877]
- 398 **cestri** (Reakirt), 1866
- 399 **favonius** (Smith), 1797

- 400 **yojoa** (Reakirt), 1866
daraba (Hewitson), "1861" [1867]
berœa (Hewitson), 1868
- 401 **cybira** (Hewitson), "1862-78" [1874]
- 402 **ontario** (Edwards), "1868-9" (1868)
 a o. **ontario** (Edwards), "1868-9" (1868)
 b o. *violæ* Stallings & Turner, 1947
 c o. **autolyceus** (Edwards), "1870-1" (1871)
 d o. **ilavia** (Beutenmüller), 1899
mirabelle (Barnes), 1900
- 403 **polingi** Barnes & Benjamin, 1926
- 404 **alcestis** (Edwards), "1870-1" (1871)
 a a. **alcestis** (Edwards), "1870-1" (1871)
 b a. **oslari** (Dyar), 1904
- 405 **titus** (Fabricius), 1793 (Opinion 541, name 1605)
 a t. **titus** (Fabricius), 1793
 b t. **mopsus** (Hübner), 1818
 c t. **watsoni** Barnes & Benjamin, 1926
 d t. **immaculosus** Comstock, 1913
- 406 **acadica** (Edwards), 1862
acadia Brown, Eff & Rotger, 1955 (*lapsus calami*)
 a a. **acadica** (Edwards), 1862
souhegan (Whitney), 1868
souhegon McDunnough, 1938 (*lapsus calami*)
 ab. *muskoka* Watson & Comstock, 1920
 ab. *swetti* Watson & Comstock, 1920
 b a. **coolinensis** Watson & Comstock, 1920
 c a. **montanensis** Watson & Comstock, 1920
 d a. **watrini** (Dufrane), 1939
- 407 **californica** (Edwards), 1862
borus (Boisduval), 1869
cygnus (Edwards), "1870-1" (1871)
- 408 **dryope** (Edwards), "1870-1" (1870)
- 409 **sylvinus** (Boisduval), 1852
 a s. **sylvinus** (Boisduval), 1852
 b s. **desertorum** Grinnell, 1917
 c s. **itys** (Edwards), 1882
 d s. **putnami** (H. Edwards), 1876
putnani Brown, Eff & Rotger, 1955 (*lapsus calami*)
- 410 **edwardsii** (Grote & Robinson), 1869
fabricii (Kirby), 1871 (*lapsus calami*)

- 411 **calanus** Hübner, "1806" [1809]
wittfeldii (Edwards), 1883
- 412 **falacer** (Godart), "1819" [1824]
 a f. **falacer** (Godart), "1819" [1824]
calanus Auctorum (nec Hübner, "1806" [1809])
lorata (Grote & Robinson), 1868
inorata (Grote & Robinson), 1868
 ab. *heathii* (Fletcher), 1903
- b f. **godarti** Field, 1938
- 413 **caryævorus** McDunnough, 1942
- 414 **kingi** Klots & Clench, 1952
- 415 **liparops** (Le Conte), [27 July 1833]
 a l. **liparops** (Le Conte), [27 July 1833]
 b l. **strigosa** (Harris), 1862
 ab. *pruina* (Scudder), 1889
 c l. **fletcheri** Michener & dos Passos, 1942
‡liparops (Fletcher nec Le Conte, [27 July 1833]), 1903
 d l. **aliparops** Michener & dos Passos, 1942
- 416 **spurina** (Hewitson), "1862" [1867]
- 417 **auretorum** (Boisduval), 1852
 a a. **auretorum** (Boisduval), 1852
tetra (Edwards), "1870-1" (1870)
tacita (H. Edwards), 1881
 b a. **spadix** (H. Edwards), 1881
- 418 **adenostomatis** (H. Edwards), 1876
- 419 **sæpium** (Boisduval), 1852
 a s. **sæpium** (Boisduval), 1852
 form *fulvescens* (H. Edwards), 1876
 form *chlorophora* Watson & Comstock, 1920
 form *provo* Watson & Comstock, 1920
 b s. **okanagana** McDunnough, 1944
- 420 **chalcis** (Edwards), "1868-9" (1869)

CALLOPHRYS (CALLOPHRYS) Billberg, 1820

Type: *Papilio rubi* Linnæus, 1758

Lycus Hübner, "1816" [1819]

Licus Hübner (nec Fabricius, 1787), 1823

- 421 **dumetorum** (Boisduval), 1852
 a d. **dumetorum** (Boisduval), 1852
 b d. **perplexa** Barnes & Benjamin, 1923
- 422 **comstocki** Henne, 1940

- 423 **apama** (Edwards), 1882
 a a. **apama** (Edwards), 1882
 b a. **homoperplexa** Barnes & Benjamin, 1923
- 424 **affinis** (Edwards), 1862
 a a. **washingtonia** Clench, 1944
 b a. **affinis** (Edwards), 1862
- 425 **viridis** (Edwards), 1862
- 426 **sheridanii** (Carpenter), 1877 (*emendatio*)
 sheridoni (Carpenter), 1877 (*lapsus calami*)
 a s. **sheridanii** (Carpenter), 1877 (*emendatio*)
 b s. **neoperplexa** (Barnes & Benjamin, 1923)
- 427 **miserabilis** (Clench), 1946

CALLOPHRYS (SANDIA) Clench & Ehrlich, 1960

Type: *Callophrys (Sandia) mcfarlandi* Ehrlich & Clench, 1960

- 428 **mcfarlandi** Ehrlich & Clench, 1960 (*emendatio*)

Subfamily GERYDINÆ

FENISECA Grote, 1869

Type: *Hesperia tarquinius* Fabricius, 1793

- 429 **tarquinius** (Fabricius), 1793
 a t. **tarquinius** (Fabricius), 1793
 cratægi (Boisduval & Le Conte), [1833]
 ab. *suffusa* Dean, 1918
 b t. **novascotiæ** McDunnough, 1935 (*emendatio*)
 c t. **porsenna** (Scudder), 1863

Subfamily LYCÆNINÆ

LYCÆNA (THARSALEA) Scudder, 1876

Type: *Polyommatus arota* Boisduval, 1852

- 430 **aroata** (Boisduval), 1852
 a a. **aroata** (Boisduval), 1852
 b a. **virginiensis** (Edwards), "1870-1" (1870)
 c a. **nubila** J. A. Comstock, 1926
 d a. **schellbachi** Tilden, 1955

LYCÆNA (LYCÆNA) Fabricius, 1807Type: *Papilio phlæas* Linnæus, 1761‡*Lycia* Sodovskii (*nec* Hübner, "1816" [1825]), 1837‡*Migonitis* Sodovskii (*nec* Rafinesque, 1815 *nec* Hübner, 1816), 1837*Heodes* Dalman, 1816*Chrysoptera* Zincken, 1817431 **gorgon** (Boisduval), 1852432 **heteronea** Boisduval, 1852a **h. heteronea** Boisduval, 1852b **h. clara** H. Edwards, 1877c **h. coloradensis** (Gunder), 1925
gravenotata Klots, 1930d **h. klotsi** Field, 1936433 **thoe** Guérin-Méneville, "1829-44" [1831]ab. *wyatti* Gunder, 1927ab. *wormsbacheri* Gunder, 1927434 **hermes** (Edwards), "1870-1" (1870) *delsud* (Wright), 1905 (*emendatio*)435 **xanthoides** (Boisduval), 1852a **x. xanthoides** (Boisduval), 1852 form *luctuosa* (Watson & Comstock), 1920b **x. dione** Scudder, (1868) ab. *gibboni* Gunder, 1927436 **editha** (Mead), 1878a **e. editha** (Mead), 1878 ab. *vanduzeei* Gunder, 1927b **e. montana** Field, 1936 form ♀ *meadi* Field, 1936437 **rubidus** (Behr), 1866a **r. rubidus** (Behr), 1866b **r. sirius** (Edwards), "1870-1" (1871)438 **mariposa** Reakirt, "1866-7" (1866)a **m. mariposa** Reakirt, "1866-7" (1866) *zeroe* (Boisduval), 1869b **m. charlottensis** (Holland), 1930c **m. penroseæ** Field, 1938 *penroseæ* Brown, Eff & Rotger, 1955 (*lapsus calami*)439 **nivalis** (Boisduval), 1869a **n. nivalis** (Boisduval), 1869 *ianthe* (Edwards), "1870-1" (1871)b **n. browni** dos Passos, 1938

- 440 **heliooides** (Boisduval), 1852
halloides (McDunnough), 1914 (*lapsus calami*)
castro (Reakirt), "1866-7" (1866)
 ab. *williamsi* Gunder, 1927
 ab. *sternitzkyi* Gunder, 1927
 ab. *gunderi* Rudkin, 1933
- 441 **dorcas** Kirby, 1837
 a d. **dorcas** Kirby, 1837
anthelle (Scudder), 1876
florus (Edwards), 1883
 form ♀ *hulberti* Field, 1936
 form ♀ *sternitzkyi* Field, 1936
 b d. **dopassosi** McDunnough, 1940 (*emendatio*)
 c d. **claytoni** Brower, 1940
- 442 **epixanthe** (Boisduval & Le Conte), [1833]
 a e. **epixanthe** (Boisduval & Le Conte), [1833]
hypoxanthe (Kirby), 1862
 b e. **amicetus** (Scudder), 1876
 c e. **phædrus** (Hall), 1924
 d e. **michiganensis** Rawson, 1948
- *443 **phlæas** (Linnaeus), 1761
 a p. **americana** Harris, 1862
hypophlæas Auctorum (nec Boisduval, 1852)
bacchus (Scudder), 1889
 ab. *fasciata* (Strecker), 1878
 ab. *fulliolus* (Hulst), 1886
neui (Rummel), 1928
 ab. *obliterata* (Scudder), 1889
obsoleta Barnes & McDunnough, 1917 (*lapsus calami*)
cæca (Reiff), 1913
adrienne (Maynard), 1891
 ab. *octomaculata* (Dean), 1918
 ab. *banksi* (Watson & Comstock), 1920
fulvus (Rummel), 1928
- b p. **hypophlæas** (Boisduval), 1852
 c p. **arethusa** (Wolley-Dod), 1907
 d p. **feildeni** (M'Lachlan), 1878
- 444 **cupreus** (Edwards), "1870-1" (1870)
 ab. *maculinita* (Gunder), 1926
- 445 **snowi** (Edwards), 1881
 a s. **snowi** (Edwards), 1881
 ab. *macdunnoughi* Gunder, 1927 (*emendatio*)
 b s. **henryæ** (Cadbury), 1937

Subfamily PLEBEJINÆ

BREPHIDIUM Scudder, 1876

Type: *Lycæna exilis* Boisduval, 1852

446 **exilis** (Boisduval), 1852

exile (Scudder), 1876 (*lapsus calami*)

fea (Edwards), "1870-1" (1871)

ab. *coolidgei* Gunder, 1925

*447 **isophthalma** (Herrich-Schäffer), 1862

barbouri Clench, "1942" [1943]

a i. **pseudofea** (Morrison), 1873

LEPTOTES Scudder, 1876

Type: *Lycæna theonus* Lucas, 1857

*448 **cassius** (Cramer), "1779" [1775]

a c. **theonus** (Lucas), 1857

catalina Auctorum (nec Fabricius, 1793)

floridensis (Morrison), 1873

b c. **striata** (Edwards), 1877

449 **marina** (Reakirt), 1868

form ♀ *reakirti* Field, 1936

ab. *violacea* Gunder, 1925

ab. *burdicki* Henne, 1935

ZIZULA Chapman, 1910

Type: *Lycæna gaika* Trimen, 1862

Hemiargus Auctorum (nec Hübner, 1818)

450 **cyna** (Edwards), 1881

tulliola (Godman & Salvin), (1887)

mela (Strecker), 1900

HEMIARGUS (CYCLARGUS) Nabokov, 1945

Type: *Lycæna ammon* Lucas, 1857

Hemiargus Hübner, 1818 (*partim*)

*451 **ammon** (Lucas), 1857

a a. **bethunebakeri** Comstock & Huntington, 1943 (*emendatio*)

HEMIARGUS (HEMIARGUS) Hübner, 1818

Type: *Hemiargus antibubastus* Hübner, 1818 (= *Hesperia ceraunus* Fabricius, 1793, ssp.)

- *452 **ceraunus** (Fabricius), 1793
 a c. **antibubastus** Hübner, 1818
 ?b c. **pseudoptiletes** (Boisduval & Le Conte), [1833]
 c c. **gyas** (Edwards), "1870-1" (1871)
 astragala (Wright), 1905
 florencia (Clemence), 1914
 d c. **zachæina** (Butler & Druce), 1872

HEMIARGUS (ECHINARGUS) Nabokov, 1945

Type: *Lycena isola* Reakirt, 1866

Hemiargus Hübner, 1818 (*partim*)

- 453 **isola** (Reakirt), 1866
 a i. **isola** (Reakirt), 1866
 ♀ **zachæina** (Butler & Druce), 1872 (*partim*)
 b i. **alce** (Edwards), "1870-1" (1871)

LYCÆIDES Hübner, "1816" [1819] (Opinion 169)

Type: *Papilio argyrogномон* Bergsträsser, [1779]

Plebejus Kluk, 1802 (*partim*)

‡*Rusticus* Hübner, [1806] (Opinion 278, name 85) (*partim*)

- *454 **argyrogномон** (Bergsträsser), [1779]
 ‡*idas* Linnaeus (nec Linnaeus, 1758), 1761
 a a. **anna** (Edwards), 1861
 cajona (Reakirt), "1866-7" (1866)
 argyrotoxus (Behr), 1867
 philemon (Boisduval), 1869
 b a. **ricei** (Cross), 1937
 fretchini (Chermock), "1944" [1945]
 c a. **lotis** (Lintner), 1879
 d a. **kodiak** (Edward), "1870-1" (1870)
 e a. **alaskensis** (Chermock), "1944" [1945]
 f a. **scudderii** (Edwards), 1861
 subarcticus (Chermock), "1944" [1945]
 g a. **aster** (Edwards), 1882
 h a. **empetri** (Freeman), 1938
 i a. **ferniensis** (Chermock), "1944" [1945]
 j a. **atraprætextus** (Field), 1939
 sweadneri (Chermock), "1944" [1945]
 k a. **sublivens** Nabokov, 1949
 sublivent Brown, Eff & Rotger, 1955 (*lapsus calami*)
 l a. **longinus** Nabokov, 1949

- 455 **melissa** (Edwards), "1872-3" (1873)
- a **m. melissa** (Edwards), "1872-3" (1873)
fridayi (Chermock), "1944" [1945]
 - b **m. pseudosamuelis** Nabokov, 1949
 - c **m. inyoensis** (Gunder), 1927
paradoxa (Chermock), "1944" [1945]
 - d **m. annetta** (Edwards), 1882
 - e **m. samuelis** Nabokov, "1943" [1944]

PLEBEJUS (PLEBEJUS) Kluk, 1802 (Opinion 278)

Type: *Papilio argus* Linnæus, 1758

Plebeius Kirby, 1871

‡*Rusticus* Hübner, [1806] (Opinion 278, name 85) (*partim*)

- 456 **sæpiolus** (Boisduval), 1852
- a **s. sæpiolus** (Boisduval), 1852
form ♀ *rufescens* (Boisduval), 1869
form *alt. æhaja* (Behr), 1867
 - b. **s. hilda** (Grinnell & Grinnell), 1907
ab. *garthi* Gunder, 1928
ab. *boharti* Gunder, 1932
 - c **s. insulanus** Blackmore, 1919
 - d **s. amica** (Edwards), "1863-4" (1863)
 - e **s. gertschi** dos Passos, 1938
 - f **s. whitmeri** Brown, 1951
ab. *leussleri* Gunder, 1927

PLEBEJUS (PLEBULINA) Nabokov, "1944" [1945]

Type: [*Lycæna*] *emigdionis* Grinnell, 1905

Plebeius Auctorum (nec Kluk, 1802)

‡*Rusticus* Hübner, [1806] (Opinion 278, name 85) (*partim*)

- 457 **emigdionis** (Grinnell), 1905
melimona (Wright), 1905

PLEBEJUS (ICARICIA) Nabokov, "1944" [1945]

Type: [*Lycæna*] *icarioides* Boisduval, 1852

- 458 **icarioides** (Boisduval), 1852
- a i. **i. icarioides** (Boisduval), 1852
phileros (Boisduval), 1869
fulla (Edwards), "1870-1" (1870)
? *mintha* (Edwards), "1870-1" (1870)
♀ *maricopa* (Reakirt), 1866
 - ab. *dædalus* (Behr), 1867
 - ab. *spinimaculata* Gunder, 1926

- b i. **helios** (Edwards), "1870-1" (1871)
 - c i. **evius** (Boisduval), 1869
 - d i. **moroensis** (Sternitzky), 1930
 - e i. **missionensis** Hovanitz, 1937
 - f i. **ardea** (Edwards), "1870-1" (1871)
 - g i. **lycea** (Edwards), 1864
 - ♀ *rapahoe* (Reakirt), "1866-7" (1866)
 - h i. **buchholzi** dos Passos, 1938
 - i i. **pembina** (Edwards), 1862
 - j i. **blackmorei** Barnes & McDunnough, 1919
 - k i. **montis** Blackmore, 1929
- 459 **pardalis** (Behr), 1867
- a p. **pardalis** (Behr), 1867
 - ab. *windi* Gunder, 1933
 - b p. **fenderi** Macy, 1931
 - erymus* (Boisduval), 1869
- 460 **pheres** (Boisduval), 1852
- ab. *orcus* (Edwards), "1868-9" (1869)
- 461 **shasta** (Edwards), 1862
- a s. **shasta** (Edwards), 1862
 - zelmira* (Felder & Felder), "1864-7" (Oct. 1865)
 - calchas* (Behr), 1867
 - calcas* (McDunnough), 1938 (*lapsus calami*)
 - nivium* (Boisduval), 1869
 - b s. **comstocki** Fox, 1924
 - c s. **minnehaha** (Scudder), 1875
- 462 **acmon** (Westwood & Hewitson), "1846-52" [1852]
- a a. **acmon** (Westwood & Hewitson), "1846-52" [1852]
 - antægon* (Boisduval), 1852
 - ab. *kelseyi* (Wright), 1930
 - b a. **cottlei** (Grinnell), 1916
 - ab. *labecula* Watson & Comstock, 1920
 - c a. **lutzi** dos Passos, 1938
- 463 **lupini** (Boisduval), 1869
- a l. **lupini** (Boisduval), 1869
 - ab. *immaculata* Chermock, 1929
 - b l. **spangelatus** Burdick, 1942
- 464 **monticola** (Clemence), 1909
- ab. *pallida* Gunder, 1925
 - ab. *malcolmi* Gunder, 1925
 - ab. *montanus* Gunder, 1929
 - ab. *angelus* Gunder, 1929

- 465 **chlorina** (Skinner), 1902
 form ♂ *carolyna* J. A. Comstock, 1922
 466 **neurona** (Skinner), 1902

PLEBEJUS (VACCINIINA) Tutt, 1909

Type: *Papilio optilete* Knoch, 1781

Plebeius Auctorum (nec Tutt, 1909)

‡*Rusticus* Hübner, [1806] (Opinion 278, name 85) (*partim*)
Vaccinia Forster, 1938 (*lapsus calami*)

- *467 **optilete** (Knoch), 1781
 a **o. yukona** (Holland), 1900

PLEBEJUS (AGRIADES) Hübner, "1816" [1819] (Opinion 173)

Type: *Agriades orbitulus* Prunner, Hübner (nec Prunner, 1789), "1816"
 [1819] (=*Papilio glandon* Prunner, 1798)

Plebeius Auctorum nec Kluk, 1802

‡*Rusticus* Hübner, [1806] (Opinion 278, name 85) (*partim*)

Latiorina Tutt, 1908 (Opinion 173)

- 468 **aquilo** (Boisduval), 1833
 a **a. aquilo** (Boisduval), 1833
 franklinii (Curtis), 1835
 suttoni (Holland), 1931
 b **a. lacustris** Freeman, 1939
 c **a. bryanti** Leussler, 1935
 ab. *kohlsaatii* Gunder, 1932
 d **a. megallo** McDunnough, 1927
 e **a. rustica** (Edwards), 1865
 f **a. podarce** (Felder & Felder), "1864-7" (Oct. 1865)
 tehama (Reakirt), 1866
 cilla (Behr), 1867
 nestos (Boisduval), 1869

EVERES Hübner, "1816" [1819]

Type: *Papilio amyntas* [Denis & Schiffermüller], 1775 (=*Papilio argiades* Pallas, 1771)

- 469 **comyntas** (Godart), "1819" [1824] (gen. *aest.*)
 a **c. comyntas** (Godart), "1819" [1824] (gen. *aest.*)
 sissonia (Wright), 1905
 gen. vern. meinerti Field, 1938
 ab. *watermani* Nakahara, 1925
 b **c. valeriae** Clench, 1944
 c **c. albrichti** Clench, 1944

- d c. **herrii** (Grinnell), 1901
 ab. *arizonensis* Gunder, 1927
 ab. *jemezensis* Gunder, 1927
 e c. **texanus** Chermock, 1944
 470 **amyntula** (Boisduval), 1852
 ab. *dodgei* Gunder, 1927

PHILOTES Scudder, 1876

Type: *Lycæna regia* Boisduval, 1869 (=*Lycæna sonorensis* Felder & Felder, "1864-7" [1865])

- 471 **battoides** (Behr), 1867
 a b. **battoides** (Behr), 1867
 b b. **oregonensis** Barnes & McDunnough, 1917
 c b. **intermedia** Barnes & McDunnough, 1917
 ab. *malcolmi* Gunder, 1927
 d b. **glaucon** (Edwards), "1870-1" (1871)
 e b. **bernardino** Barnes & McDunnough, 1916
 ab. *baldyensis* Gunder, 1925
 f b. **martini** Mattoni, "1954" [1955]
 g b. **centralis** Barnes & McDunnough, 1917
 472 **enoptes** (Boisduval), 1852
 a e. **enoptes** (Boisduval), 1852
 b e. **columbiæ** Mattoni, "1954" [1955]
 c e. **dammersi** Comstock & Henne, 1933
 d e. **smithi** Mattoni, "1954" [1955]
 e e. **ancilla** Barnes & McDunnough, 1918
 473 **mojave** Watson & Comstock, 1920
mohave Auctorum
 474 **rita** (Barnes & McDunnough), 1916
 a r. **rita** (Barnes & McDunnough), 1916
 b r. **pallescens** Tilden & Downey, 1955
 475 **spaldingi** Barnes & McDunnough, 1917
 476 **speciosa** (H. Edwards), 1876
 477 **sonorensis** (Felder & Felder), "1864-7" (Oct. 1865)
regia (Boisduval), 1869
 form *comstocki* Gunder, 1925
 ab. *sonoralba* Watson & Comstock, 1920

SCOLITANTIDES Hübner, "1816" [1819]

Type: *Papilio battus* [Denis & Schiffermüller], 1775 (=*Papilio orion* Pallas, 1771 = *Papilio hylas* [Denis & Schiffermüller], 1775)

Phædrotes Scudder, 1876

Shijimia Matsumura, 1919

Lycæna Auctorum (nec Fabricius, 1807)

478 **piasus** (Boisduval), 1852

a **p. piassus** (Boisduval), 1852

sagittigera (Felder & Felder), "1864-7" (Oct. 1865)

florquini (Behr) (nec Herrich-Schäffer, 1850), 1867

viaca (Edwards), "1870-1" (1871)

b **p. catalina** (Reakirt), 1866

rhæa (Boisduval), 1869

ab. *gorgonioi* Gunder, 1925

c **p. daunia** (Edwards), "1870-1" (1871)

GLAUCOPSYCHE Scudder, 1872

Type: *Polyommatus lygdamus* Doubleday, 1842

Nomiades Auctorum (nec Hübner, "1816" [1819])

479 **lygdamus** (Doubleday), 1842

a **l. lygdamus** (Doubleday), 1842

b **l. nittanyensis** Chermock, 1944

boydi Clark, 1948

c **l. couperi** Grote, 1874

♀ *afra* Edwards, 1883

ab. *macdunnoughi* Gunder, 1927

d **l. mildredæ** Chermock, 1944

e **l. oro** Scudder, 1876

ab. *leussleri* Gunder, 1927

f **l. jacki** Stallings & Turner, 1947

g **l. arizonensis** McDunnough, 1936

h **l. australis** Grinnell, 1917

ab. *sinepunctata* J. A. Comstock, 1926

sinepuncta McDunnough, 1938 (*lapsus calami*)

i **l. behrii** (Edwards), 1862

ab. *sternitzkyi* Gunder, 1929

j **l. columbia** Skinner, 1917

480 **xerces** (Boisduval), 1852

form *antiacis* (Boisduval), 1852

intermedia Chermock, 1929

form *mertila* (Edwards), 1866

form *polyphemus* (Boisduval), 1869

ab. *huguenini* Gunder, 1925

ab. *barnesi* Gunder, 1927

CELASTRINA Tutt, 1906Type: *Papilio argiolus* Linnæus, 1761*Cyaniris Auctorum* (nec Dalman, 1816)*Lycænopsis Auctorum* (nec Felder & Felder, "1864-7" [1865])*481 **argiolus** (Linnæus), 1761a a. **lucia** (Kirby), 1837 (*gen. vern.*)form *marginata* (Edwards), 1883ab. *fumida* (Scudder), 1889ab. *pseudora* (Scudder), 1889ab. *brunnea* Tutt, "1907-8" [1908]ab. *subtusjuncta* Tutt, "1907-8" [1908]ab. *inæqualis* Tutt, "1907-8" [1908]b a. **pseudargiolus** (Boisduval & Le Conte), [1833]form ♂ *nigra* (Strecker), 1878form ♀ *intermedia* (Strecker), 1870gen. æst. *neglecta* (Edwards), 1862

deutargiolus (Scudder), 1869

ab. *obsoletalunulata* Tutt, 1908 (*emendatio*)gen. æst. *neglectamajor* Tutt, 1908 (*emendatio*)c a. **argentata** (Fletcher), 1903d a. **nigrescens** (Fletcher), 1903form *quesnelii* (Cockle), 1910maculatasuffusa (Cockle), 1910 (*emendatio*)e a. **sidara** (Clench), 1944f a. **cinerea** (Edwards), 1883gen. æst. *arizonensis* (Edwards), 1884g a. **echo** (Edwards), 1864ab. *nunenmacheri* (Strand), 1915h a. **bakeri** (Clench), 1944i a. **gozora** (Boisduval), 1870**Family LIBYTHEIDÆ****Subfamily LIBYTHEINÆ****LIBYTHEANA** Michener, 1943Type: *Libythea bachmanii* Kirtland, 1851*Libythea* Fabricius, 1807 (*partim*)

- 482 **bachmanii** (Kirtland), 1851
 a b. **bachmanii** (Kirtland), 1851
 form *kirtlandi* (Field), 1938
 b b. **larvata** (Strecker), "1877" [1878]
 form *streckeri* (Field), 1938
 *483 **carinenta** (Cramer), "1779" [1777]
 a c. **mexicana** Michener, 1943

Family NYMPHALIDÆ

Subfamily CHARAXINÆ

ANÆA Hübner, "1816" [1819]

Type: *Anaea troglodita* Fabricius, Hübner, "1816" [1819]
 (=*Papilio troglodyta* Fabricius, 1775)

Paphia Auctorum (nec Fabricius, 1807 nec Lamarck, 1799 nec Bolton, 1798)

- 484 **andria** Scudder, 1875
 a a. **andria** Scudder, 1875
 gen. *æst. andriæsta* Johnson & Comstock, 1941
 b a. **ops** (Druce), 1877
 *485 **portia** (Fabricius), 1775
 486 **aidea** (Guérin), 1844—
 a a. **aidea** (Guérin), 1844 (*meneville* (1829-44))
 b a. **morrisonii** (Edwards), 1883
 c a. **floridalis** Johnson & Comstock, 1941
 gen. *æst. floræsta* Johnson & Comstock, 1941
 487 **pithyusa** (R. Felder), 1869
 488 **glycerium** (Doubleday), (1850)

Subfamily APATURINÆ

HISTORIS Hübner, "1816" [1819]

Type: *Historis odia* Hübner, "1816" [1819] (=*Papilio orion* Fabricius, 1775 = *Papilio odius* Fabricius, 1775)

Cœa Hübner, "1816" [1819]
Aganisthos Boisduval & Le Conte, [1833]
Aganisthus Kirby, 1894

- 489 **odius** (Fabricius), 1775
 †*orion* (Fabricius nec Pallas, 1771), 1775
 †*danae* (Cramer nec Hufnagel, 1766 nec Fabricius, 1775),
 "1779" [1776]
 *490 **acheronta** (Fabricius), 1775
cadmus (Cramer), "1779" [1776]
pherecydes (Stoll), 1782

SMYRNA Hübner, "1806" [1823]

Type: *Smyrna blomfeldii* Hübner, "1806" [1823] (=*Papilio blomfeldia* Fabricius, 1781)

- *491 **karwinskii** Geyer, [1833]

ASTEROCAMPA Röber, (1916)

Type: *Apatura celtis* Boisduval & Le Conte, 1833

†*Potamis* Hübner, [1806] (Opinion 278, name 74)

Apatura Auctorum (nec Fabricius, 1807)

Doxocopa Auctorum (nec Hübner, "1816" [1819])

Chlorippe Boisduval (nec Doubleday, [1840]), 1870

Celtiphaga Barnes & Lindsey, 1922

- 492 **celtis** (Boisduval & Le Conte), 1833

a **c. celtis** (Boisduval & Le Conte), 1833

form *alb* (Strecker), 1878

ab. *inornata* (Wolcott), 1916

b **c. alicia** (Edwards), 1868

c **c. antonia** (Edwards), 1877

d **c. montis** (Edwards), 1883

- 493 **leilia** (Edwards), "1874-6" (1874)

a **l. leilia** (Edwards), "1874-6" (1874)

b **l. cocles** (Lintner), 1884

- 494 **clyton** (Boisduval & Le Conte), [1833]

a **c. clyton** (Boisduval & Le Conte), [1833]

form *ocellata* (Edwards), 1876

form *proserpina* (Scudder), (1868)

ab. *nig* (Strecker), 1878

b **c. flora** (Edwards), 1876

c **c. texana** (Skinner), 1911

d **c. louisa** Stallings & Turner, 1947

- 495 **subpallida** (Barnes & McDunnough), 1913

- 496 **pavon** (Latreille), "1811" [1809]

Subfamily EURYTELINÆ

BIBLIS Fabricius, 1807

Type: *Papilio biblis* Fabricius, 1775 (*nec* Drury, "1770" [1773]) (= *Papilio hyperia* Cramer, "1782" [1780])

Didonis Hübner, "1816" [1819]

Zonaga Billberg, 1820

*497 **hyperia** (Cramer), "1782" [1780]

‡biblis (Fabricius, 1775 *nec* Drury "1770" [1773])

thadana (Godart), 1819

 a **h. aganisa** Boisduval, 1836

HAMADRYAS Hübner, [1806] (*nec* Boisduval, [1832])

Type: *Papilio amphinome* Linnæus, 1767

Ageronia Hübner, "1816" [1819]

Philocale Billberg, 1820

Peridromia Boisduval, [1836]

Amphichlora C. Felder, 1861

498 **fornax** (Hübner), "1806" [1823]

fornacula (Fruhstorfer), 1907

499 **feronia** (Linnæus), 1758

*500 **februa** (Hübner), "1806" [1823]

 a **f. gudula** (Fruhstorfer), (1916)

501 **ferox** (Staudinger), 1888

MESTRA Hübner, "1806" [1825]

Type: *Mestra hypermestra* Hübner, "1806" [1825] (= *Mnestrina hypermnestra Auctorum*)

Cystineura Boisduval, 1836

502 **amymone** (Ménétriés), 1857

dorcas (Skinner), 1904

503 **cana** (Erichson), 1848

 a **c. cana** (Erichson), 1848

 b **c. floridana** (Strecker), 1900

EUNICA Hübner, "1816" [1819]

Type: *Papilio monima* Stoll, 1782

Evonyme Hübner, "1816" [1819]

- 504 **monima** (Stoll), 1782
myrto (Godart), "1819" [1824]
myrta Skinner, 1898 (*lapsus calami*)
modesta Bates, 1864
hyperipte (Hübner), "1806" [1823]
*505 **tatila** (Herrich-Schäffer), "1850-8" [-69] [1853]
cærula Godman & Salvin, 1877
a t. **tatilista** Kaye, "1925" (1926)

DIAETHRIA Billberg, 1820

Type: *Diæthria clymena* Fabricius, Billberg, 1820 (= *Papilio clymena* Cramer, "1779" [1776])

Callicore Auctorum (nec Hübner, "1816" [1819])
Corecalla Röber, (1915)

- 506 **clymena** (Cramer), "1779" [1776]
507 **asteria** (Godman & Salvin), 1894

DYNAMINE Hübner, "1816" [1819]

Type: *Papilio mylitta* Cramer, "1782" [1780]

- 508 **dyonis** Geyer, 1837

MYSCELIA Doubleday, "1846-52" [1849]

Type: *Papilio orsis* Drury, 1782

- 509 **ethusa** (Boisduval), 1836
cyanecula Felder & Felder, "1864-7" (Dec. 1866)
510 **skinneri** Mengel, 1894
streckeri (Skinner), 1889
511 **cyananthe** Felder & Felder, "1864-7" (Dec. 1866)

MARPESIA Hübner, 1818

Type: *Marpesia eleucha* Hübner, 1818 (= *Papilio petreus* Cramer, "1779" [1776], ssp.)

- Athena* Hübner, "1816" [1819]
Euglyphus Billberg, 1820
Marius Swainson, 1830
Petreus Swainson, 1833
Megalura Blanchard, 1840
Timetes Doubleday, 1844
Tymetes Cuvier, [1846]

- 512 **coresia** (Godart), "1819" [1824]
zerynthia Hübner, "1806" [1823]
sylla (Perty), "1830-4" [1833]
- 513 **chiron** (Fabricius *nec* Rottemburg, 1775), 1775
marius (Cramer), "1782" [1779]
chironias (Hübner), "1816" [1819]
- 514 **petreus** (Cramer), "1779" [1776]
‡peleus (Sulzer *nec* Linnæus, 1764), 1776
‡thetys (Fabricius *nec* Rottemburg, [1763]), 1777
thetis Godart, 1819 (*?emendatio*)
- 515 **eleucha** Hübner (*nec* Drury, 1773), "1806" [1818]
pellenis (Godart), "1819" [1824]

Subfamily LIMENITIDINÆ

LIMENITIS (LIMENITIS) Fabricius, 1807

Type: *Papilio populi* Linnæus, 1758

- ‡*Najas* Hübner, [1806] (Opinion 278, name 80)
Heterochroa Auctorum (*nec* Boisduval, [1836])
Limonitis Dalman, 1816 (*lapsus calami*)
Limonetes Billberg, 1820
Nymphalus Boitard, 1828
Nympha Krause, [1839]
Callianira Hübner (*nec* Peron & Leseur, 1810), "1816" [1819]
Nymphalis Felder (*nec* Kluk, 1802), 1861
Basilarchia Scudder, 1872
- 516 **arthemis** (Drury), 1773
 a a. **arthemis** (Drury), 1773
 lamina (Fabricius), 1793
 form *proserpina* Edwards, 1865
 form *prosperpina* (McDunnough), 1938 (*lapsus calami*)
 form *albofasciata* Newcomb, 1907
 form *virithemis* (Field), 1936
 ab. *rufescens* Cockerell, 1889
 ab. *cerulea* Ehrmann, 1900
 ab. *benjamini* Nakahara, 1924
- b a. **rubrofasciata** (Barnes & McDunnough), 1916
- 517 **astyanax** (Fabricius), 1775
 a a. **astyanax** (Fabricius), 1775
 ephestion (Stoll), "1791" [1790]
 ursula (Fabricius), 1793
 ephestiæna (Hübner), "1816" [1819]

form *viridis* Strecker, 1878
 form *atlantis* Nakahara, 1923
 form *inornata* Nakahara, 1924
 form *purpuratus* (Gunder), 1934
 form *tildeni* Field, 1934

b a. **arizonensis** Edwards, 1882
 ab. *doudoroffi* (Gunder), 1934

518 **archippus** (Cramer), "1779" [1776]

a a. **archippus** (Cramer), "1779" [1776]

disippe (Godart), "1819" [1824]

disippus Boisduval & Le Conte, "1829-33" [1834]

cayuga (Nakahara), 1923

form *advena* Ellsworth, 1918

ab. *pseudodorippus* Strecker, 1878

ab. *lanthanis* (Cook & Watson), 1909

ab. *nivosus* Gunder, 1929

hybrid *rubidus* Strecker, 1878

hybrid *arthechippus* (Scudder), 1889

hybrid *rubrofasechippus* (Gunder), 1934

hybrid *weidechippus* (Cross), 1936

b a. **floridensis** Strecker, 1878

eros Edwards, 1880

ab. *nig* Strecker, 1878

ab. *nigricans* Strecker, 1900

ab. *halli* (Watson & Comstock), 1920

c a. **watsoni** (dos Passos), 1938

d a. **obsoleta** Edwards, 1882

hulstii Edwards, 1882

519 **weidemeyerii** Edwards, "1861-3" (1861)

a w. **weidemeyerii** Edwards, "1861-3" (1861)

ab. *nigerrima* (Cockerell), 1927

b w. **sinefascia** Edwards, 1882

angustifascia (Barnes & McDunnough), 1912

c w. **nevadæ** (Barnes & Benjamin), 1924

hybrid *fridayi* (Gunder), 1932

d. w. **oberfoelli** Puckering & Post, 1960

520 **lorquini** (Boisduval), 1852

a l. **lorquini** (Boisduval), 1852

form *eavesii* H. Edwards, 1878

ab. *comstocki* (Gunder), 1925

ab. *gunderi* (Field), 1936

ab. *powelli* (Field), 1936

- b **i. burrisonii** Maynard, 1891
 ab. *maynardi* (Field), 1936

LIMENITIS (ADELPHA) Hübner, "1816" [1819]

- Type: *Papilio mesentia* Cramer, "1779" [1777]
 Heterochroa Boisduval, 1836
- 521 **fessonia** (Hewitson), 1847
- *522 **bredowii** (Geyer), 1837
 a b. **eulalia** (Doubleday), "1850-2" [1848]
 b b. **californica** (Butler), 1865

HYPANARTIA Hübner, "1806" [1821]

- Type: *Hypanartia demonica* Hübner, "1806" [1821] (=*Papilio lethe* Fabricius, 1793)
 ‡*Eurema* Doubleday (nec Hübner, "1816" [1819]), 1844
 ‡*Heurema* Herrich-Schäffer (nec Agassiz, 1846), 1865
 Sipræta Hübner, "1806" [1823]

- 523 **lethe** (Fabricius), 1793
 demonica Hübner, "1806" [1821]

METAMORPHA Hübner, "1816" [1819]

- Type: *Metamorpha elissa* Hübner, "1816" [1819]
 Victorina Blanchard, 1840

- 524 **stelenes** (Linnæus), 1758
 a s. **stelenes** (Linnæus), 1758
 sthenele Hübner, "1816" [1819]
 steneles (Blanchard), 1840 (*lapsus calami*)
 b s. **biplagiata** (Fruhstorfer), 1907
 form *pallida* (Fruhstorfer), 1907

ANARTIA Hübner, "1816" [1819]

- Type: *Papilio jatrophæ* Johansson, 1763
 ‡*Celæna* Doubleday (nec Stephens, 1829), 1849
 Celæna Boisduval, 1870

- *525 **jatrophæ** (Johansson), 1763
 a j. **guantanamo** Munroe, 1942
 b j. **luteipicta** Fruhstorfer, 1907
- *526 **fatima** (Fabricius), 1793
 a f. **venusta** Fruhstorfer, 1907

Subfamily VANESSINÆ

VANESSA Fabricius, 1807

Type: *Papilio atalanta* Linnæus, 1758 (Opinion 156)

†Nymphalis Latreille (*nec* Kluk, 1802), 1804

Pyrameis Hübner, "1816" [1819]

Cynthia Fabricius, 1807

527 **atalanta** (Linnæus), 1758

admiralis (Retzius), 1783

ab. *edwardsi* Grinnell, 1918

528 **virginiensis** (Drury), "1770" [1773]

huntera (Fabricius), 1775

jole (Cramer), "1779" [1776]

iola Auctorum

hunteri Hübner, "1816" [1819]

ab. *fulvia* (Dodge), 1900

ab. *ahwashee* Fox, 1921

ab. *massachusettensis* Gunder, 1925

ab. *simmsi* (Gunder), 1927

529 **cardui** (Linnæus), 1758

carduelis (Seba), 1765

minor (Cockerell), 1890

ab. *elymi* Rambur, 1829

ab. *ate* (Strecker), 1878

form *jacksoni* (Clark), 1932

530 **carye** Hübner, "1806" [1812]

charie (Blanchard), 1852

ab. *muelleri* (Letcher), 1898

ab. *intermedia* Grinnell, 1918

ab. *letcheri* Grinnell, 1918

ab. *nivosa* (Gunder), 1927

ab. *schraderi* (Gunder), 1929

JUNONIA Hübner, "1816" [1819]

Type: *Papilio lavinia* Cramer, "1779" [1775]

Precis Auctorum (*nec* Hübner, "1816" [1819])

Alcyoneis Hübner, "1816" [1819]

Aresta Billberg, 1820

- 531 **cœnia** (Hübner), "1806" [1822]
 a **c. cœnia** (Hübner), "1806" [1822]
 cœna Barnes & Benjamin, 1926 (*lapsus calami*)
 form *hiem. rosa* (Whittaker & Stallings), 1944
 form *rubrosuffusa* (Field), 1936
 ab. *negra* Felder & Felder, "1864-7" [1867]
 ab. *schraderi* Gunder, 1925
 ab. *weidenhameri* Polacek, 1925
 ab. *wilhelmi* Gunder, 1927
 b **c. nigrosuffusa** Barnes & McDunnough, 1916
 * 532 **evarete** (Cramer), "1782" [1780]
 a ~~*delte*~~ **e. evarete** (Cramer), "1782" [1780]
 ‡*lavinia* (Cramer nec Fabricius, 1775), "1779" [1775]
 lavina Comstock, 1942 (*lapsus calami*)
 genoveva (Stoll), 1782
 a.^b **e. zonalis** Felder & Felder, "1864-7" [1867]

Subfamily NYMPHALINÆ

NYMPHALIS Kluk, 1802

Type: *Papilio polychloros* Linnæus, 1758

‡*Hamadryas* Hübner, [1806] (Opinion 278, name 82)

Vanessa Auctorum (nec Fabricius, 1807)

Aglaia Auctorum (nec Dalman, 1816)

Inachis Hübner, "1816" [1819]

- *533 **vau-album** ([Denis & Schiffermüller]), 1775
 a **v-a. j-album** (Boisduval & Le Conte), [1833]
 pocahontas (Scudder), 1889
 ab. *aureomarginata* (Cockerell), 1889
 b **v-a. watsoni** (Hall), 1924
 534 **californica** (Boisduval), 1852
 a **c. californica** (Boisduval), 1852
 b **c. herri** Field, 1936
 535 **milberti** (Godart), 1819
 melbertii Edwards, 1872 (*lapsus calami*)
 a **m. milberti** (Godart), 1819
 ab. *rothkei* (Gunder), 1927
 b **m. furcillata** (Say), 1825
 subpallida (Cockerell), 1889
 c **m. viola** (dos Passos), 1938

- 536 **antiopa** (Linnæus), 1758
 a a. **antiopa** (Linnæus), 1758
 pompadour (Pollich), 1779
 ab. *hygiæa* (Heydenreich), 1851
 ab. *hippolita* (Skinner), 1898
 b a. **hyperborea** (Seitz), (1914)
 c a. **lintnerii** (Fitch), 1856
 ab. *obscura* (Cockerell), 1890
 ab. *grandis* (Ehrmann), 1900

POLYGONIA Hübner, "1816" [1819]

Type: *Papilio c-aureum* Linnæus, 1758

Eugonia Hübner, "1816" [1819]

Comma Rennie, 1832

Grapta Kirby, 1837

- 537 **interrogationis** (Fabricius), 1798
 umbrosa (Lintner), 1869
 crameri (Scudder), 1870
 interrigations Brown, Eff & Rotger, 1955 (*lapsus calami*)
 form *fabricii* (Edwards), "1870-1" (1870)
- 538 **comma** (Harris), 1842
 harrisii (Edwards), "1872-3" (1873)
 form *dryas* (Edwards), "1870-1" (1870)
- 539 **satyrus** (Edwards), "1868-9" (1869)
 a s. **satyrus** (Edwards), "1868-9" (1869)
 form *chrysoptera* (Wright), 1905
 b s. **marsyas** (Edwards), "1870-1" (1870)
 ab. *hollandi* Gunder, 1927
- 540 **faunus** (Edwards), 1862
 a f. **faunus** (Edwards), 1862
 virescens Scudder, 1875
 b f. **smythi** Clark, 1937
 c f. **rusticus** (Edwards), "1874-6" (1874)
 silvius (Edwards), "1874-6" (1874) (*partim* ♀)
 d f. **arcticus** Leussler, 1935
- 541 **hylas** (Edwards), "1872-3" (1872)
 ♀ *orpheus* Cross, 1936
- 542 **silvius** (Edwards), "1874-6" (1874) (*partim* ♂)
- 543 **zephyrus** (Edwards), "1870-1" (1870)
 thiodamas Scudder, 1875
- 544 **gracilis** (Grote & Robinson), 1867

- 545 **oreas** (Edwards), "1868-9" (1869)
 a **o. oreas** (Edwards), "1868-9" (1869)
 b **o. silenus** (Edwards), "1870-1" (1870)
- 546 **progne** (Cramer), "1779" [1776]
 c-*argenteum* (Kirby), 1837
 ab. *martineæ* Coleman, 1919
 form *l-argenteum* Scudder, 1875

HYPOLIMNAS Hübner, "1816" [1819]

- Type: *Papilio pipleis* Linnæus, 1758 (= *Papilio pandarus* Linnæus, 1758)
Esoptria Hübner, "1816" [1819]
 †*Diadema* Boisduval (nec Humphreys, 1797 nec Schumacher,
 1817 nec Ranzini, 1817 nec Gray, 1825), 1832
Euralia Westwood, 1850
Eucalia Felder, 1861
- 547 **misippus** (Linnæus), 1764
bolina (Drury nec Linnæus, 1764), "1770" [1773]

Subfamily MELITÆINÆ

CHLOSYNE Butler, 1870

- Type: *Papilio janais* Drury, 1782
 †*Synchloë* Doubleday (nec Hübner, 1818), 1848
Coatlantona Kirby, 1871

- 548 **erodyle** (Bates), 1864
- 549 **janais** (Drury), 1782
- *550 **lacinia** (Geyer), 1837
 ardema (Reakirt), 1866
- a 1. **adjutrix** Scudder, 1875
 nigra (Cockerell), 1893 (*partim*)
 bicolor (Cockerell), 1893 (*partim*)
 rufa (Cockerell), 1893 (*partim*)
 ab. *inghami* Gunder, 1928
- b 1. **rufescens** (Cockerell), 1894
- c 1. **crocale** (Edwards), "1874-6" (1874)
 nigra (Cockerell), 1893 (*partim*)
 bicolor (Cockerell), 1893 (*partim*)
 rufa (Cockerell), 1893 (*partim*)
- d 1. **nigrescens** (Cockerell), 1893
- e 1. **pretona** (Boisduval), 1870

- 551 **californica** (Wright), 1905
 ab. *chinoi* Gunder, 1924
 552 **endeis** (Godman & Salvin), 1894

PHYCIODES (TRITANASSA) Forbes, "1944" [1945]

Type: *Eresia drusilla* Felder & Felder, 1861
Anthanassa Auctorum (nec Scudder, 1863)

- 553 **texana** (Edwards), 1863
 a **t. texana** (Edwards), 1863
 smerdis (Hewitson), 1864
 b **t. seminole** (Skinner), 1911

PHYCIODES (ERESIA) Boisduval, 1836

Type: *Eresia eunica* Boisduval, 1836 (=*Nereis fulva eunice* Hübner,
 "1806" [1807])

Anthanassa Scudder, 1875

- 554 **frisia** (Poe), 1832
 a **f. frisia** (Poe), 1832
 gyges (Hewitson), 1864
 b **f. tulcis** (Bates), 1864
 genigueh (Reakirt), 1865
 archesilea (R. Felder), 1869
 punctata Edwards, "1870-1" (1870)
 *555 **leucodesma** Felder & Felder, 1861
 cincta Edwards, 1864

PHYCIODES (PHYCIODES) Hübner, "1816" [1819]

Type: *Papilio cocyta* Cramer, "1779" [1777] (=*Papilio tharos* Drury
 "1770" [1773])

- 556 **tharos** (Drury), "1770" [1773]
 a **t. tharos** (Drury), "1770" [1773] (*gen. aest.*)
 gen. vern. marcia (Edwards), "1868-9" (1868)
 cocyta (Cramer), "1779" [1777]
 euclea (Bergsträsser), 1780
 tharossa (Godart), 1819
 selenis (Kirby), 1837
 ab. *packardii* (Saunders), 1869
 ab. *reaggi* Reiff, 1913
 ab. *dyari* Gunder, 1928
 gen. vern. morpheus (Fabricius), 1775

- b **t. arctica** dos Passos, 1935
- c **t. pulchella** (Boisduval), 1852
pascoensis Wright, 1905
 form ♀ *herse* Hall, 1924
 ab. *nigrescens* Hall, 1924
- 557 **batesii** (Reakirt), 1865
 ab. *harperi* Gunder, 1932
- 558 **gorgone** (Hübner), "1806" [1810] (*partim* ♀) *gen. aest.*
phaon (Edwards), 1864
aestiva (Edwards), 1878
 form *hiemalis* (Edwards), 1878
 ab. *thornei* Gunder, 1934
- 559 **mylitta** (Edwards), "1861-3" (1861)
 - a **m. mylitta** (Edwards), "1861-3" (1861)
collina (Behr), 1863
callina (Boisduval), 1869 (*lapsus calami*)
epula (Boisduval), 1869
 ab. *collinsi* Gunder, 1930
 ab. *macyi* Fender, 1930
 - b **m. pallida** (Edwards), 1864
 - c **m. mata** (Reakirt), "1866-7" (1866)
barnesi Skinner, 1897
 - d **m. thebais** Godman & Salvin, 1878
arida (Skinner), 1917
- 560 **orseis** Edwards, "1870-1" (1871)
 ab. *edwardsi* Gunder, 1927
- 561 **campestris** (Behr), 1863
 - a **c. campestris** (Behr), 1863
♂ pratensis (Behr), 1863
 ab. *macdunnoughi* Gunder, 1928 (*emendatio*)
 - b **c. camillus** Edwards, "1870-1" (1871)
 ab. *emissa* Edwards, "1870-1" (1871)
 ab. *rohweli* Cockerell, 1913
 ab. *tristis* Cockerell, 1913
 - c **c. montana** (Behr), 1863
orsa (Boisduval), 1869
- 562 **picta** Edwards, 1865
canace Edwards, "1870-1" (1871)
 ab. *jemezensis* Brehme, 1913
- 563 **vesta** (Edwards), "1868-9" (1869) (*gen. hiem.*)
 - hiemalis* Edwards, 1878
gen. aest. aestiva Edwards, 1878
boucardi Godman & Salvin, (1882)

MELITÆA (MICROTIA) Bates, 1864Type: *Microtia elva* Bates, 1864*Melitæa Auctorum* (nec Fabricius, 1807)*Militæa* Edwards, 1873 (*lapsus calami*)*Phyciodes Auctorum* (nec Hübner, "1816" [1819])

- 564 **dymas** Edwards, 1877
 a **d. dymas** Edwards, 1877
 larunda Strecker, "1877" [1878]
 senrabii Barnes, 1900
 b **d. chara** Edwards, 1883
 c **d. imperialis** (Bauer), "1958" [1959]
 ab. *jacintoi* Gunder, 1924
 ab. *nitela* J. A. Comstock, 1926
- *565 **elada** (Hewitson), 1868
 a **e. callina** Boisduval, 1869
 b **e. ulrica** Edwards, 1877
 imitata Strecker, "1877" [1878]
- 566 **perse** Edwards, 1882
- *567 **theona** Ménétriés, 1855
 a **t. thekla** Edwards, "1870-1" (1870)
 ab. *benjamini* Gunder, 1928
 b **t. bollii** Edwards, 1877
- 568 **chinatiensis** Tinkham, 1944
- 569 **harrisii** Scudder, 1862
 a **h. harrisii** Scudder, 1862
 b **h. hanhami** (Fletcher), 1904
 c **h. albimontana** Avinoff, 1930
 d **h. liggetti** Avinoff, 1930
- 570 **nycteis** Doubleday, "1846-52" [1847]
 a **n. nycteis** Doubleday, "1846-52" [1847]
 œnone Scudder, 1863
 ‡harrisii (Skinner nec Scudder, 1862), 1904
 ab. *millburni* (Rummel), 1926
 ab. *lacteus* (Gunder), 1928
 ab. *greyi* (Field), 1934
 b **n. drusius** (Edwards), 1884
 ab. *hewitsoni* (Field), 1936
 c **n. reversa** (Chermock & Chermock), 1940
- 571 **ismeria** Boisduval & Le Conte, [1833]
 a **i. ismeria** Boisduval & Le Conte, [1833]
 gorgone (Hübner), "1806" [1810] (*partim ♂*)

- b i. **carlota** (Reakirt), "1866-7" (1866)
 ab. *nigra* (Cary), 1901
 ab. *nox* (Gunder), 1928
- 572 **elva** (Bates), 1864
- 573 **neumægeni** Skinner, 1895
 ab. *fridayi* Gunder, 1932
 ab. *boharti* Gunder, 1933
- 574 **gabbii** Behr, 1863
 a g. **gabbii** Behr, 1863
 sonoræ Boisduval, 1869
 ab. *pasadenæ* (Gunder), 1924
 ab. *newcombi* J. A. Comstock, 1926
 ab. *gunderi* J. A. Comstock, 1926
 b g. **sabina** Wright, 1905
- 575 **malcolmi** J. A. Comstock, 1926
- 576 **acastus** Edwards, "1874-6" (1874)
 ab. *pearlæ* Gunder, 1926
- 577 **flavula** Barnes & McDunnough, 1918
- 578 **sterope** Edwards, "1870-1" (1870)
 ab. *hopfingeri* Gunder, 1934
- 579 **hewesi** Leussler, 1931
- 580 **dametas** Skinner, 1902
 ab. *dametella* McDunnough, 1927
- *581 **mayi** Gunder, 1929
- 582 **palla** Boisduval, 1852
 a p. **palla** Boisduval, 1852
 form ♀ *eremita* Wright, 1905
 ab. *wardi* Oberthür, [1913]
 ab. *blackmorei* Gunder, 1926
 ab. *stygiana* J. A. Comstock, 1926
 ab. *hemifusa* Gunder, 1930
 b p. **whitneyi** Behr, 1863
 ab. *vanduzeei* Gunder, 1928
 c p. **vallismortis** Johnson, 1938 (*emendatio*)
 d p. **calydon** Strecker, 1878
- 583 **hoffmanni** Behr, 1863
 a h. **hoffmanni** Behr, 1863
 helcita Boisduval, 1869
 ab. *abnorma* Wright, 1905
 ab. *hollandæ* Gunder, 1928
 b h. **segregata** Barnes & McDunnough, 1918
 bridgei J. A. Comstock, 1924

- 584 **leanira** Felder & Felder, 1860
 a **l. leanira** Felder & Felder, 1860
 form *obsoleta* H. Edwards, 1876
 obliterata Strecker, 1876 (*lapsus calami*)
 form *leona* Wright, 1905
 b **l. wrightii** Edwards, 1886
 ab. *carolynæ* Gunder, 1926
 form *pelona* Gunder, 1930
 c **l. cerrita** Wright, 1905
 d **l. daviesi** Wind, "1947" [1948]
 585 **cyneas** (Godman & Salvin), (1882)
 ab. *infrequens* Gunder, 1928
 586 **alma** Strecker, "1877" [1878]
 ab. *koebelei* (Gunder), 1927
 587 **fulvia** Edwards, 1879
 ab. *sinefascia* Williams, 1914
 588 **definita** Aaron, 1884
 schausi Godman, (1901)
 ab. *albiplaga* Aaron, 1884
 589 **pola** Boisduval, 1869
 a **p. pola** Boisduval, 1869
 b **p. arachne** Edwards, "1868-9" (1869)
 ab. *polingi* Gunder, 1926
 ab. *gunderiae* Holland, 1931
 c **p. monache** J. A. Comstock, 1918
 590 **gilensis** Holland, 1931
 591 **minuta** Edwards, "1861-3" (1861)
 a **m. minuta** Edwards, "1861-3" (1861)
 approximata Strecker, 1900
 b **m. nympha** Edwards, 1884

EUPHYDRYAS Scudder, 1872

Type: *Papilio phaeton* Drury, "1770" [1773]

‡*Lemonias* Hübner, [1806] (Opinion 278, name 79)

Melitaea Auctorum (nec Fabricius, 1807)

- 592 **phaeton** (Drury), "1770" [1773]
 a **p. phaeton** (Drury), "1770" [1773]
 phaetæna (Hübner), "1816" [1819]
 phaetontea (Godart), 1819
 phaedon (Herrich-Schäffer), 1865 (*lapsus calami*)
 schausi Clark, 1927
 ab. *superba* (Strecker), 1878

- ab. *phaethusa* (Hulst), 1881
- ab. *streckeri* Ellsworth, 1902
- ab. *magnifica* Clark, 1927
- b **p. borealis** Chermock & Chermock, 1940
- 593 **chalcedona** (Doubleday), "1846-52" [1847]
 - a **c. chalcedona** (Doubleday), "1846-52" [1847]
 - cooperi* (Behr), 1863
 - ab. *fusimacula* (Barnes), 1900
 - ab. *mariana* (Barnes), 1900
 - ab. *grundeli* (Coolidge), 1908
 - ab. *lorquini* (Oberthür), 1913
 - ab. *omniluteofuscus* Gunder, 1925
 - ab. *hemiluteofuscus* Gunder, 1925
 - ab. *suprafusa* J. A. Comstock, 1926
 - ab. *fusisecunda* J. A. Comstock, 1926
 - ab. *supranigrella* J. A. Comstock, 1926
 - ab. *hemimelanica* J. A. Comstock, 1926
 - b **c. dwinellei** H. Edwards, 1881
 - c **c. sperryi** Chermock & Chermock, 1945
 - d **c. colon** (Edwards), 1881
 - ab. *macdunnoughi* Gunder, 1928 (*emendatio*)
 - ab. *fenderi* Gunder, 1932
 - ab. *bakeri* Fender, 1945
 - e **c. huellemanni** J. A. Comstock, 1926
 - wallacensis* Gunder, 1928
 - ab. *idahoensis* Gunder, 1929
 - f **c. perdiccas** (Edwards), 1880 (*emendatio*)
 - perdiceas* Edwards, 1880 (*lapsus calami*)
 - ab. *nigrisuperpennipennis* Gunder, 1926
 - ab. *svihlae* Gunder, 1932
 - g **c. paradoxa** McDunnough, 1927
 - h **c. maeglashanii** (Rivers), 1888
 - mcglashanii* McDunnough, 1938 (*lapsus calami*)
 - form *truckensis* Gunder, 1928
 - ab. *hilli* Gunder, 1928
 - i **c. sierra** (Wright), 1905
 - ab. *magdelenae* Gunder, 1925
 - ab. *umbrobasana* J. A. Comstock, 1925
 - j **c. olancha** (Wright), 1905
 - form *georgei* Gunder, 1928
 - ab. *malcolmi* Gunder, 1927
 - k **c. quino** (Behr), 1863
 - ab. *hennei* Gunder, 1932

- 1 c. **hermosa** (Wright), 1905
 klotzi dos Passos, 1938
 ab. *venusta* Gunder, 1932
- 594 **anicia** (Doubleday), "1846-52" [1847]
 a. **anicia** (Doubleday), "1846-52" [1847]
 ab. *mayi* Gunder, 1932
 b. **a. helvia** (Scudder), 1869
 c. **a. hopfingeri** Gunder, 1934
 ab. *andersoni* Gunder, 1934
 d. **a. bakeri** Stallings & Turner, 1945
 e. **a. macyi** Fender & Jewett, 1953
 f. **a. veazieæ** Fender & Jewett, 1953
 g. **a. effi** Stallings & Turner, 1945
 h. **a. windi** Gunder, 1932
 i. **a. howlandi** Stallings & Turner, "1946" [1947]
 j. **a. bernadetta** Leussler, 1920
 ab. *leussleri* Gunder, 1927
 ab. *belli* Gunder, 1929
 k. **a. eurytion** (Mead), 1875
 form *brucei* (Edwards), 1888
 ab. *melanodisca* J.A. Comstock, 1918
 l. **a. capella** (Barnes), 1897
 ab. *rubrolimbata* J. A. Comstock, 1918
 ab. *oslari* Gunder, 1925
 m. **a. maria** (Skinner), 1899
 ab. *skinneri* Gunder, 1928
 ab. *spaldingi* Gunder, 1928
 n. **a. carmentis** Barnes & Benjamin, 1926
 ab. *charlotteæ* Gunder, 1928
 o. **a. alena** Barnes & Benjamin, 1926
 p. **a. magdalena** Barnes & McDunnough, 1918
 q. **a. wheeleri** (H. Edwards), 1881
 ab. *duncani* Gunder, 1934
 r. **a. morandi** Gunder, 1928
 s. **a. irelandi** Gunder, 1929
- 595 **editha** (Boisduval), 1852
 a. **e. editha** (Boisduval), 1852
 ab. *cottlei* Gunder, 1928
 b. **e. wrighti** Gunder, 1929
 ab. *fieldi* Gunder, 1924
 ab. *thornei* Gunder, 1934
 ab. *rubyæ* Hower, 1935

- c **e. augusta** (Edwards), 1890
 ab. *augustina* (Wright), 1905
- d **e. monoensis** Gunder, 1928
- e **e. rubicunda** (H. Edwards), 1881
- f **e. bayensis** Sternitzky, 1937
- g **e. nubigena** (Behr), 1863
 nubigeria Edwards, 1873 (*lapsus calami*)
 ab. *rubrosuffusa* J. A. Comstock, 1926
 ab. *tiogaensis* Gunder, 1929
 ab. *tiogoensis* McDunnough, 1938 (*lapsus calami*)
 ab. *boharti* Gunder, 1929
- h **e. aurilacus** Gunder, 1928
 ab. *foxi* Gunder, 1924
 ab. *albiradiata* Gunder, 1926
- i **e. fridayi** Gunder, 1931
- j **e. lehmani** Gunder, 1929
 ab. *caverna* Gunder, 1934
- k **e. baroni** (Edwards), 1879
 ab. *mirabilis* (Wright), 1905
 ab. *dunni* Gunder, 1929
 ab. *sternitzkyi* Gunder, 1929
- l **e. edithana** Strand, 1914
- m **e. lawrencei** Gunder, 1931
 ab. *diamondensis* Gunder, 1931
- n **e. remingtoni** Burdick, "1958" [1959]
 ab. *thielsenensis* Gunder, 1931
 ab. *thielsenensis* McDunnough, 1938 (*lapsus calami*)
- o **e. taylori** (Edwards), 1888
 ab. *victoriae* Gunder, 1926
 ab. *barnesi* Gunder, 1928
- p **e. colonia** (Wright), 1905
- q **e. beani** (Skinner), 1897
 ab. *blackmorei* Gunder, 1926
- r **e. hutchinsi** McDunnough, 1928
 form *montanus* McDunnough, 1928
- 596 **gillettii** (Barnes), 1897
 glacialis (Skinner), 1921
 gracilas McDunnough, 1938 (*lapsus calami*)
 ab. *herri* Gunder, 1929

Subfamily ARGYNNINÆ

BOLORIA (BOLORIA) Moore, 1900

Type: *Papilio pales* [Denis & Schiffermüller], 1775

Argynnis Auctorum (nec Fabricius, 1807)

Brenthis Auctorum (nec Hübner, "1816" [1819])

*597 **napea** (Hoffmansegg), 1804

pales Auctorum (nec [Denis & Schiffermüller], 1775)

a **n. alaskensis** (Holland), 1900

b **n. nearctica** Verity, 1932

c **n. reiffi** Reuss, 1925

d **n. halli** Klots, 1940

BOLORIA (CLOSSIANA) Reuss, "1920" [1922]

Type: *Papilio selene* [Denis & Schiffermüller], 1775

Argynnis Auctorum (nec Fabricius, 1807)

Brenthis Auctorum (nec Hübner, "1816" [1819])

Boloria Auctorum (nec Moore, 1900)

*598 **selene** ([Denis & Schiffermüller]), 1775

a **s. marilandica** (Clark), 1941

b **s. myrina** (Cramer), "1779" [1777]

myrinus (Herbst), 1798

myrissa (Godart), 1819

ab. *nubes* (Scudder), 1889

ab. *nivea* (Gunder), 1928

c **s. atrocostalis** (Huard), 1926

ab. *jenningsæ* (Holland), 1928

d **s. terrænovæ** (Holland), 1928 (*emendatio*)

e **s. nebraskensis** (Holland), 1928

f **s. tollandensis** (Barnes & Benjamin), 1925

ab. *serratimarginata* (Gunder), 1926

g **s. albequina** (Holland), 1928

ab. *baxteri* (Holland), 1928

599 **toddi** (Holland), 1928

a **t. toddi** (Holland), 1928

b **t. ammiralis** (Hemming), 1933

‡bellona (Fabricius nec Cramer, "1779" [1775]), 1775

‡myrina (Martyn nec Cramer, "1779" [1777]), 1797

ab. *fasciata* (Cockerell), 1889

ab. *kleenei* (Watson), 1921

- ab. *pardopsis* (Holland), 1928
- c **t. jenistai** Stallings & Turner, "1946" [1947]
- *600 **frigga** (Thunberg), 1791
 - a **f. saga** (Staudinger), 1861
 - b **f. gibsoni** (Barnes & Benjamin), 1926
 - alaskensis* (Lehmann, *nec* Holland, 1900), (1913)
 - lehmanni* (Holland), 1928
 - c **f. sagata** (Barnes & Benjamin), 1923
- 601 **improba** (Butler), 1877
 - a **i. improba** (Butler), 1877
 - b **i. youngi** (Holland), 1900
- 602 **kriemhild** (Strecker), "1878" [1879]
 - laurenti* (Skinner), 1913
 - lucki* (Reuss), 1923
- 603 **epithore** (Edwards), 1864
 - ab. *eldorado* (Strand), 1914
 - ab. *wawonae* (Gunder), 1924
 - ab. *obscuripennis* (Gunder), 1926
- 604 **polaris** (Boisduval), 1829
 - a **p. polaris** (Boisduval), 1829
 - b **p. gronlandica** (Skinner), 1892
 - americana* (Strand), 1905
- 605 **freija** (Thunberg), 1791
 - a **f. freija** (Thunberg), 1791
 - lapponica* (Esper), "1777" [1787]
 - freya* (Godart), 1819
 - ab. *gunderi* (Harper), 1933
 - b **f. tarquinius** (Curtis), 1835
 - c **f. natazhati** (Gibson), 1920
 - d **f. nabokovi** Stallings & Turner, "1946" [1947]
 - e **f. browni** Higgins, 1953
- 606 **alberta** (Edwards), 1890
 - ab. *banffensis* (Gunder), 1932
- 607 **astarte** (Doubleday), "1846-52" [1847]
 - a **a. astarte** (Doubleday), "1846-52" [1847]
 - victoria* (Edwards), 1891
 - b **a. distincta** (Gibson), 1920
- *608 **titania** (Esper), [1793]
 - chariclea Auctorum* (*nec* Schneider, 1794)
 - a **t. boisduvalii** (Duponchel), 1832
 - churchilea* (Johansen), 1921 (*lapsus calami*)
 - ab. *labradorensis* (Gunder), 1928

- b **t. rainieri** (Barnes & McDunnough), 1913
 - c **t. grandis** (Barnes & McDunnough), 1916
 - d **t. montinus** (Scudder), 1862
 - e **t. ingens** (Barnes & McDunnough), 1918
 ab. *martini* (Gunder), 1934
 - f **t. helena** (Edwards), "1870-1" (1871)
- *609 **chariclea** (Schneider), 1794
- a **c. arctica** (Zetterstedt), 1840
 - b **c. obscurata** (M'Lachlan), 1878
 - c **c. butleri** (Edwards), 1883

BOLORIA (PROCLOSSIANA) Reuss, 1926

Type: *Papilio aphirape* Hübner, "1805" [1799-1800] (= *Papilio eunomia* Esper, [1787])

- Argynnis Auctorum* (nec Fabricius, 1807)
- Brenthis Auctorum* (nec Hübner, "1816 [1819]")
- Glossiana Auctorum* (nec Reuss, 1920)

- *610 **eunomia** (Esper), [1787]
- aphirape* (Hübner), "1805" [1799-1800]
 - tomyris* (Herbst), 1800
 - a **e. triclaris** (Hübner), "1806" [1821]
 #ossianus (Boisduval nec Herbst, 1800), 1832
 lais (Scudder), 1875
 - b **e. cælestis** (Hemming), 1933
 #alticola (Barnes & McDunnough nec Sushkin & Tsetverikov, 1907), 1913
 - c **e. dawsoni** (Barnes & McDunnough), 1916
 ab. *harperi* (Gunder), 1934
 - d **e. nichollæ** (Barnes & Benjamin), 1926
 - e **e. laddi** (Klots), 1940
 - f **e. denali** (Klots), 1940

SPEYERIA (SPEYERIA) Scudder, 1872

Type: *Papilio Nymphalis Phaleratus idalia* Drury, "1770" [1773]

- Argynnis Auctorum*
- #Dryas* Hübner, [1806] (Opinion 278, name 75) (*partim*)
- Neoacidalia* Reuss, 1926 (*partim*)

- 611 **idalia** (Drury), "1770" [1773]
- ab. *ashtaroth* (Fisher), 1859
 - #astarte* (Fisher nec Doubleday, "1846-52" [1847]), 1858
 - infumata* (Oberthür), 1912
 - form *pallida* (Eisner), 1942

- ab. *dolli* (Gunder), 1927
- 612 **nokomis** (Edwards), "1861-3" (1862)
- a n. **nokomis** (Edwards), "1861-3" (1862)
 - nitrocris* (Edwards), "1874-6" (1874)
 - nigrocærulea* (Cockerell & Cockerell), 1900
 - form *valesinoidesalba* (Reuss), 1926 (*emendatio*)
 - ab. *rufescens* (Cockerell), 1909
 - b n. **cœrulescens** (Holland), 1900
 - cœrulescens* McDunnough, 1938 (*lapsus calami*)
 - c n. **apacheana** (Skinner), 1918
 - nokomis* (Edwards nec Edwards, "1861-3" [1862]), 1873
 - ab. *hermosa* (J. A. Comstock), 1925
 - d n. **wenona** dos Passos & Grey, 1945
- 613 **edwardsii** (Reakirt), "1866-7" (1866)
- montana* (Reuss), 1926
 - ab. *edonis* (Gunder), 1934
- 614 **coronis** (Behr), 1864
- a c. **coronis** (Behr), 1864
 - californica* (Skinner), 1917
 - b c. **hennei** (Gunder), 1934
 - c c. **semiramis** (Edwards), 1886
 - ab. *bernardensis* (Gunder), 1933
 - d c. **gunderi** (J. A. Comstock), 1925
 - e c. **simætha** dos Passos & Grey, 1945
 - f c. **snyderi** (Skinner), 1897
 - g c. **halcyone** (Edwards), 1869
- 615 **zerene** (Boisduval), 1852
- a z. **zerene** (Boisduval), 1852
 - monticola* (Behr), 1863
 - b z. **conchyliatus** (J. A. Comstock), 1925
 - ab. *shastaensis* (J. A. Comstock), 1925
 - c z. **gloriosa** Moeck, 1957
 - d z. **sordida** (Wright), 1905
 - e z. **malcolmi** (J. A. Comstock), 1920
 - ab. *sineargentatus* (Gunder), 1927
 - f z. **carolæ** (dos Passos & Grey), 1942
 - g z. **hippolyta** (Edwards), 1879
 - h z. **behrensi** (Edwards), "1868-9" (1869)
 - i z. **myrtleæ** dos Passos & Grey, 1945
 - j z. **bremnerii** (Edwards), "1872-3" (1872)
 - k z. **picta** (McDunnough), 1924
 - l z. **garretti** (Gunder), 1932

- m **z. sinope** dos Passos & Grey, 1945
 n **z. platina** (Skinner), 1897
 o **z. pfoutsi** (Gunder), 1933
 p **z. cynna** dos Passos & Grey, 1945
 616 **callippe** (Boisduval), 1852
 a **c. callippe** (Boisduval), 1852
 b **c. comstocki** (Gunder), 1925
 ab. *creelmani* (Gunder), 1934
 c **c. liliana** (H. Edwards), "1876" [1877]
 baroni (Edwards), 1881
 d **c. semivirida** (McDunnough), 1924
 e **c. elaine** dos Passos & Grey, 1945
 f **c. rupestris** (Behr), 1863
 g **c. juba** (Boisduval), 1869
 inornata (Edwards), "1872-3" (1872)
 h **c. laura** (Edwards), 1879
 i **c. sierra** dos Passos & Grey, 1945
 j **c. nevadensis** (Edwards), "1870-1" (1870)
 k **c. macaria** (Edwards), 1877
 l **c. laurina** (Wright), 1905
 wrighti (Wright), 1905
 m **c. harmonia** dos Passos & Grey, 1945
 n **c. meadii** (Edwards), "1872-3" (1872)
 ab. *gerhardi* (Gunder), 1927
 o **c. gallatini** (McDunnough), 1929
 p **c. calgariana** (McDunnough), 1924
 617 **egleis** (Behr), 1863
 a **e. adiaste** (Edwards), 1864
 adiante (Boisduval), 1869
 adraste (Kirby), 1871 (*lapsus calami*)
 adianthe (Barnes & McDunnough), 1917 (*lapsus calami*)
 b **e. clemencei** (J. A. Comstock), 1925
 c **e. atossa** (Edwards), 1890
 form *tejonica* (J. A. Comstock), 1925
 d **e. tehachapina** (J. A. Comstock), 1920
 e **e. egleis** (Behr), 1863
 montivaga (Behr), 1863
 astarte (Edwards nec Doubleday, "1846-52" [1847] nec
 Edwards, 1862), 1864
 ab. *mammothi* (Gunder), 1924
 ab. *boharti* (Gunder), 1929
 f **a. oweni** (Edwards), 1892

- g a. **linda** (dos Passos & Grey), 1942
- h a. **macdunnoughi** (Gunder), 1932
- i a. **albrighti** (Gunder), 1932
- j a. **utahensis** (Skinner), 1919
- k a. **secreta** dos Passos & Grey, 1945
- 618 **atlantis** (Edwards), 1862
 - a a. **atlantis** (Edwards), 1862
 - ab. *chemo* (Scudder), 1889
 - b a. **canadensis** (dos Passos), 1935
 - c a. **hollandi** (Chermock & Chermock), 1940
 - d a. **hesperis** (Edwards), 1864
 - e a. **nikias** (Ehrmann), 1917
 - f a. **dorothea** Moeck, 1947
 - g a. **nausicaa** (Edwards), "1874-6" (1874)
 - arizonensis* (Elwes), 1889
 - h a. **shellbachi** Garth, 1949
 - i a. **chitone** (Edwards), 1879
 - j a. **wasatchia** dos Passos & Grey, 1945
 - k a. **greyi** Moeck, 1950
 - l a. **tetonia** dos Passos & Grey, 1945
 - m a. **viola** dos Passos & Grey, 1945
 - n a. **dodgei** (Gunder), 1931
 - o a. **irene** (Boisduval), 1869
 - cottlei* (J. A. Comstock), 1925
 - p a. **electa** (Edwards), 1878
 - cornelia* (Edwards), 1892
 - q a. **lurana** dos Passos & Grey, 1945
 - r a. **hutchinsi** (Gunder), 1932
 - s a. **beani** (Barnes & Benjamin), 1926
 - t a. **helena** dos Passos & Grey, "1955" [1957]
 - flais* (Edwards nec Scudder, 1875), 1883
 - u a. **dennisi** (Gunder), 1927
- 619 **hydaspe** (Boisduval), 1869
 - a h. **hydaspe** (Boisduval), 1869
 - b h. **viridicornis** (J. A. Comstock), 1925
 - c h. **purpurascens** (H. Edwards), [1877]
 - ab. *caliginosa* (J. A. Comstock), 1925
 - d h. **minor** (McDunnough), 1927
 - e h. **rhodope** (Edwards), "1874-6" (1874)
 - ab. *gregsoni* (Gunder), 1932
 - f h. **sakuntala** (Skinner), 1911
 - skinneri* (Holland), 1931
 - g h. **conquista** dos Passos & Grey, 1945

- 620 **mormonia** (Boisduval), 1869
 a **m. mormonia** (Boisduval), 1869
 b **m. bischoffii** (Edwards), "1870-1" (1870)
 c **m. opis** (Edwards), "1874-6" (1874)
 d **m. jesmondensis** (McDunnough), 1940
 e **m. washingtonia** (Barnes & McDunnough), 1913
 form *rainierensis* (Gunder), 1932
 f **m. erinna** (Edwards), 1883
 ab. *cunninghami* (Owen), 1893
 g **m. arge** (Strecker), 1878
 #astarte (Edwards nec Doubleday, "1846-52" [1847]), 1862
 #montivaga (Behr nec Behr, 1863), 1864
 h **m. artonis** (Edwards), 1881
 rubyensis (Gunder), 1932
 i **m. eurynome** (Edwards), "1872-3" (1872)
 eurynomes Edwards, 1873 (*lapsus calami*)
 clio (Edwards), "1874-6" (1874)
 ab. *igeli* dos Passos & Grey, 1945
 ab. *eris* (Igel nec Meigen, 1828), 1922
 ab. *benjamini* (Gunder), 1927
 ab. *brucei* (Gunder), 1927
 ab. *fieldi* dos Passos & Grey, 1945
 ab. *gunderi* (Field nec Comstock, 1925, 1936)
 j **m. luski** (Barnes & McDunnough), 1913

SPEYERIA (SEMNOPSYCHE) Scudder, 1875

Type: *Papilio Nymphalis Phaleratus diana* Cramer, "1779" [1777]

Argynnис Auctorum

?Dryas Hübner, [1806] (Opinion 278, name 75) (*partim*)

Neoacidalia Ruess, 1926

- 621 **diana** (Cramer), "1779" [1777]
 622 **cybele** (Fabricius), 1775
 a **c. cybele** (Fabricius), 1775
 daphnis (Cramer), "1779" [1776]
 ?daphnis (Martyn), 1797
 ab. *baal* (Strecker), 1878
 b **c. novascotiæ** (McDunnough), 1935
 c **c. krautwurmi** (Holland), 1931
 d **c. pseudocarpenteri** (Chermock & Chermock), 1940
 e **c. carpenterii** (Edwards), 1876
 f **c. charlottii** (Barnes), 1897
 g **c. letona** dos Passos & Grey, 1945

- h **c. pugetensis** Chermock & Frechin, 1947
- i **c. leto** (Behr), 1862
 letis (Wright), 1905
 form *valesinoidesalba* (Reuss), 1926 (*emendatio*)
 ab. *lethe* (Gunder), 1934
- 623 **aphrodite** (Fabricius), 1787
 - a **a. aphrodite** (Fabricius), 1787
 form *bartschi* (Reiff), 1910
 ab. *bakeri* (Clark), 1932
 - b **a. winni** (Gunder), 1932
 - c **a. alcestis** (Edwards), "1874-6" (1876)
 ab. *suffusa* (Wolcott), 1916
 - d **a. mayæ** (Gunder), 1932
 manitoba (Chermock & Chermock), 1940
 - e **a. whitehousei** (Gunder), 1932
 - f **a. columbia** (H. Edwards), 1877
 - g **a. ethne** (Hemming), 1933
 cypris (Edwards nec Meigen, 1828), 1886
 - h **a. byblis** (Barnes & Benjamin), 1926

EUPTOIETA Doubleday, "1846-52" [1848]

Type: *Papilio claudia* Cramer, "1779" [1776]

Euptneta Edwards, 1873 (*lapsus calami*)

- 624 **claudia** (Cramer), "1779" [1776]
 - daunius* (Herbst), 1798
 - daunus Auctorum*
 - mariamne* Scudder, 1889
 - ab. *dodgei* Gunder, 1927
 - ab. *fumosa* Field, 1936
 - ab. *albaclaudia* Field, 1936
- *625 **hegesia** (Cramer), "1782" [1780]
 - columbina* Fabricius, 1793
 - a **h. hoffmanni** Comstock, 1944

Subfamily HELICONIINÆ

HELICONIUS Kluk, 1802

Type: *Papilio charitonias* Linnæus, 1767 (= *Papilio charithonia* Linnæus, 1767)

- †Heliconius* Latreille (*nec* Kluk, 1802), 1804
‡Migonitis Hübner (*nec* Rafinesque, 1815), 1816
Apostrophia Hübner, 1816
Heliconia Godart, 1819
Laparus Billberg, 1820

- *626 **charitonius** (Linnæus), 1767 (*emendatio*)
charithonius (Linnæus), 1767
a **c. tuckeri** Comstock & Brown, 1950
b **c. vazquezæ** Comstock & Brown, 1950
627 **petiveranus** Doubleday, "1846-52" [1847]

DRYAS Hübner, "1806" [1807]

Type: *Papilio julia* Fabricius, 1775
‡Dryas Hübner, [1806] (Opinion 278, name 75) (*partim*)
Colanis Hübner, "1816" [1819]

- *628 **julia** (Fabricius), 1775
alcionea (Cramer), "1782" [1779]
a **j. moderata** (Stichel), 1907
b **j. nudeola** (Stichel), 1907
carteri (Riley), 1926
c **j. delia** (Fabricius), 1775
delila (Skinner), 1898 (*lapsus calami*)
d **j. cillene** (Cramer), "1782" [1780]

DRYADULA Michener, 1942

Type: *Papilio phætusa* Linnæus, 1758

Dryas Auctorum

- 629 **phætusa** (Linnæus), 1758

AGRAULIS Boisduval & Le Conte, [1833]

Type: *Papilio vanillæ* Linnæus, 1758
Dione Auctorum (*nec* Hübner, "1816" [1819])

- *630 **vanillæ** (Linnæus), 1758
passifloræ (Fabricius), 1793
a **v. nigrior** Michener, 1942
b **v. incarnata** (Riley), 1926
 ab. *comstocki* (Gunder), 1925
 ab. *fumosus* (Gunder), 1927
 ab. *margineapertus* (Gunder), 1928
 ab. *hewlettæ* (Gunder), "1929" [1930]

Family DANAIDÆ

Subfamily DANAINÆ

DANAUS (DANAUS) Kluk, 1802Type: *Papilio plexippus* Linnæus, 1758*Danaida* Latrjelle, 1804*‡Limnas* Hübner, [1806] (Opinion 278, name 78)*Danais* Latrjelle, 1807*Danaus* Latrjelle, 1809*Festivus* Crotch, 1872*Anosia* Hübner, 1816631 *plexippus* (Linnæus), 1758a p. *plexippus* (Linnæus), 1758 (Opinion 282) *‡archippus* (Fabricius *nec* Cramer, "1779" [1776]), 1793 ab. *fumosus* (Hulst), 1886 ab. *pulchra* (Strecker), 1900 ab. *americanus* Gunder, 1927 ab. *nivosus* Gunder, 1927b p. *megalippe* (Hübner), "1806" [1826] *menippe* (Hübner), 1816632 *cleothena* Godart, 1819**DANAUS (TASITIA)** Moore, 1883Type: *Papilio gilippus* Cramer, "1779" [1776]*Diogas* d'Almeida, 1938*633 *gilippus* (Cramer), "1779" [1776]a g. *berenice* (Cramer), "1782" [1780]b g. *strigosus* (Bates), 1864 ab. *kerri* J. A. Comstock, 1925*634 *eresimus* (Cramer), "1779" [1777]a e. *montezuma* Talbot, 1943b e. *tethys* Forbes, 1943**LYCOREA** Doubleday, "1846-52" [1847]Type: *Heliconia cleobœa* Godart, 1819*Lycorella* Hemming, 1933*635 *ceres* (Cramer), "1779" [1776]a c. *demeter* (Felder & Felder), "1864-7" [1865]b c. *atergatis* (Doubleday), "1846-52" [1847]

Family SATYRIDÆ

Subfamily LETHINÆ

LETHE Hübner, "1816" [1819]Type: *Papilio europa* Fabricius, 1775*Satyrodes Auctorum**Enodia* Hübner, "1816" [1819]*Debis* Doubleday, "1850-52" [1849]636 **portlandia** (Fabricius), 1781a **p. portlandia** (Fabricius), 1781b **p. androcardia** (Hübner), 1821 *andromacha* (Hübner nec Fabricius,

1775 nec Megerle, 1804), "1806" [1809]

c **p. anthedon** (Clark), 1936d **p. borealis** (Clark), 1936637 **creola** (Skinner), 1897638 **eurydice** (Johansson), 1763a **e. eurydice** (Johansson), 1763 *canthus* (Linnaeus), 1767 *cantheus* (Godart), "1819" [1824]b **e. transmontana** (Gosse), 1840 *boisduvalii* (Morris), 1862 form ♀ *rawsoni* (Field), 1936 ab. *boweri* (Chermock), 1927c **e. fumosus** (Leussler), 1916d **e. appalachia** R. L. Chermock, 1947

Subfamily SATYRINÆ

EUPTYCHIA Hübner, 1818Type: *Euptychia mollina* Hübner, 1818*Euptichia* Geyer, 1832 (*lapsus calami*)*Eupthychia* Köhler, 1835 (*lapsus calami*)*Eutychia* Jörgensen, 1835 (*lapsus calami*)*Neonympha* Hübner, 1818*Megisto* Hübner, "1816" [1819]*Cissia* Doubleday, 1848*Cyllopsis* R. Felder, 1869

- 639 **gemma** (Hübner), 1808
 a g. **gemma** (Hübner), 1808
 ?*cornelius* (Fabricius), 1793
 ?*cornelius* (Godart), "1819" [1824]
 b g. **freemani** (Stallings & Turner), "1946" [1947]
 gen. *hiem. inductura* (Stallings & Turner), "1946" [1947]

640 **dorothea** (Nabokov), "1942" [1943]
 edwardsi (Nabokov), "1942" [1943]
 avicula (Nabokov), "1942" [1943]
 texana (Wind), 1946

641 **maniola** (Nabokov), "1942" [1943]

642 **henshawi** Edwards, 1876

643 **areolata** (Smith), 1797
 a a. **areolata** (Smith), 1797
 phocion (Fabricius), 1781
 ?*helicta* (Hübner), "1806" [1808]
 ?*areolata* Butler, 1866
 b a. **septentrionalis** (Davis), 1924
 ?*helicta* (Hübner), "1806" [1808] (*partim*)

644 **mitchellii** (French), 1889

645 **hermes** (Fabricius), 1775
 a h. **hermes** (Fabricius), 1775
 canthe (Hübner), "1806" [1811]
 b h. **sosybius** (Fabricius), 1793

646 **cymela** (Cramer), "1779" [1777]
 a c. **cymela** (Cramer), "1779" [1777]
 ?*eurytus* (Fabricius nec Clerck, 1764 nec Linnæus, 1758), 1775
 urytis (Fabricius), 1793
 urythris Godart, "1819" [1824]
 b c. **viola** (Maynard), 1890

647 **rubricata** Edwards, "1870-1" (1871)
 a r. **rubricata** Edwards, "1870-1" (1871)
 smithorum (Wind), 1946
 b r. **cheneyorum** R. L. Chermock, "1948" [1949]

PARAMECERA Butler, 1868

Type: *Neonympha xicaque* Reakirt, 1866

- 648 **xicaque** (Reakirt), 1866
epinephela (Felder & Felder), "1864-7" [1867]

CŒNONYMPHA Hübner, "1816" [1819]

Type: *Cœnonympha œdipe* Hübner, "1816" [1819] (=*Papilio œdippe* Fabricius, 1787)

Chortobius (Dunning & Packard), 1858

- 649 **mixturata** Alpheraky, 1897
 - a ~~M.~~ **mixturata** Alpheraky, 1897
 - (*yukonensis* Holland, 1900)
 - b ~~M.~~ **kodiak** Edwards, "1868-9" (1869)
- 650 **ampelos** Edwards, "1870-1" (1871)
 - a **a. ampelos** Edwards, "1870-1" (1871) (*gen. æst.*)
 - gen. vern. columbiana* McDunnough, 1928
 - eunomia* Field, 1937
 - b **a. insulana** McDunnough, 1928 (*gen. vern.*)
 - c **a. elko** Edwards, 1881
 - d **a. sweadneri** Chermock & Chermock, 1941
- 651 **california** Westwood "1850-2" [1851]
 - californica* H. Edwards, 1881 (*lapsus calami*)
 - a **c. californica** Westwood "1850-2" [1851] (*gen. vern.*)
 - ceres* Butler, 1866
 - ab. *pulla* H. Edwards, 1881
 - gen. æst. galactina* (Boisduval), 1852
 - brenda* Edwards, "1868-9" (1869)
 - b **a. eryngii** H. Edwards, 1876
 - gen. vern. siskiyouensis* J. A. Comstock, 1925
- 652 **ochracea** Edwards, "1861-3" (1861)
 - a **o. ochracea** Edwards, "1861-3" (1861)
 - ochracia* Chermock & Chermock, 1938 (*lapsus calami*)
 - ab. *albescens* Field, 1936
 - b **o. mackenziei** Davenport, 1936
 - c **o. mono** Burdick, 1942
 - d **o. subfusca** Barnes & Benjamin, 1926
 - e **o. furcae** Barnes & Benjamin, 1926
- 653 **inornata** Edwards, "1861-3" (1861)
 - a **i. phantasma** Burdick, 1956
 - b **i. inornata** Edwards, "1861-3" (1861)
 - quebecensis* Barnes & Benjamin, 1926
 - c **i. benjamini** McDunnough, 1928
 - d **i. nipisiquit** McDunnough, 1939
 - e **i. heinemani** Brown, "1958" [1959]
 - f **i. macisaaci** dos Passos, 1935 (*emendatio*)
- 654 **haydenii** (Edwards), 1872

NEOMINOIS Scudder, 1875Type: *Satyrus ridingsii* Edwards, 1865*Eumenis Auctorum* (nec Hübner, "1816" [1819])655 **ridingsii** (Edwards), 1865a **r. ridingsii** (Edwards), 1865b **r. stretchii** (Edwards), "1870-1" (1870)c **r. dionysus** Scudder, 1878 *dionysius* Barnes & McDunnough, 1917 (*lapsus calami*)
 ashtaroth (Strecker), 1878**CERCYONIS** Scudder, 1875Type: *Papilio alope* Fabricius, 1793 (= *Papilio pegala* Fabricius, 1775, ssp.)*Minois Auctorum* (nec Hübner, "1816" [1819])656 **pegala** (Fabricius), 1775 *pegale* J. B. Smith, 1884 (*lapsus calami*)a **p. pegala** (Fabricius), 1775b **p. texana** (Edwards), 1880c **p. alope** (Fabricius), 1793 form *maritima* (Edwards), 1880 form *ochracea* (Chermock & Chermock), 1942 form *carolina* (Chermock & Chermock), 1942d **p. olympus** (Edwards), 1880 *borealis* (Chermock), 1929e **p. nephele** (Kirby), 1837f **p. ino** (Hall), 1924g **p. damei** (Barnes & Benjamin), 1926 *masoni* (Cross), 1937h **p. wheeleri** (Edwards), "1872-3" (1873) *hoffmani* (Strecker), 1873i **p. ariane** (Boisduval), 1852 *boopis* (Behr), 1864 form *baroni* (Edwards), 1880 form *incana* (Edwards), 1880 form ♀ *stephensi* (Wright), 1905j **p. gabbii** (Edwards), "1870-1" (1870)k **p. ?behrii** (Grinnell), 1905657 **meadii** (Edwards), "1872-3" (1872) *melania* (Wind), 1946658 **silvestris** (Edwards), "1861-3" (1861)a **s. silvestris** (Edwards), "1861-3" (1861) *okius* (Oberthür), 1913b **s. paulus** (Edwards), 1879

- 659 **sthenele** (Boisduval), 1852
 660 **œetus** (Boisduval), 1869
 a **o. œetus** (Boisduval), 1869
 charon (Edwards), "1872-3" (1872)
 b **o. phocus** (Edwards), "1874-6" (1874)

ŒNEIS Hübner, "1816" [1819]

Type: *Papilio norna* Thunberg, Esper, [1797] (=*Papilio norna* Thunberg, 1791)

Chionobas Boisduval, [1833]

- 661 **uhleri** (Reakirt), "1866-7" (1866)
 a **u. uhleri** (Reakirt), "1866-7" (1866)
 ab. *obscura* (Edwards), 1892
 b **u. reinthali** Brown, 1953
 c **u. varuna** (Edwards), 1882
 ab. *dennisi* Gunder, 1927
 d **u. nahanni** Dyar, 1904
 cairnesi Gibson, 1920
 662 **ivallda** (Mead), 1878
 invallda Tilden, 1959 (*lapsus calami*)
 663 **nevadensis** (Felder & Felder), "1864-7" (Dec. 1866)
 a **n. nevadensis** (Felder & Felder), "1864-7" (Dec. 1866)
 californica (Boisduval), 1868
 b **n. iduna** (Edwards), 1874
 c **n. gigas** Butler, 1868
 664 **macounii** (Edwards), 1885
 665 **chryxus** (Doubleday), "1850-2" [1849]
 a **c. chryxus** (Doubleday), "1850-2" [1849]
 b **c. valerata** Burdick, "1957" [1958]
 c **c. stanislaus** Hovanitz, 1937
 d **c. caryi** Dyar, 1904
 e **c. calais** (Scudder), 1865
 f **c. strigulosa** McDunnough, 1934
 666 **alberta** Elwes, 1893
 a **a. alberta** Elwes, 1893
 b **a. oslari** Skinner, 1911
 c **a. daura** (Strecker), 1894
 dauria Barnes & McDunnough, 1917 (*lapsus calami*)
 667 **taygete** Geyer, 1830
 a **t. taygete** Geyer, 1830
 bootes (Boisduval), 1832
 b **t. gaspeensis** dos Passos, 1949
 c **t. fordii** dos Passos, 1949
 d **t. edwardsi** dos Passos, 1949

- *668 **bore** (Schneider), 1792
 - a **b. hanburyi** Watkins, 1928
 - b **b. mackinleyensis** dos Passos, 1949 (*emendatio*)
- *669 **jutta** (Hübner), [1805-6]
 - balder* (Guérin-Méneville), "1829-44" [1831]
 - a **j. terrænovæ** dos Passos, 1935 (*emendatio*)
 - b **j. ridingiana** Chermock & Chermock, 1940
 - c **j. leussleri** Bryant, 1935
 - d **j. alaskensis** Holland, 1900
 - e **j. reducta** McDunnough, 1929
- 670 **melissa** (Fabricius), 1775
 - a **m. melissa** (Fabricius), 1775
œno (Boisduval), 1832
 - b **m. semplei** Holland, 1931
 - c **m. assimilis** Butler, 1868
arctica Gibson, 1920
simulans Gibson, 1920
 - d **m. gibsoni** Holland, 1931
 - e **m. lucilla** Barnes & McDunnough, 1918
 - f **m. beanii** Elwes, 1893
 - g **m. semidea** (Say), 1828
eritiosa (Boisduval), 1832
form *nigra* (Edwards), 1894
- 671 **polixenes** (Fabricius), 1775
 - a **p. polixenes** (Fabricius), 1775
crambis (Freyer), 1845
 - b **p. subhyalina** (Curtis), 1835
 - c **p. katahdin** (Newcomb), 1901
 - d **p. peartiæ** (Edwards), 1897
 - e **p. brucei** (Edwards), 1891
 - f **p. yukonensis** Gibson, 1920

EREBIA Dalman, 1816

Type: *Papilio ligea* Linnæus, 1758

- 672 **vidleri** Elwes, 1898
- 673 **rossii** (Curtis), 1835
 - a **r. rossii** (Curtis), 1835
 - b **r. ornata** Leussler, 1935
 - c **r. kuskoquima** Holland, 1931
 - d **r. gabrieli** dos Passos, 1949
- *674 **disa** (Thunberg), 1791

- a **d. mancinus** Doubleday "1850-2" [1849]
macinus Barnes & Benjamin, 1926 (*lapsus calami*)
- b **d. steckeri** Holland, 1930
- c **d. subarctica** McDunnough, 1937
- 675 **magdalena** Strecker, 1880
 - a **m. magdalena** Strecker, 1880
 - b **m. mackinleyensis** Gunder, 1932
- 676 **fasciata** Butler, 1868
 - a **f. fasciata** Butler, 1868
 ab. *suffusa* Warren, 1936
 - b **f. avinoffi** Holland, 1930
- 677 **discoidalis** (Kirby), 1837
 - a **d. discoidalis** (Kirby), 1837
 - b **d. macdunnoughi** dos Passos, 1940 (*emendatio*)
- *678 **theano** (Tauscher), 1806
 - a **t. ethela** Edwards, 1891
 - b **t. alaskensis** Holland, 1900
 - c **t. demmia** Warren, 1936
 - d **t. canadensis** Warren, 1931
 ‡*sofia* Strecker (*nec* Quenzer, 1802), 1880
 form ♀ *churchillensis* Warren, 1936
- 679 **youngi** Holland, 1900
 - a **y. youngi** Holland, 1900
 - b **y. herscheli** Leussler, 1935
 - c **y. rileyi** dos Passos, 1947
- 680 **episposea** Butler, 1868
 - a **e. episposea** Butler, 1868
rhodia Edwards, "1870-1" (1871)
 ab. *brucei* Elwes, 1889
 - b **e. remingtoni** Ehrlich, 1952
 - c **e. hopfingeri** Ehrlich, 1954
 - d **e. sineocellata** Skinner, 1889
freemani Ehrlich, 1954
- 681 **callias** Edwards, "1870-1" (1871)

Subfamily PRONOPHILINÆ

GYROCHEILUS Butler, 1867

Type: *Pronophila patrobas* Hewitson, 1862

Geirocheilus Auctorum

- *682 **patrobas** (Hewitson), 1862
 - a **p. tritonis** (Edwards), "1874-6" (1874)

INDEX

	<i>Page</i>		<i>Page</i>
<i>A aaroni</i> Skinner	76	<i>afraria</i> Edwards	479
<i>Abæis</i>	47	<i>afranius</i> Lintner	166
<i>abbotii</i> Edwards	269	<i>aganisa</i> Boisduval	497
<i>abnorma</i> Wright	583	<i>Aganisthos</i> Boisduval & LeC.	70
<i>abreas</i> Edwards	330	<i>Aganisthus</i> Kirby	70
<i>acadia</i> Brown, E. & R.	406	<i>agarithe</i> Boisduval	305
<i>acadica</i> Edwards (<i>Pieris</i>)	278	<i>Agathymus</i>	1
<i>acadica</i> Edwards (<i>Strymon</i>)	406	<i>Ageronia</i>	72
<i>acanootus</i> Scudder	66	<i>Aglais</i>	78
<i>acastus</i> Edwards	576	<i>Agraulis</i>	97
<i>acauda</i> Oberthür	246	<i>Agriades</i>	66
<i>accius</i> Smith	134	<i>agricola</i> Boisduval	80
<i>Achalarus</i>	25	<i>Aguna</i>	28
<i>acheronta</i> , Fabricius	490	<i>ahaton</i> Harris	95
<i>Achivus</i>	34	<i>ahwashee</i> Fox	528
<i>Achlyodes</i> Hübner	21, 23	<i>aidea</i> Guérin- ^{manayville}	486
<i>acis</i> Drury	381	<i>ajax</i> Linnæus (<i>Graphium</i>)	269
<i>acmon</i> Westwood & H.	462	<i>ajax</i> Linnæus (<i>Papilio</i>)	248
<i>Acolastus</i>	29	<i>ajax</i> Linnæus (<i>Papilio</i>)	262
<i>aconita</i> Plötz	153	<i>alabamæ</i> Lindsey (<i>Euphyes</i>)	62
<i>acteon</i> Rottemburg	13	<i>alabamæ</i> H. A. Freeman (<i>Megathymus</i>)	13
<i>addenda</i> Dufrane	267	<i>alaskæ</i> McDunnough	296
<i>adela</i> Hewitson	133	<i>alaskaensis</i> Eisner	245
<i>Adelpha</i>	76	<i>alaskensis</i> Gunder (<i>Anthocaris</i>)	324
<i>adenostomatis</i> H. Edwards	418	<i>alaskensis</i> Holland (<i>Boloria</i>)	597
<i>adiante</i> Boisduval	617	<i>alaskensis</i> Lehmann (<i>Boloria</i>)	600
<i>adianthe</i> Barnes & McD.	617	<i>alaskensis</i> Holland (<i>Erebia</i>)	678
<i>adiaste</i> Edwards	617	<i>alaskensis</i> Chermock (<i>Lycæides</i>)	454
<i>adjutrix</i> Scudder (<i>Chlosyne</i>)	550	<i>alaskensis</i> Holland (<i>Eneis</i>)	669
<i>adjutrix</i> Plötz (<i>Pyrgus</i>)	162	<i>alaskensis</i> Eisner (<i>Parnassius</i>)	245
<i>admiralis</i> Retzius	527	<i>alb</i> Strecker	492
<i>adolescens</i> Hübner	52	<i>alba</i> Strecker (<i>Colias</i>)	286
<i>Adopæa</i> McDunnough	13	<i>alba</i> Chermock (<i>Colias</i>)	287
<i>Adopæoides</i> Godman	14	<i>alba</i> Röber (<i>Colias</i>)	287
<i>Adopæa</i> Billberg	13	<i>alba</i> Strecker (<i>Colias</i>)	287
<i>adraste</i> Kirby	617	<i>alba</i> Strecker (<i>Colias</i>)	293
<i>adrienne</i> Maynard	443	<i>alba</i> Strecker (<i>Eurema</i>)	315
<i>advæna</i> Ellsworth	518	<i>alba</i> Edwards (<i>Heliopetes</i>)	154
<i>ægialea</i> Plötz	21	<i>albaclaudia</i> Field	624
<i>æhaja</i> Behr	456	<i>albanus</i> Felder & F.	265
<i>ælius</i> Plötz	228	<i>albarithe</i> Brown	305
<i>æmilea</i> Skinner	203	<i>albequina</i> Holland	598
<i>ænus</i> Edwards	34	<i>alberta</i> Edwards (<i>Boloria</i>)	606
<i>Ærnauta</i> Berge	34	<i>alberta</i> Bowman (<i>Colias</i>)	293
<i>ærofuscus</i> Gunder	211	<i>alberta</i> Elwes (<i>Eneis</i>)	666
<i>æsculapius</i> Fabricius	40	<i>albescens</i> Field (<i>Cænonymphæ</i>)	652
<i>æstiva</i> Edwards (<i>Phyciodes</i>)	558	<i>albescens</i> Plötz (<i>Pyrgus</i>)	161
<i>æstiva</i> Edwards (<i>Phyciodes</i>)	563	<i>albiciliata</i> Röber	240
<i>æstiva</i> Harris (<i>Pieris</i>)	278	<i>albicilla</i> Herrich-Schäffer	240
<i>affinis</i> Edwards	424		

<i>albida</i> Chermock	287	<i>amisus</i> Hewitson	218
<i>albimontana</i> Avinoff	569	<i>ammiralis</i> Hemming	599
<i>albina</i> Poey	310	<i>ammon</i> Lucas	451
<i>albinic</i> Skinner	287	<i>ammoni</i> Behrens	263
<i>albiplaga</i> Aaron	588	<i>amorphæ</i> H. Edwards	298
<i>albiradiata</i> Gunder	595	<i>ampelos</i> Edwards	650
<i>albocentratus</i> Bryk & E.	244	<i>Amphichlora</i>	72
<i>albociliatus</i> Mabille	209	<i>amphidona</i> Edwards	286
<i>albocincta</i> Holland	16	<i>amphidusa</i> Boisduval	286
<i>albofasciata</i> Newcomb	516	<i>amphinome</i> Linnæus	72
<i>albofasciatus</i> Hewitson	231	<i>amphissa</i> Plötz	87
<i>albomarginatus</i> Godman & S.	172	<i>ampliata</i> Ménétriés	248
<i>albosuffusa</i> H. A. Freeman	201	<i>amymone</i> Ménétriés	502
<i>albowittata</i> Grote	161	<i>amyntas</i> Denis & S. (<i>Everes</i>)	66
<i>albrighti</i> Clench (<i>Everes</i>)	469	<i>amyntas</i> Fabricius (<i>Polygonus</i>)	233
<i>albrighti</i> Gunder (<i>Speyeria</i>)	617	<i>Amynthia</i> Swainson	45
<i>alcæus</i> Hewitson	226	<i>amyntula</i> Boisduval	470
<i>alce</i> Edwards	453	<i>anacreon</i> Plötz	192
<i>alcestis</i> Edwards (<i>Speyeria</i>)	623	<i>Anaea</i>	70
<i>alcestis</i> Edwards (<i>Strymon</i>)	404	<i>ananius</i> Plötz	203
<i>alcidamus</i> Cramer	262	<i>Anaperus</i>	24
<i>alcina</i> Skinner	96	<i>anaphus</i> Cramer	214
<i>alcionea</i> Cramer	628	<i>Anartia</i>	76
<i>Alcyoneis</i>	77	<i>Anastrus</i>	22
<i>alector</i> Felder & F.	215	<i>Anatrytone</i>	8
<i>alena</i> Barnes & B.	594	<i>anchisiades</i> Esper	259
<i>alexandra</i> Edwards	293	<i>ancilla</i> Barnes & McD.	472
<i>alfaratta</i> Holland	73	<i>Ancistrocampta</i>	24
<i>aliaska</i> Bang-Haas (<i>Colias</i>)	296	<i>Ancyloxypha</i> Auctorum	14
<i>aliaska</i> Scudder (<i>Papilio</i>)	253	<i>Ancyloxypha</i>	14
<i>alicia</i> Edwards	492	<i>andersoni</i> Gunder	594
<i>aliparops</i> Michener & dos P.	415	<i>Andinus</i>	13
<i>allie</i> Stallings & T.	12	<i>andræmon</i> Hübner	261
<i>alma</i> Strecker	586	<i>andrewsi</i> Martin	328
<i>alope</i> Fabricius	656	<i>andria</i> Scudder	484
<i>alpheus</i> Edwards	151	<i>andiæsta</i> Johnson & C.	484
<i>altaurus</i> Dyar	244	<i>androcardia</i> Hübner	636
<i>alternata</i> Grote & R.	47	<i>andromacha</i> Hübner	636
<i>alticola</i> Barnes & McD.	610	<i>Andropodium</i>	38
<i>alunatus</i> Skinner & A.	248	<i>angelina</i> Boisduval	321
<i>alveolus</i> Hübner	18	<i>angelus</i> Gunder	464
<i>amadis</i> Herrich-Schäffer	94	<i>angra</i> Evans	190
<i>amanda</i> Plötz	79	<i>angustifascia</i> Barnes & McD.	519
<i>amarillys</i> Fabricius	282	<i>anicia</i> Doubleday & H.	594
<i>Amaryssus</i>	34	<i>anna</i> Edwards	454
<i>Amblyscirtes</i>	4	<i>annetta</i> Evans (<i>Astraptes</i>)	214
<i>americana</i> Strand (<i>Boloria</i>)	604	<i>annetta</i> Edwards (<i>Lyceides</i>)	455
<i>americana</i> Harris (<i>Lycæna</i>)	443	<i>annetteæ</i> dos Passos	366
<i>americanus</i> Gunder	631	<i>Anosia</i>	98
<i>amica</i> Edwards	456	<i>ansonoides</i> Edwards	328
<i>amicetus</i> Scudder	442	<i>antægon</i> Boisduval	462

- Anteos* - - - - - 45
Anthanassa Auctorum - - - - 81
Anthanassa - - - - - 81
anthedon Clark 636
anthelle Scudder 441
Anthocaris - - - - - 48
Anthocharis - - - - - 48
Anthochris - - - - - 48
Anthomaster Scudder - - - - 11
anthyale Hübner (*Colias*) 287
anthyale Möschler (*Colias*) 294
antiacis Boisduval 480
antibubastus Hübner 452
anticostiensis Strecker 249
Antigonus - - - - - 22
antilochus Linnæus 262
antiopa Linnæus 536
antiqua Herrich-Schäffer 142
antonia Edwards 492
apacheana Skinner 612
Apallaga - - - - - 24
apama Edwards 423
Apatura - - - - - 71
APATURINAE - - - - - 70
Apaustus - - - - - 14
aphirape Hübner 610
Aphrissa - - - - - 46
aphrodite Fabricius 623
Apodemia - - - - - 50
apollo Linnæus - - - - 31
apostologica Strand 54
Apostraphia - - - - - 97
appalachia R. L. Chermock 638
Appias - - - - - 38
Appius - - - - - 38
approximata Strecker 591
apricatus Stichel 245
Aprrhothrix - - - - - 30
Aprrothrix - - - - - 30
aquilo Boisduval 468
arabus Edwards 30
arachne Edwards 589
araxes Hewitson 242
arcas Drury (*Ephyriades*) - - 21
arcas Cramer (*Parides*) 270
archesilea R. Felder 554
archippus Fabricius (*Danaus*) 631
archippus Cramer (*Limenitis*) 518
arctica Zetterstedt (*Boloria*) 609
arctica Gibson (*Oeneis*) 670
arctica dos Passos (*Phyciodes*) 556
arctica Verity (*Pieris*) 278
arcticus Skinner (*Papilio*) 262
arcticus Leussler (*Polygonia*) 540
ardea Edwards 458
ardema Reakirt 550
arene Edwards 131
areolata Butler 643
areolatus Smith 643
ares Edwards (*Emesis*) 347
ares Felder (*Nyctelius*) 21
Aresta - - - - - 77
arethusa Wolley-Dod 443
argante Fabricius 304
arge Strecker 620
argentata Fletcher 481
argenteola Matsumura 236
argentosus Hayward 236
argiades Pallas - - - - - 66
argina Plötz 37
argiolus Linnæus 481
Argus - - - - - 55
argus Linnæus - - - - - 64
ARGYNNINÆ - - - - - 89
Argynnis Auctorum - - 89, 91, 95
argyronomon Bergsträsser 454
argyrotorax Behr 454
ariadne Edwards 286
ariane Boisduval 656
aricye Cramer 303
arida Skinner 559
aristion Fruhstorfer 245
aristodemus Esper 258
arizonæ Tinkham (*Megathymus*) 13
arizonæ Godman & S.
 (*Pyrrhopage*) 242
arizonensis Edwards
 (*Celastrina*) 481
arizonensis Skinner
 (*Codatractus*) 225
arizonensis Gunder (*Everes*) 469
arizonensis McDunnough
 (*Glaucopsyche*) 479
arizonensis Edwards (*Limenitis*) 517
arizonensis Edwards (*Papilio*) 263
arizonensis Mabille & B.
 (*Pholisora*) 151
arizonensis Skinner
 (*Polygonus*) 233
arizonensis Elwes (*Speyeria*) 618

arogos Boisduval & LeC.	85	Atlides	- - - - -	52
arota Boisduval	430	atossa Edwards	617	
Arotis	- - - - -	atraprætextus	Field	454
arpa Boisduval & LeC.	60	atrocostalis	Huard	598
arsace Boisduval & LeC.	367	atrofasciata	McDunnough	393
arsaces Mabille	235	Atrophaneura	- - - - -	37
arsalte Linnæus	- - - - -	Atrytone	- - - - -	8
arthechippus Scudder	518	Atrytonopsis	- - - - -	5
arthemis Drury	516	attalus Edwards	116	
artonis Edwards	620	Aubertia	- - - - -	17
aryxna Dyar	1	auburniana Harris	363	
asander Hewitson	230	Augiaades	- - - - -	7
Asbolis	- - - - -	auginulus Godman & S.	228	
ascalaphus Staudinger	188	augusta Edwards	595	
ascaphalus Evans	188	augustina Wright	595	
Ascia Auctorum	- - - - -	augustinus Westwood	365	
Ascia Scopoli	- - - - -	augustus Plötz (<i>Atalopedes</i>)	87	
asella Herrich-Schäffer	45	augustus Kirby (<i>Incisalia</i>)	365	
ashtaroth Strecker (<i>Neominois</i>)	655	aulestes Auctorum	- - - - -	26
ashtaroth Fisher (<i>Speyeria</i>)	611	aulestis Cramer	- - - - -	26
assimilis Butler	670	aurantiaca Hewitson	125	
assiniboia Lyman	102	aureomarginata Cockerell	533	
astarte Doubleday & H. (<i>Boloria</i>)	607	auretorum Boisduval	417	
astarte Fisher (<i>Speyeria</i>)	611	aurilacus Gunder	595	
astarte Edwards (<i>Speyeria</i>)	617	ausonia Hübner	- - - - -	49
astarte Edwards (<i>Speyeria</i>)	620	ausonides Lucas	328	
aster Edwards	454	ausonius Lintner	169	
asteria Godman & S.	507	australis Grinnell (<i>Anthocaris</i>)	326	
asteroides Reakirt	248	australis Mabille (<i>Erynnis</i>)	168	
asterius Stoll	248	australis Grinnell (<i>Glauconysche</i>)	479	
Asterocampa	- - - - -	australis Edwards (<i>Lephalisca</i>)	344	
astinous Drury	246	australis Maynard (<i>Papilio</i>)	262	
astraea Edwards	292	Autochton	- - - - -	26
astragala Wright	452	autocles Rothschild & J	255	
Astraptes	- - - - -	autolycus Edwards	402	
astriotes Fruhstorfer	245	autumnalis Cockerell	286	
astyanax Fabricius	517	avalona Wright	392	
Astycus	- - - - -	avicula Nabokov	640	
asychis Stoll	178	avinoffi Holland (<i>Erebia</i>)	676	
atala Poey	349	avinoffi Holland (<i>Erynnis</i>)	165	
atalanta Linnæus	527	avinoffi Chermock & C. (<i>Papilio</i>)	253	
Atalopedes	- - - - -	axius Plötz	120	
ate Strecker	529	azia Hewitson	390	
Ateleomorpha Warren	- - - -	azul Reakirt	213	
atergatis Doubleday	635			
Athena	- - - - -			
atlantis Nakahara (<i>Limenitis</i>)	517			
atlantis Edwards (<i>Speyeria</i>)	618			
athletes Felder & F.	218			
<i>B</i>				
baal Strecker	622			
bacchus Scudder	443			

- bachmanii* Kirtland 482
bæsis Scudder 67
bairdii Edwards 250
baiva Evans 77
bakeri Clench (*Celastrina*) 481
bakeri Fender (*Euphydryas*) 593
bakeri Stallings & T.
 (Euphydryas) 594
bakeri Clark (*Speyeria*) 623
balder Guérin-Méneville 669
baldur Edwards 244
baldus Ehrmann 244
baldyensis Gunder 471
balteata Scudder 367
banffensis Gunder 606
banksi Watson & C. 443
baptisiae Forbes 167
baracoa Lucas 94
barbara H. Edwards 288
barbouri Clench 447
barnesi Gunder (Euphydryas) 595
barnesi Gunder
 (Glaucoopsyche) 480
barnesi Skinner (*Phyciodes*) 559
baroni Edwards (*Cercyonis*) 656
baroni Edwards (Euphydryas) 595
baroni Edwards (*Speyeria*) 616
bartrami Comstock & H. 381
bartschi Reiff 623
Basilarchia - - - - - 74
batesii Reakirt 557
bathyllus Harris (*Thorybes*) 201
bathyllus Smith (*Thorybes*) 200
battoides Behr 471
Battus - - - - - 33
battus Denis & S. - - - - 67
baueri Stallings & T. 7
bautista Plötz 163
bavia Evans 77
baxteri Holland 598
bayensis Sternitzky 595
bazochii Godart 388
beani Skinner (Euphydryas) 595
beani Barnes & Benj.
 (Speyeria) 618
beanii Elwes 670
beckerii Edwards 275
begga Kirby 186
behrensi Edwards 615
behrii Edwards (*Callippsyche*) 354
behrii Grinnell (*Cercyonis*) 656
behrii Edwards (*Colias*) 297
behrii Edwards (*Glaucoopsyche*) 479
behrii Edwards (*Parnassius*) 245
belfragei H. A. Freeman 101
belli H. A. Freeman
 (*Amblyscirtes*) 46
belli Gunder (Euphydryas) 594
belioides Verity 327
bellona Fabricius 599
bellus Edwards 49
benjamini McDunnough
 (*Cœnonympha*) 653
benjamini Nakahara
 (*Limenitis*) 516
benjamini Gunder (*Melitaea*) 567
benjamini Gunder (*Speyeria*) 620
beon Cramer 385
berenice Cramer 633
berioi Dufrane 267
bernadetta Leussler 594
bernardensis Gunder 614
bernardino Edwards (*Colias*) 298
bernardino Barnes & McD.
 (*Philotes*) 471
beræa Hewitson 400
berryi Bell 65
bethunebakeri Comstock & H. 451
Biblis - - - - - 72
biblis Fabricius 497
bicolor Cockerell 550
biedermannii Ehrmann 312
bigutta Prittwtz 177
bimacula Grote & R. 66
binigrimaculellus Gunder 244
bion Fabricius 130
biplagiata Fruhstorfer 524
bischoffii Edwards 620
Bithys - - - - - 55
bixæ Linnæus - - - - - 30
blackmorei Gunder
 (Euphydryas) 595
blackmorei Gunder
 (*Melitaea*) 582
blackmorei Barnes & McD.
 (*Plebejus*) 458
blakei Maynard 317
blanda Plötz 177
blenina Hewitson 361
blomfeldia Fabricius - - - - 71

<i>blomfeldii</i> Hübner	- - - - -	71	<i>bridgei</i> J. A. Comstock	583
<i>boharti</i> Doudoroff (<i>Euchloë</i>)	328		<i>brizo</i> Boisduval & LeC.	164
<i>boharti</i> Gunder (<i>Euphydryas</i>)	595		<i>bromias</i> Godman & S.	191
<i>boharti</i> Gunder (<i>Melitaea</i>)	573		<i>bromius</i> Stoll	- - - - - 23
<i>boharti</i> Gunder (<i>Plebejus</i>)	456		<i>brontes</i> Dennis & S.	147
<i>boharti</i> Gunder (<i>Speyeria</i>)	617		<i>broweri</i> Gunder (<i>Anthocaris</i>)	324
<i>boisduvaliana</i> Felder & F.	311		<i>broweri</i> Gunder (<i>Graphium</i>)	269
<i>boisduvalii</i> Duponchel (<i>Boloria</i>)	608		<i>browni</i> Higgins (<i>Boloria</i>)	605
<i>boisduvalii</i> Morris (<i>Lethe</i>)	638		<i>browni</i> dos Passos (<i>Lycæna</i>)	439
<i>bolina</i> Drury	547		<i>browni</i> Stallings & T. (<i>Megathymus</i>)	13
<i>Bolla</i>	- - - - -	23	<i>browni</i> Field (<i>Phæbis</i>)	302
<i>bollii</i> Edwards	567		<i>brownningi</i> Skinner	324
<i>Boloria</i>	- - - - -	89	<i>brucei</i> Elwes (<i>Erebia</i>)	680
<i>Boloria</i> Auctorum	- - - - -	89	<i>brucei</i> Edwards (<i>Euphydryas</i>)	594
<i>bonhotei</i> Sharpe	261		<i>brucei</i> Edwards (<i>Eneis</i>)	671
<i>boopis</i> Behr	656		<i>brucei</i> Edwards (<i>Papilio</i>)	250
<i>bootes</i> Boisduval	667		<i>brucei</i> Gunder (<i>Speyeria</i>)	620
<i>boothii</i> Curtis	285		<i>brunnea</i> Tutt (<i>Celastrina</i>)	481
<i>bore</i> Schneider	668		<i>brunnea</i> Herrich-Schäffer (<i>Ephyriades</i>)	176
<i>borealis</i> Chermock (<i>Cercyonis</i>)	656		<i>brusus</i> Burmeister	177
<i>borealis</i> Cary (<i>Erynnis</i>)	165		<i>bryanti</i> Leussler	468
<i>borealis</i> Chermock & C. (<i>Euphydryas</i>)	592		<i>bryaxis</i> Hewitson	- - - - - 27
<i>borealis</i> Lindsey (<i>Hesperia</i>)	102		<i>bucephalus</i> Stephens	122
<i>borealis</i> Grote & R. (<i>Lephelisca</i>)	342		<i>buchholzi</i> Ehrlich & G. (<i>Euphyes</i>)	64
<i>borealis</i> Clark (<i>Lethe</i>)	636		<i>buchholzi</i> H. A. Freeman (<i>Megathymus</i>)	13
<i>borealis</i> Grote (<i>Pieris</i>)	278		<i>buchholzi</i> dos Passos (<i>Plebejus</i>)	458
<i>borja</i> Ehrmann	220		<i>buchholzi</i> H. A. Freeman (<i>Strymon</i>)	394
<i>borus</i> Boisduval	407		<i>bulenta</i> Boisduval & LeC.	84
<i>boucardi</i> Godman & S.	563		<i>burdicki</i> Henne	449
<i>bowleri</i> Chermock	638		<i>burgessi</i> Skinner	164
<i>boydi</i> Clark	479		<i>burrisonii</i> Maynard	520
<i>brachius</i> Geyer	223		<i>busirus</i> Cramer	- - - - - 22
<i>Brachycoryne</i>	- - - - -	21	<i>butleri</i> Edwards	609
<i>bracteolata</i> Butler	306		<i>Butleria</i>	- - - - - 17
<i>brassice</i> Linnæus	- - - - -	38	<i>byblis</i> Barnes & B.	623
<i>bredowii</i> Geyer	522		<i>byssus</i> Edwards	83
<i>brehmei</i> Barnes & B.	363		<i>Bythis</i>	- - - - - 55
<i>Bremeria</i> Tutt	- - - - -	18		
<i>bremnerii</i> Edwards	615			
<i>brenda</i> Edwards	651			
<i>brennus</i> Godman & S.	189			
<i>Brenthis</i> Auctorum	- - - - -	89, 91	C <i>Cabares</i>	- - - - - 25
<i>Brepidium</i>	- - - - -	62	<i>cabelus</i> Edwards	102
<i>bretonensis</i> McDunnough	249		<i>cadmus</i> Cramer	490
<i>brettooides</i> Edwards	99		<i>cæca</i> Reiff	443
<i>brettus</i> Boisduval & LeC.	99		<i>caelantis</i> Hemming	610
<i>brevicauda</i> Saunders	249		<i>cænius</i> Auctorum	- - - - - 51

- cærula* Godman & S. 505
cærulescens McDunnough 612
cæsonia Auctorum 299
cæspitalis Boisduval 158
cæspitatis Boisduval 158
Caicella - - - - - 24
caicus Herrich-Schäffer 194
cairnesi Gibson 661
cajona Reakirt 454
calafia Williams 218
calais Scudder 665
calanus Hübner 411
calanus Auctorum 412
calcas McDunnough 461
calchas Herrich-Schäffer
 (*Cogia*) 192
calchas Behr (*Plebejus*) 461
Calephalis Wright - - - - - 51
Calephelis Auctorum - - - - - 51
calgariana McDunnough 616
Caliades - - - - - 34
caliente Wright 321
california Westwood
 (*Cænonympha*) 651
california Wright (*Hesperia*) 107
californiana Ménétriers 286
californica Wright (*Chlosyne*) 551
californica H. Edwards
 (*Cænonympha*) 651
californica J. B. Smith
 (*Epargyreus*) 236
californica Mabille (*Euphyes*) 67
californica Butler (*Limenitis*) 522
californica Boisduval
 (*Nymphalis*) 534
californica Boisduval (*Æneis*) 663
californica Ménétriers (*Papilio*) 252
californica (Skinner)
 (*Speyeria*) 614
californica Edwards (*Strymon*) 407
caliginosa (J. A. Comstock) 619
calla Field 319
Callephilis Stichel - - - - - 51
Callianira - - - - - 74
callias Edwards 681
callicina Schaus 228
Callicista - - - - - 55
Callicore - - - - - 73
Callidryas - - - - - 45
callidus Grinnell (*Erynnis*) 164, 170
Callimormus Scudder - - - - - 16
callina Boisduval (*Melitaea*) 565
callina Boisduval (*Phyciodes*) 559
callippe Boisduval 616
Callipsyche - - - - - 53
Callophrys - - - - - 59
Calpodes - - - - - 3
calverleyi Grote 248
calyce Edwards 277
calydon Strecker 582
camagura Williams - - - - - 28
camillus Edwards 561
campestris Boisduval
 (*Atalopedes*) 87
campestris Behr (*Phyciodes*) 561
cana Erichson 503
canace Edwards 562
canadensis Warren (*Erebia*) 678
canadensis Rothschild & J.
 (*Papilio*) 262
canadensis dos Passos
 (*Speyeria*) 618
candida Wright 125
canescens R. Felder (*Carrhenes*) 185
canescens J. A. Comstock
 (*Colias*) 297
canthe Hübner 645
canthus Godart 638
canthus Linnæus 638
capella Barnes 594
capucinus Lucas 59
Carcharodus - - - - - 23
cardamines Linnæus - - - - - 48
carduelis Seba 529
cardui Linnæus 529
c-argenteum Kirby 546
Caria - - - - - 50
carinata Hübner 122
carinenta Cramer 483
carlota Reakirt 571
carlsbadensis Stallings & T. 2
carmentis Barnes & B. 594
carolæ dos Passos & G. 615
carolina Skinner (*Amblyscirtes*) 41
carolina Chermock & C.
 (*Cercyonis*) 656
carolinianus Holland 269
carolyna J. A. Comstock 465

carolynæ Gunder	584	ceres Cramer (<i>Lycorella</i>)	635
carpenterii Edwards	622	cernes Boisduval & LeC.	95
<i>Carrhenes</i> - - - - -	23	cerrita Wright	584
carteri Riley	628	cerulea Ehrmann	516
<i>Carterocephalus</i> - - - - -	17	cervantes Boisduval	165
carus Edwards	121	cesonia Stoll	299
caryævorus McDunnough	413	cestri Reakirt	398
carye Hübner	530	cestus Edwards	57
caryi Dyar	665	cethura Felder & F.	321
<i>Carystus</i> - - - - -	16	<i>Chærephon</i> - - - - -	13
casica Herrich-Schäffer	208	chalcas Fabricius	268
<i>cassius</i> Evans (<i>Astraptes</i>)	216	chalcedona Doubleday	593
<i>cassius</i> Cramer (<i>Lycæna</i>)	448	chalcis Edwards	420
<i>cassus</i> Edwards	33	chamis Scudder	134
<i>casta</i> Kirby	278	chara Edwards	564
<i>castalia</i> Fabricius	309	CHARAXINÆ - - - - -	70
<i>castalis</i> Edwards	363	chariclea Schneider	609
<i>castoria</i> Reakirt	278	chariclea Auctorum	608
<i>castro</i> Reakirt	440	charie Blanchard	530
<i>castus</i> Bryk	244	charithonia Linnæus	- - - - 96
<i>catalina</i> Meadows (<i>Anthocaris</i>)	321	charithonius Linnæus	626
<i>catalina</i> Auctorum (<i>Lycæna</i>)	448	charitonia Linnæus	- - - - 96
<i>catalina</i> Reakirt (<i>Phædrotæ</i>)	478	charitonius Linnæus	626
<i>Catia</i> - - - - -	9	charlotteæ Gunder	594
<i>catillus</i> Cramer	231	charlottensis Holland	438
<i>Catopthaga</i> - - - - -	38	charlottii Barnes	622
<i>catullius</i> Fruhstorfer	245	charon Edwards	660
<i>catullus</i> Fabricius	148	chemnis Fabricius	27
<i>c-aureum</i> Linnæus	- - - - -	chemo Scudder	618
<i>caverna</i> Gunder	595	cheneyorum R. L. Chermock	647
<i>cayuga</i> Nakahara	518	chinatiensis Tinkham	568
<i>Cecrops</i> Hübner	- - - - -	chinoi Gunder	551
<i>cecropis</i> Fabricius	384	<i>Chiooides</i> - - - - -	28
<i>Cecropiterus</i> - - - - -	26	<i>Chiomara</i> - - - - -	21
<i>Celæna</i> - - - - -	76	chione Curtis	285
<i>Celænorrhinus</i> - - - - -	24	<i>Chionobas</i> - - - - -	103
<i>Celastrina</i> - - - - -	69	chippewa Edwards	295
<i>celia</i> Skinner	46	chiron Fabricius	513
<i>cellus</i> Boisduval & LeC.	211	chironias Hübner	513
<i>Celæna</i> - - - - -	76	chisosensis H. A. Freeman	6
<i>Celotes</i> Godman & S.	- - -	chispa Wright	91
<i>Celtiphaga</i> Barnes & L.	- - -	chitone Edwards	618
<i>celtis</i> Boisduval & LeC.	492	chlorina Skinner	465
<i>centaureæ</i> Rambur	157	<i>Chlorippe</i> - - - - -	71
<i>centralis</i> Barnes & McD.	471	chloris Field	351
<i>ceos</i> Edwards	187	<i>Chlorisses</i> - - - - -	37
<i>ceraunus</i> Fabricius	452	chlorophora Watson & C.	419
<i>Cercyonis</i> - - - - -	102	<i>Chlosyne</i> - - - - -	80
<i>ceres</i> Butler (<i>Cœnonympha</i>)	651	<i>Choranthus</i> - - - - -	6
		<i>Chortobius</i> - - - - -	101

- christina* Edwards 293
chryomelas H. Edwards 290
chrysalus Edwards 352
chrysomelas H. Edwards 290
Chrysophanus - - - - - 55
Chrysoptera - - - - - 60
chrysoptera Wright 539
chrysothemooides Verity 284
chryxus Doubleday 665
churchillensis Warren 678
churchilea Johansen 608
chusca Edwards 91
cilla Behr 468
cillene Cramer 628
cincta Edwards 555
cinerea Edwards 481
cinna Plötz 89
cipris Cramer (*Phæbis*) 304
cipris Fabricius (*Phæbis*) 306
Cissia - - - - - 99
citima H. Edwards 352
citrus Mabille - - - - - 13
clappii Maynard 315
clara H. Edwards (*Lycæna*) 432
clara Mabille & B.
 (*Nisoniades*) 191
clara Plötz (*Polites*) 99
clarki Freeman (*Incisalia*) 374
clarki Chermock & C. (*Papilio*) 250
clarus Cramer 236
claudia Cramer 624
claudianus Stichel 244
clavus Erichson - - - - - 6
claytoni Brower 441
cleis Edwards 347
clemencei J. A. Comstock 617
cleobæa Godart - - - - - 98
cleomes Boisduval & LeC. 281
cleopatra Ehrmann 223
cleothera Godart 632
clericalis Burmeister 168
clio Edwards 620
clitus Edwards 174
clodius Ménétriés 244
clonius Cramer 195
clorinde Godart 300
Clossiana - - - - - 89
Clossiana Auctorum - - - - - 91
clothilde Edwards 375
clymena Cramer 506
Clytia - - - - - 34
clytie Edwards 389
clyton Boisduval & LeC. 494
cnemus Godman & S. 156
cnidia Godart 304
Coatlantona - - - - - 80
Cobalus - - - - - 15, 16, 28
cocandicides Verity 296
Cocceius - - - - - 25
cochles Scudder 22
cocklei Gunder 265
cocles Lintner 493
cocyta Cramer 556
Codatractus - - - - - 27
Cœa Hübner - - - - - 70
cœna Barnes & B. 531
cœnia Hübner 531
Cœnonympha - - - - - 101
cofaqui Strecker 14
Cogia - - - - - 24
Colænis - - - - - 97
COLIADINÆ - - - - - 40
Colias - - - - - 40, 44, 45
collina Behr 559
collinsi Gunder 559
colon Edwards 593
colonia Wright 595
coloradensis H. Edwards
 (*Euchloë*) 328
coloradensis Gunder (*Lycæna*) 432
coloradensis Riley
 (*Megathymus*) 13
colorado Scudder 102
coloro Wright 252
colubris Hübner - - - - - 50
columbia McDunnough
 (*Callipsyche*) 354
columbia Skinner
 (*Glaucopsyche*) 479
columbia Scudder (*Hesperia*) 107
columbia H. Edwards
 (*Speyeria*) 623
columbia Mattoni 472
columbiana McDunnough
 (*Cœnonympha*) 650
columbiana Gunder (*Papilio*) 265
columbina Fabricius 625
columella Fabricius 386
combinata Plötz 99
comma Linnæus (*Hesperia*) 102

- comma* Harris (*Polygonia*) 538
Comma Rennie - - - - - 79
communis Grote 161
comstocki Gunder (*Agraulis*) 630
comstocki Henne (*Callophrys*) 422
comstocki Gunder (*Limenitis*) 520
comstocki Chermock & C.
 (*Papilio*) 250
comstocki Gunder (*Philotes*) 477
comstocki Fox (*Plebejus*) 461
comstocki Gunder (*Polites*) 91
comstocki Gunder (*Speyeria*) 616
comus Edwards 44
comyntas Godart 469
conchylia J. A. Comstock 615
confusis Bell 204
conquista dos Passos & G. 619
conspicua Edwards 64
contradicta Leussler 66
coolidgei Gunder 446
coolinensis Watson & C. 406
cooperi Behr 593
cooperii Behr 321
Copaeodes - - - - - 13, 14
coras Cramer 90
corbis Godman & S. 246
corcorani Gunder (*Anthocaris*) 324
corcorani Gunder (*Atlides*) 353
corday Hübner 303
Cordillana - - - - - 13
Corecalla Röber - - - - - 73
corescens Schaus 136
coresia Godart 512
coridon Fabricius 133
cornelia Edwards 618
cornelius Fabricius
 (*Euptychia*) 639
cornelius Godart (*Euptychia*) 639
coronis Behr 614
corusis Evans 204
coscinia Herrich-Schäffer 21
costalis Westwood 174
cottlei Gunder (*Euphydryas*) 595
cottlei Gunder (*Pieris*) 278
cottlei Grinnell (*Plebejus*) 462
cottlei J. A. Comstock
 (*Speyeria*) 618
couperi Grote 479
coyote Skinner 210
crambus Freyer 671
crameri Holland (*Ascia*) 281
crameri Scudder (*Polygonia*) 537
cratægi Boisduval & LeC. 429
creelmani Gunder 616
creola Skinner 637
cresphontes Cramer 256
cresphontinus Martyn 258
Creteus - - - - - 26
creusa Doubleday 327
critola Hewitson 379
crocale Edwards 550
cræsioides Scudder 365
crossi Field 354
crotopus Stoll - - - - - 50
cruciferarum Boisduval 278
cruentus Hübner 240
cruza Evans 237
crysalus Edwards 352
cunninghami Owen 620
cupreus Edwards 444
curtius Scudder 134
curvifascia Skinner 248
cuyamaca Wright 357
cyanathe Felder & F. 511
cyanecula Felder & F. 509
Cyaniris - - - - - 69
cybele Fabricius 622
cybira Hewitson 401
Cyclargus - - - - - 62
cygnus Edwards 407
Cyllopsis - - - - - 99
Cymænes Scudder - - - - - 15
Cymænes Auctorum - - - - - 16
cymela Cramer 646
cyna Edwards 450
cyneas Godman & S. 585
cynna dos Passos & G. 615
Cynthia - - - - - 77
cypara Hewitson 376
cypris Hübner (*Phæbis*) - - - 45
cypris Edwards (*Speyeria*) 623
cyrillus Plötz 242
Cystineura Boisduval - - - - - 72
cythera Edwards 334

D *dacotæ* Skinner 113
dacotah Edwards 98
deædalus Behr 458
daira Godart 310
dakotaensis Bryk & E. 245

- dalman Latreille - - - - - 2
 damaris Felder & F. 312
 damastus Godart 363
 damei Barnes & B. 656
 dammersi J. A. Comstock
 (*Anthocaris*) 323
 dammersi Gunder (*Eurema*) 319
 dammersi Comstock & H.
 (*Philotes*) 472
 dametas Skinner 580
 dametella McDunnough 580
 damon Stoll 363
 danæ Cramer 489
Danaida - - - - - 98
 DANAIDÆ - - - - - 98
 DANAINÆ - - - - - 98
Danais - - - - - 98
Danaus - - - - - 38, 98
daphnis Gray (*Papilio*) 258
daphnis Cramer (*Speyeria*) 622
daphnis Martyn (*Speyeria*) 622
daraba Hewitson 400
daunia Edwards 478
daunius Herbst 624
daunus Auctorum (*Euptoieta*) 624
daunus Boisduval (*Papilio*) 264
daunus Auctorum (*Thorybes*) 200
daura Strecker 666
dauria Barnes & McD. 666
daviesi Wind 584
davisi Watson & C. 370
dawsoni Barnes & McD. 610
Debis - - - - - 99
Decinea - - - - - 15
decinea Hewitson - - - - - 15
decolor Mabille 240
dee H. A. Freeman 13
deficiens Dufrane 262
definita Aaron 588
delaware Edwards 86
deleta Herrich-Schäffer 28
delia Fabricius (*Dryas*) 628
delia Cramer (*Eurema*) 310
delila Skinner 628
delioides Haskins 310
delsud Wright 434
demeter Felder & F. 635
demmia Warren 678
demoditas Hübner 310
demonica Hübner 523
denali Klots 610
dennisi Gunder (*Geneis*) 661
dennisi Gunder (*Speyeria*) 618
depuiseti Boisduval 312
deserti Wright (*Anthocaris*) 321
deserti Barnes & McD.
 (*Apodemia*) 334
desertorum Grinnell 409
desubmarginatus Bryk 243
deutargiolus Scudder 481
deva Edwards 51
Diadema - - - - - 80
Diæthria - - - - - 73
diamondensis Gunder 595
diana Cramer 621
Dicranaspis Mabille - - - - - 29
Didonis - - - - - 72
dietzi Gunder 262
dilucida Möschler 178
dimidiata Herrich-Schäffer - - - 23
dina Poey 318
Diogas - - - - - 98
diogenes Plötz 168
dion Edwards 62
Dione Auctorum - - - - - 97
dione Scudder (*Lycæna*) 435
dionysius Barnes & McD. 655
dionysus Scudder 655
disa Thunberg 674
discocircumcinctus Eisner 245
discoidalis Kirby (*Erebia*) 677
discoidalis Skinner (*Incisalia*) 363
disippe Godart 518
disippus Boisduval & LeC. 518
Dismorphia - - - - - 37
 DISMORPHIINÆ - - - - - 37
disparilis Röber 239
dispersa Herrich-Schäffer 29
distincta Gibson 607
diversus Bell 202
dividua Röber 155
dobra Evans 203
dodgei Gunder (*Euptoieta*) 624
dodgei Gunder (*Everes*) 470
dodgei Bell (*Hesperia*) 102
dodgei Gunder (*Parnassius*) 244
dodgei Gunder (*Speyeria*) 618
dodi McDunnough 253
dolichos Hübner 353
dolli Gunder 611

- dolores* Reakirt 133
domicella Erichson 153
dominans - - - - - 37
domitianus Fabricius 331
dophinis Skinner 258
dorantes Hübner (*Goniurus*) 220
dorantes Stoll (*Goniurus*) 218
dorantes Hübner (*Goniurus*) 221
dorcas Kirby (*Lycæna*) 441
dorcas Skinner (*Mestra*) 502
Doribis - - - - - 31
doriße Godart 287
dorothea Nabokov (*Euptychia*) 640
dorothea Moeck (*Speyeria*) 618
dorus Edwards 227
doryssus Swainson 223
dospassosi McDunnough 441
doudoroffi dos Passos
 (*Incisalia*) 371
doudoroffi Gunder (*Limenitis*) 517
doudoroffi Gunder (*Zerene*) 298
Doxocopa Auctorum - - - - 71
draco Edwards 93
drucei Skinner 1
drusilla Cramer (*Appias*) 274
drusilla Felder & F. (*Phyciodes*) - 81
drusius Edwards (*Melitaea*) 570
drusius Edwards (*Thorybes*) 205
drya Fabricius 302
Dryadula - - - - - 97
Dryas Hübner - - - - 91, 95, 97
Dryas Auctorum - - - - 97
dryas Edwards 538
dryope Edwards 408
dukesi Lindsey 63
dumetii Behr 334
dumetorum Boisduval 421
duncani Gunder (*Anthocaris*) 324
duncani Gunder (*Euphydryas*) 594
dunni Gunder 595
duryi Edwards 334
dwvinellei H. Edwards 593
dyari Gunder 556
dymas Edwards 564
Dynamine - - - - - 73
dyonis Geyer 508
Dysenius - - - - - 30
Dyscophellus - - - - - 24
Dyscophus - - - - - 24

- E** *Eantis* Boisduval - - - - - 22
eavesii H. Edwards 520
echelus Hübner - - - - - 37
Echinargus - - - - - 63
echion Linnaeus 396
echo Edwards 481
editha Boisduval (*Euphydryas*) 595
editha Mead (*Lycæna*) 436
edithana Strand 595
edonis Gunder 613
edwardsi Barnes & McD.
 (*Atrytonopsis*) 58
edwardsi Nabokov (*Euptychia*) 640
edwardsi dos Passos (*Eneis*) 667
edwardsi Gunder (*Phyciodes*) 560
edwardsi Grinnell (*Vanessa*) 527
edwardsii Behr (*Anthocaris*) 326
edwardsii Edwards (*Colias*) 293
edwardsii Barnes (*Ocrisma*) 129
edwardsii Reakirt (*Speyeria*) 613
edwardsi Grote & R. (*Strymon*) 410
effi Stallings & T. 594
egeremet Scudder 89
egleis Behr 617
ehrmanni F. H. Chermock
 (*Colias*) 287
ehrmanni Ehrmann (*Papilio*) 248
ehrmanni McDunnough
 (*Papilio*) 262
elada Hewitson 565
elaine dos Passos & G. 616
elathea Cramer 310
eldorado Strand 603
electa Edwards 618
electra Lintner 176
eleucha Hübner 515
elias Bryk 245
eligius Stoll - - - - - 24
elis Strecker 283
elissa Hübner - - - - - 76
elivata Barnes & B. 276
elko Edwards 650
elongatus Plötz 229
elsa Beutenmüller 327
elva Bates 572
elymi Rambur 529
emacareus Plötz 20
emesia Hewitson 348
Emesis - - - - - 51

- emigdionis* Grinnell 457
emilia Edwards 293
emissa Edwards 561
empetri Freeman 454
Enantia - - - - - 37
endeis Godman & S. 552
endymion Fabricius 376
enegthenu Edwards 236
ennius Scudder & B. 174
Enodia - - - - - 99
enoptes Boisduval 472
enys Scudder 90
eos Edwards 44
Epargyreus - - - - - 29
ephestiæna Hübner 517
ephestation Stoll 517
Ephiphyses - - - - - 4
Ephyriades - - - - - 21
epigena Butler 208
epigona Godman & S. 208
epinephele Felder & F. 648
Epiphyses - - - - - 4
episodea Butler 680
epithore Edwards 603
epixanthe Boisduval & LeC. 442
epula Boisduval 559
epyaxa Strecker 273
Erebia - - - - - 104
eremita Wright 582
Eresia - - - - - 81
eresimus Cramer 634
ericotorum Boisduval 154
Eridamus - - - - - 29
erinna Edwards 620
eriphyle Edwards 286
eris Igel 620
eritiosa Boisduval 670
erna H. A. Freeman 36
ernestina Bryk & E. 245
erodyle Bates 548
Erora - - - - - 55
eros Edwards 518
errans Skinner 23
erratica Plötz 74
Erycides - - - - - 30
Erycina - - - - - 51
erymus Boisduval 459
eryngii H. Edwards 651
erynnioides Dyar 107
Erynnis - - - - - 19
eryphon Boisduval 373
erytalus Butler 386
Esoptria - - - - - - - 80
esperi Kirby - - - - - - - 49
estesi Clench 353
ethela Edwards 678
ethlinus Anonymous - - - - - 27
ethlius Stoll 27
ethne Hemming 623
ethusa Boisduval 509
etias Hewitson 198
eubule Linnæus 302
Eucalia - - - - - - - 80
Euchloë - - - - - - - 49
EUCHLOËINÆ - - - - - - - 48
euclea Bergsträsser 556
Eudamus - - - - - 1, 27, 28
eufala Edwards 29
Euglyphus - - - - - - - 73
Eugonia - - - - - - - 79
eulalia Plötz (*Heliopetes*) 156
eulalia Doubleday & H.
 (*Limenitis*) 522
eulogius Plötz 68
Eumæus - - - - - - - 52
Eumenia - - - - - - - 52
Eumenis - - - - - - - 102
Eunica - - - - - - - 72
eunica Boisduval (*Phyciodes*) - 81
eunice Hübner - - - - - 81
eunomia Esper (*Boloria*) 610
eunomia Field (*Cænonympha*) 650
eonus Edwards 119
euphemie Ehrmann 184
Euphæades - - - - - - - 34
euphrasia Plötz 131
Euphydryas - - - - - - - 85
Euphyes - - - - - - - 5
Eupsyche - - - - - - - 53
Euphychia - - - - - - - 99
Euptichia - - - - - - - 99
Euptneta - - - - - - - 96
Euptoleta - - - - - - - 96
Euptychia - - - - - - - 99
Euralia - - - - - - - 80
Eurema - - - - - 46, 47, 76
euribates Stoll 198
europa Fabricius - - - - - 99
europome Haworth 287
europome Stephens 287

<i>eurycles</i> Latreille	221	<i>fatima</i> Fabricius	526
<i>eurydice</i> Boisduval (<i>Colias</i>)	298	<i>faunus</i> Edwards	540
<i>eurydice</i> Johansson (<i>Lethe</i>)	638	<i>favonius</i> Smith	399
<i>Eurygona</i> - - - - -	50	<i>fea</i> Edwards	446
<i>eyrymedon</i> Lucas	265	<i>februa</i> Hübner	500
<i>Eurymus</i> - - - - -	40	<i>feildeni</i> M'Lachlan	443
<i>eyrynome</i> Edwards	620	<i>fenderi</i> Gunder (<i>Euphydryas</i>)	593
<i>eyrynomes</i> Edwards	620	<i>fenderi</i> Macy (<i>Plebejus</i>)	459
EURYTELINAE - - - - -	72	<i>Feniseca</i> - - - - -	59
<i>eyrytheme</i> Boisduval	286	<i>fermatus</i> Bryk	245
<i>erythris</i> Godart	646	<i>fernensis</i> Chermock	454
<i>eyrytion</i> Mead	594	<i>feronia</i> Stephens (<i>Ascia</i>)	281
<i>eyrytis</i> Fabricius	646	<i>feronia</i> Linnæus (<i>Hamadryas</i>)	499
<i>eyrytus</i> Fabricius	646	<i>ferox</i> Staudinger	501
<i>Euselasia</i> - - - - -	50	<i>fessonia</i> Hewitson	521
EUSELASIINÆ - - - - -	50	<i>Festivus</i> - - - - -	98
<i>euterpe</i> Ménétriés	315	<i>festus</i> Geyer	211
<i>Euthymeles</i> - - - - -	26	<i>fieldi</i> Gunder (<i>Euphydryas</i>)	595
<i>euthymides</i> Mabille & B.	230	<i>fieldi</i> dos Passos & G. (<i>Speyeria</i>)	620
<i>Euthymus</i> - - - - -	13	<i>filipalpis</i> Mabille	182
<i>Eutychia</i> - - - - -	99	<i>fimbriata</i> Plötz	49
<i>evansi</i> H. A. Freeman (<i>Agathymus</i>)	8	<i>flava</i> Strecker (<i>Colias</i>)	286
<i>evansi</i> H. A. Freeman (<i>Panoquina</i>)	26	<i>flava</i> Strecker (<i>Eurema</i>)	319
<i>evansi</i> Bell (<i>Systasea</i>)	183	<i>flava</i> Edwards (<i>Pieris</i>)	276
<i>evarete</i> Cramer	532	<i>flava</i> Edwards (<i>Pieris</i>)	278
<i>Everes</i> - - - - -	66	<i>flaveola</i> Mabille	87
<i>eversmanni</i> Ménétriés	243	<i>flavicoloris</i> Gunder	324
<i>evius</i> Boisduval	458	<i>flavida</i> Skinner	325
<i>Evonyme</i> - - - - -	72	<i>flavidalis</i> J. A. Comstock	328
<i>exadeus</i> Cramer	237	<i>flavitincta</i> J. A. Comstock	276
<i>exile</i> Scudder	446	<i>flavoocellatus</i> Bryk	244
<i>exilis</i> Boisduval	446	<i>flavotincta</i> Cockerell	292
<i>exoleta</i> H. Edwards	359	<i>flavula</i> Barnes & McD.	577
<i>exoteria</i> Herrich-Schäffer	31	<i>flavus</i> Dufrane	267
<i>extinctoanalis</i> Bryk & E.	244	<i>fletcheri</i> Kemp (<i>Papilio</i>)	262
 		<i>fletcheri</i> Michener & dos P. (<i>Strymon</i>)	415
F <i>fabricii</i> Edwards (<i>Polygonia</i>)	537	<i>flora</i> Wright (<i>Anthocaris</i>)	324
<i>fabricii</i> Kirby (<i>Strymon</i>)	410	<i>flora</i> Edwards (<i>Asterocampa</i>)	494
<i>facuna</i> Hewitson	383	<i>floræsta</i> Johnson & C.	486
<i>falacer</i> Godart	412	<i>floreæta</i> Stallings & T.	3
<i>Falcapica</i> - - - - -	49	<i>florencia</i> Clemence	452
<i>fanniae</i> Gunder	298	<i>florida</i> Röber	349
<i>fannyæ</i> Gunder	263	<i>florida</i> Mabille	29
<i>fantasia</i> Butler	308	<i>floridalis</i> Johnson & C.	486
<i>fasciata</i> Cockerell (<i>Boloria</i>)	599	<i>floridana</i> Strecker	503
<i>fasciata</i> Butler (<i>Erebia</i>)	676	<i>floridensis</i> Bell & C. (<i>Ephyriades</i>)	176
<i>fasciata</i> Strecker (<i>Lycæna</i>)	443		
<i>fasciata</i> Warren (<i>Pyrgus</i>)	157		

- floridensis* Plötz (*Euphyes*) 61
floridensis Holland
 (*Graphium*) 269
floridensis Strecker
 (*Limenitis*) 518
floridensis Morrison (*Lycæna*) 448
floridensis Röber (*Phæbis*) 305
floridensis Neumoegen
 (*Phæbis*) 307
florus Edwards 441
fluonia Godman 36
fordi dos Passos (*Eneis*) 667
fordi Comstock & M.
 (*Papilio*) 254
formosus Fischer 252
fornacula Fruhstorfer 498
fornax Hübner 498
forsythæ Wood (*Papilio*) 248
forsythæ Gunder (*Papilio*) 256
fotis Strecker 371
foxi Gunder 595
francisca Plötz 79
franki Field 393
franklinii Curtis 468
fredericki H. A. Freeman 165
freemani Stallings & T.
 (*Agathymus*) 7½
freemani Ehrlich (*Erebia*) 680
freemani Stallings & T.
 (*Euptychia*) 639
freijsa Thunberg (*Boloria*) 605
freijsa Warren (*Pyrgus*) 157
fretchini Chermock 454
freya Godart 605
fridayi Gunder (*Euphydryas*) 595
fridayi Gunder (*Limenitis*) 519
fridayi Gunder (*Melitea*) 573
fridayi Chermock (*Plebejus*) 455
friedlei Watson 73
frigga Thunberg 600
frigida Scudder 278
frisia Poey 554
fritzgærtneri Bailey 196
fulgerator Walch 213
fuliginosa - - - - - 53
fuliginosum Edwards 356
fulla Edwards 458
fulliolus Hulst 443
fulva - - - - - 81
fulvescens H. Edwards 419
- fulvia* Edwards (*Melitaea*) 587
fulvia Dodge (*Vanessa*) 528
fulvus Rummel 443
fumata Reverdin 162
fumida Scudder 481
fumosa Strecker (*Colias*) 286
fumosa Field (*Euptoleta*) 624
fumosa Reverdin (*Pyrgus*) 162
fumosus Gunder (*Agraulis*) 630
fumosus Hulst (*Danaus*) 631
fumosus Plötz (*Grais*) 180
fumosus Leussler (*Lethe*) 638
funeralis Scudder & B. 168
furcæ Barnes & B. 652
furcillata Say 535
fusca Harris (*Eurema*) 310
fusca Grote (*Nastra*) 137
fuscescens Mabille - - - - - 23
fusimacula Barnes 593
fusina Hewitson 26
fusisecunda J. A. Comstock 593
- G* *gabbii* Edwards (*Cercyonis*) 656
gabbii Behr (*Melitaea*) 574
gabrieli dos Passos 673
gaika Trimen - - - - - 62
galactina Boisduval 651
galesus Mabille 216
gallatini McDunnough 616
gallatinus Stichel 244
Ganoris - - - - - 38
Ganyra - - - - - 40
garita Reakirt 128
garretti Gunder 615
garthi Gunder 456
gaspeensis dos Passos (*Eneis*) 667
gaspeensis McDunnough
 (*Papilio*) 249
gaurus Plötz 198
geda Scudder 342
Gehlota - - - - - 24
Geirocheilus - - - - - 105
gemma Hübner 639
genigueh Reakirt 554
geno Plötz 91
genoveva Stoll 532
genutia Fabricius 325
georgei Gunder 593
georgina Reakirt 178
gerhardi Gunder (*Papilio*) 262

<i>gerhardi</i> Gunder (<i>Speyeria</i>)	616	<i>greyi</i> Field (<i>Melitaea</i>)	570
GERYDINÆ - - - - -	59	<i>greyi</i> Moeck (<i>Speyeria</i>)	618
<i>gertschi</i> dos Passos	456	<i>grænlandica</i> Ruehl (<i>Colias</i>)	284
<i>Gesta</i> Evans - - - - -	21	<i>grönlandica</i> Skinner (<i>Boloria</i>)	604
<i>gesta</i> Herrich-Schäffer	177	<i>grossula</i> Herrich-Schäffer	28
<i>giboni</i> Gunder	435	<i>grotei</i> Plötz	50
<i>gibsoni</i> Barnes & B. (<i>Boloria</i>)	600	<i>grundeli</i> Coolidge	593
<i>gibsoni</i> Holland (<i>Oeneis</i>)	670	<i>grunus</i> Boisduval	351
<i>gigantea</i> Strecker	292	<i>gryneus</i> Hübner	363
<i>gigas</i> Butler	663	<i>guadeloupe</i> Strecker	344
<i>gila</i> Plötz	193	<i>guantanamo</i> Munroe	525
<i>gilensis</i> Holland	590	<i>gudula</i> Fruhstorfer	500
<i>gilippus</i> Cramer	633	<i>gueneei</i> Avinoff	296
<i>gillettii</i> Barnes	596	<i>gunderi</i> Ingham (<i>Anthocaris</i>)	324
<i>glacialis</i> M'Lachlan (<i>Colias</i>)	284	<i>gunderi</i> Harper (<i>Boloria</i>)	605
<i>glacialis</i> Skinner (<i>Euphydryas</i>)	596	<i>gunderi</i> Field (<i>Limenitis</i>)	520
<i>glandon</i> Prunner - - - - -	66	<i>gunderi</i> Rudkin (<i>Lycæna</i>)	440
<i>glaucon</i> Edwards	471	<i>gunderi</i> J. A. Comstock (<i>Melitaea</i>)	574
<i>Glaucoopsyche</i> - - - - -	68	<i>gunderi</i> Ingham (<i>Pieris</i>)	275
<i>glaucus</i> Linnæus	262	<i>gunderi</i> J. A. Comstock (<i>Speyeria</i>)	614
<i>gloriosa</i> Moeck	615	<i>gunderi</i> Field (<i>Speyeria</i>)	620
<i>glycerium</i> Doubleday	488	<i>gundleriae</i> Holland	589
<i>godarti</i> Perty (<i>Anteos</i>)	300	<i>gundlachia</i> Poey	314
<i>godarti</i> Field (<i>Strymon</i>)	412	<i>gyas</i> Edwards	452
<i>Godmania</i> Skinner & R.	- - - - 16	<i>gyges</i> Hewitson	554
<i>golenia</i> Möschler	99	<i>Gyrocheilus</i> - - - - -	105
<i>golovinus</i> Holland	245		
<i>Gonepteryx</i> - - - - -	45	H <i>Habrodais</i> - - - - -	52
<i>Goniloba</i> - - - - -	5	<i>Habrodias</i> - - - - -	52
<i>Gonius</i> - - - - -	27	<i>hadros</i> Cook & W.	368
<i>gorgon</i> Boisduval	431	<i>hagenii</i> Edwards	286
<i>gorgona</i> Plötz	177	<i>hahneli</i> Auctorum	216
<i>gorgone</i> Hübner (<i>Melitaea</i>)	571	<i>haitensis</i> Skinner	70
<i>gorgone</i> Hübner (<i>Phyciodes</i>)	558	<i>hala</i> Butler	122
<i>gorgonioi</i> Gunder	478	<i>halcyone</i> Edwards	614
<i>Gorgythion</i> - - - - -	23	<i>halesus</i> Cramer	353
<i>gottschalki</i> Clark & C.	384	<i>halli</i> Klots (<i>Boloria</i>)	597
<i>gozora</i> Boisduval	481	<i>halli</i> Watson & C. (<i>Limenitis</i>)	518
<i>gracialis</i> McDunnough	596	<i>Hallia</i> Tutt - - - - -	19
<i>gracilis</i> Grote & R.	544	<i>halloides</i> McDunnough	440
<i>gracilicauda</i> Plötz	220	<i>Hamadryas</i> - - - - -	72, 78
<i>Grais</i> - - - - -	22	<i>hamamelidis</i> Scudder	163
<i>grandis</i> Barnes & McD. (<i>Boloria</i>)	608	<i>hanburyi</i> Watkins	668
<i>grandis</i> Ehrmann (<i>Nymphalis</i>)	536	<i>hanhami</i> Fletcher	569
<i>Graphium</i> - - - - -	37	<i>Hantana</i> - - - - -	24
<i>Grapta</i> - - - - -	79	<i>harfordii</i> H. Edwards	289
<i>gravenotata</i> Klots	432	<i>hartfordii</i> Auctorum	289
<i>grayi</i> Comstock & H.	349	<i>harmonia</i> dos Passos & G.	616
<i>gregsoni</i> Gunder	619		

- harpaalus* Brown, E. & R. 102
harpalus Edwards 102
harperi Gunder (*Boloria*) 610
harperi Gunder (*Colias*) 296
harperi Gunder (*Phyciodes*) 557
harrisii H. A. Freeman 15
harrisii Scudder (*Melitaea*) 569 
harrisii Skinner (*Melitaea*) 570
harrisii Edwards (*Polygonia*) 538
harroweri Klots 292
hassan Butler - - - - - 24
hatui Barnes & B. 293
haydenii Edwards 654
hayhurstii Edwards 188
heathii Fletcher 412
heberia Dyar 68
hecla Lefebre 284
Hedone Scudder - - - - - 9
hedysarum Scudder 207
hegesia Cramer 625
hegon Scudder 37
heinemani Brown 653
hel Eisner 244
hela Strecker 284
helcita Boisduval 583
helena Edwards (*Boloria*) 608
helena Edwards (*Colias*) 295
helena Reakirt (*Colias*) 298
helena dos Passos & G. (*Speyeria*) 618
helene dos Passos 365
Helias - - - - - 23
Heliconia - - - - - 97, 98
HELICONIINÆ - - - - - 96
Heliconius - - - - - 96, 97
helicta Hübner 643
Helioptetes - - - - - 18
helios M. Bates (*Eurema*) 318
helios Edwards (*Plebejus*) 458
helloides Boisduval 440
helvia Scudder 594
Hemiarcus - - - - - 62, 63
hemiflava Field 328
hemifusa Gunder 582
hemiluteofuscus Gunder 593
hemimelanica J. A. Comstock 593
Hemipteris - - - - - 23
Hemiteleomorpha - - - - - 18
hennei Gunder (*Euphydryas*) 593
hennei Gunder (*Speyeria*) 614
henrici Grote & R. 369
henryæ Cadbury 445
henshawi Edwards 642
Heodes - - - - - 60
hepburni Godman & S. 335
Heraclides - - - - - 34
hermes Fabricius (*Euptichia*) 645
hermes Edwards (*Lycæna*) 434
hermador Brown, E. & R. 245
hermodur H. Edwards 245
hermosa Wright (*Euphydryas*) 593
hermosa J. A. Comstock
 (*Speyeria*) 612
herri Gunder (*Euphydryas*) 596
herri Field (*Habrodais*) 351
herri Field (*Nymphalis*) 534
herrii Grinnell 469
herscheli Leussler 679
herse Hall 556
Hespana - - - - - 11
Hesperia Auctorum - - - - - 13
Hesperia Fabricius - - - - - 11
HESPERIIDÆ - - - - - 2
HESPERIINÆ - - - - - 2
HESPERIOIDEA - - - - - 1
hesperis Edwards 618
Hesperopsis - - - - - 17
hesseli Rawson & Z. 364
hesus Westwood 198
Heterochroa - - - - - 74, 76
heteronea Boisduval 432
Heteropia - - - - - 27
Heteropterus - - - - - 14
heterospila Mabille 24
Heurema - - - - - 76
hewesi Leussler 579
hewitsoni Field 570
hewlettæ Gunder 630
hianna Scudder 50
hiemalis Edwards (*Phyciodes*) 558
hiemalis Edwards (*Phyciodes*) 563
hilda Grinnell 456
hilli Gunder 593
Hiposcritia - - - - - 38
hippalus Edwards 193
hippolita Skinner 536
hippolyta Edwards 615
hirsuta Skinner 246
Historis - - - - - 70
histrio Röber 233
hobomok Harris 73

<i>hoffmanni</i> Strecker (<i>Cercyonis</i>)	656	<i>Hypanartia</i>	- - - - -	76
<i>hoffmanni</i> Comstock (<i>Euptoieta</i>)	625	<i>Hypaurotis</i>	- - - - -	52
<i>hoffmanni</i> Behr	583	<i>hyperborea</i> Seitz	536	
<i>hollandæ</i> Gunder	583	<i>hyperia</i> Cramer	497	
<i>hollandi</i> Röber (<i>Appias</i>)	274	<i>hyperici</i> Boisduval & LeC.	393	
<i>hollandi</i> Bryk & E. (<i>Parnassius</i>)	245	<i>hyperipte</i> Hübner	504	
<i>hollandi</i> Gunder (<i>Polygonia</i>)	539	<i>hypermestra</i> Hübner	- - - - -	72
<i>hollandi</i> Chermock & C. (<i>Speyeria</i>)	618	<i>hypermnestra</i> Auctorum	- - - - -	72
<i>hollandii</i> Edwards	250	<i>Hypolimnas</i>	- - - - -	80
<i>homoperplexa</i> Barnes & B.	423	<i>hypophleas</i> Auctorum	443	
<i>hopfferi</i> Plötz	215	<i>hypophleas</i> Boisduval	443	
<i>hopfingeri</i> Ehrlich (<i>Erebia</i>)	680	<i>hypoxanthe</i> Kirby	442	
<i>hopfingeri</i> Gunder (<i>Euphydryas</i>)	594	<i>hypozona</i> Dyar	99	
<i>hopfingeri</i> Gunder (<i>Melitaea</i>)	578			
<i>horatius</i> Scudder & B.	173			
<i>horus</i> Edwards	101	I	<i>ianthe</i> Edwards	439
<i>hospitonina</i> LeCerf	263		<i>iberidis</i> Boisduval	278
<i>howardi</i> Skinner	76		<i>Icaricia</i>	- - - - -
<i>howlandi</i> Stallings & T.	594		<i>icariooides</i> Boisduval	458
<i>huachuca</i> Dixon	236		<i>icelus</i> Scudder & B.	163
<i>hudsonianus</i> Clark	253		<i>idæus</i> Fabricius	259
<i>huellemanni</i> J. A. Comstock	593		<i>idaho</i> Edwards	102
<i>hughi</i> Clark	72		<i>idahoensis</i> Gunder (<i>Euphydryas</i>)	593
<i>hugo</i> Westwood & H.	376		<i>idahoensis</i> Bryk & E. (<i>Parnassius</i>)	245
<i>hugon</i> Godart	376		<i>idalia</i> Drury	611
<i>huguenini</i> Gunder	480		<i>idas</i> Linnæus (<i>Lycæides</i>)	454
<i>hulbirti</i> Lindsey	102		<i>idas</i> Cramer (<i>Proteides</i>)	238
<i>hulbirti</i> Field	441		<i>iduna</i> Edwards	663
<i>hulda</i> Edwards	278		<i>igeli</i> dos Passos & G.	620
<i>hulstii</i> Edwards	518		<i>ilavia</i> Beutenmüller	402
<i>humuli</i> Harris	393		<i>ilioneus</i> Smith	267
<i>huntera</i> Fabricius	528		<i>illinois</i> Dodge	66
<i>hunteri</i> Hübner	528		<i>imalena</i> Butler	- - - - -
<i>huron</i> Edwards	87		<i>imitata</i> Strecker	565
<i>hutchinsi</i> McDunnough (<i>Euphydryas</i>)	596		<i>imitatrix</i> Mabille	- - - - -
<i>hutchinsi</i> Gunder (<i>Speyeria</i>)	618		<i>immaculata</i> Whittaker & S. (<i>Eurema</i>)	315
<i>hyale</i> Linnæus	- - - - -		<i>immaculata</i> Cockle (<i>Incisalia</i>)	366
<i>hyantis</i> Edwards	327		<i>immaculata</i> Field (<i>Nathalis</i>)	320
<i>hybrida</i> Strecker	286		<i>immaculata</i> Cockerell (<i>Pieris</i>)	280
<i>hydaspe</i> Boisduval	619		<i>immaculata</i> deSelys-Longchamps (<i>Pieris</i>)	280
<i>hyemalis</i> Harris	278		<i>immaculata</i> Skinner & A. (<i>Pieris</i>)	280
<i>hygiaea</i> Heydenreich	536		<i>immaculata</i> Chermock (<i>Plebejus</i>)	463
<i>hylas</i> Denis & S.	- - - - -		<i>immaculata</i> Gunder (<i>Satyrium</i>)	356
<i>hylas</i> Edwards	541		<i>immaculata</i> Skinner (<i>Thorybes</i>)	201
<i>hylax</i> Edwards	128			
<i>Hylephila</i>	- - - - -			
	13			

- immaculatus* Williams
(Euphyes) 67
- immaculatus* Skinner
(Parnassius) 244
- immaculosus* Comstock 405
- immaculsecunda* Gunder 299
- imperialis* Bauer 564
- improba* Butler 601
- impunctata* Fischer 252
- Inachis* - - - - - 78
- inæqualis* Tutt 481
- incana* Edwards 656
- incarnata* Riley 630
- Incisalia* - - - - - 54
- incredibilis* Bryk 244
- indra* Reakirt 254
- inductura* Stallings & T. 639
- ines* Edwards 391
- infrequens* Gunder 585
- infumata* Oberthür 611
- ingens* Barnes & McD. 608
- inghami* Gunder (*Anthocaris*) 324
- inghami* Gunder (*Battus*) 246
- inghami* Gunder (*Chlosyne*) 550
- ingrata* R. Felder 311
- ino* Godman & S. (*Caria*) 331
- ino* Hall (*Cercyonis*) 656
- inornata* Grote & R. 412
- inornata* Wolcott
(Asterocampa) 492
- inornata* Edwards
(Cænonympha) 653
- inornata* Nakahara (*Limenitis*) 517
- inornata* Edwards (*Speyeria*) 616
- insolatrix* Plötz 161
- insulana* McDunnough 650
- insulanus* Blackmore 456
- interier* Kirby 291
- interior* Scudder 291
- intermedia* Strecker
(Celastrina) 481
- intermedia* Cockerell (*Colias*) 286
- intermedia* Chermock
(Glaucoopsyche) 480
- intermedia* Barnes & McD.
(Philotes) 471
- intermedia* Grinnell (*Vanessa*) 530
- interrigationis* Brown, E. & R. 537
- interrogationis* Fabricius 537
- interruptus* Williams 223
- inversata* Nakahara 287
- invisus* Butler & D. 177
- inyoensis* Gunder 455
- iocularis* Röber 239
- iole* Boisduval (*Nathalis*) 320
- iole* Auctorum (*Vanessa*) 528
- iowa* Scudder 85
- Iphiclidies* - - - - - 37
- irelandi* Gunder 594
- irene* Fitch (*Nathalis*) 320
- irene* Boisduval (*Speyeria*) 618
- iroides* Boisduval 366
- irus* Godart 367
- isidorus* Plötz 131
- ismeria* Boisduval & LeC. 571
- isni* Barnes & B. 294
- isola* Reakirt 453
- isophthalma* Herrich-Schäffer 447
- istapa* Reakirt 386
- isus* Godman 136
- Ithobalus* - - - - - 33
- itys* Edwards 409
- itylus* Hübner - - - - - 26
- ivallda* Mead 662
- J* *jacki* Stallings & T. 479
- jacksoni* Clark 529
- jacintoi* Gunder 564
- jada* Butler (*Phæbis*) 307
- jada* Hewitson (*Strymon*) 377
- j-album* Boisduval & LeC. 533
- jamaca* Schaus 135
- jamaicensis* Schaus 142
- janais* Drury 549
- jarucco* Gundlach 168
- Jasoniades* - - - - - 34
- jatrophae* Johansson 525
- jemezensis* Gunder (*Everes*) 469
- jemezensis* Brehme (*Phyciodes*) 562
- jenistai* Stallings & T. 599
- jenningsæ* Holland 598
- jesmondensis* McDunnough 620
- joannisi* Verity 253
- johnsoni* Skinner 358
- jole* Cramer 528
- josephæ* Godman & S. 282
- josephina* Godart 282
- jowa* Plötz 85

- juanita* Scudder 353
juba Scudder (*Hesperia*) 110
juba Boisduval (*Speyeria*) 616
jucunda Boisduval & LeC. 310
judithae Stallings & T. 4
julia Edwards (*Anthocaris*) 324
julia Fabricius (*Dryas*) 628
julia H. A. Freeman (*Nastraea*) 138
julianus Turton 133
juniperaria J. A. Comstock 360
Junonia - - - - - 77
jutta Hübner 669
juvenalis Fabricius 174
juvenis Hübner 174
juventus Scudder - - - - - 16
- K** *kahli* Chermock & C. 251
kaibabensis Bauer 254
kali Strecker 354
kallias Ehrmann 244
karwinskii Geyer 491
katahdin Newcomb 671
kedema Butler 87
keerwaydin Edwards 286
kefersteinii Plötz 218
kelseyi Wright 462
kerri J. A. Comstock 633
kingi Klots & C. 414
kiowah Reakirt 67
kirtlandi Field 482
kleenei Watson 599
klotzi dos Passos (*Euphydryas*) 593
klotzi Field (*Lycæna*) 432
kodiak Edwards
 (*Cænonympha*) 649
kodiak Edwards (*Lycæides*) 454
kæbelei Gunder 586
kohlsaatii Gunder (*Colias*) 295
kohlsati Gunder (*Parnassius*) 243
kohlsati Gunder (*Plebejus*) 468
kootenai Cockle 286
krauthii Klots 293
krautwurmi Holland 622
Kricogonia - - - - - 46
kriemhild Strecker 602
kumskaka Scudder 83
kuskoguima Holland 673
- L** *labeula* Watson & C. 462
labradorensis Gunder (*Boloria*) 608
- labradorensis* Scudder (*Colias*) 294
laceyi Barnes & McD. 387
lacinia Geyer 550
lacordairei (Boisduval) 301
lacteus Gunder 570
lacustra Wright 164
lacustris Freeman 468
laddi Klots 610
Leætiades - - - - - 33
Leætias - - - - - 33
læta Edwards 375
lagus Edwards 86
lais Scudder (*Boloria*) 610
lais Edwards (*Speyeria*) 618
lambillioni Dufrane 283
lamina Fabricius 516
lanceolata Lucas 326
langei J. A. Comstock 334
lanice Lintner 308
lanoraieensis Sheppard 372
lanthanis Cook & W. 518
Laparus - - - - - 97
lapponica Esper (*Boloria*) 605
lapponica Staudinger (*Colias*) 295
l-argenteum Scudder 546
larra Fabricius 304
larunda Strecker 564
larvata Strecker 482
Lasaia - - - - - 50
lasus Edwards 100
Latiorina - - - - - 66
latipennis Mabille & V. 221
laura Edwards 616
laurea Chermock 286
laurenti Skinner 602
laurentina Scudder (*Colias*) 291
laurentina Lyman (*Hesperia*) 102
laurina Wright 616
laviana Hewitson 155
lavina Comstock 532
lavinia Cramer 532
lawrencei Gunder 595
leanira Felder & F. 584
lecontei Rothschild & J. 269
leda Edwards 391
lehmani Gunder 595
lehmanni Holland 600
leile Clark 211
leilia Edwards 493
Lemonias - - - - - 50, 83

- lena Edwards 150
 leo Gmelin 233
 leona Wright 584
 leonardus Harris 117
Lephelisca - - - - - 51
leporina Plötz 131
Leptotes - - - - - 62
Lerema - - - - - 15
Lerdeea - - - - - 3
letcheri Grinnell 530
lethe Fabricius (*Hyanartia*) 523
lethe Gunder (*Speyeria*) 622
Lethe Hübner - - - - - 99
 LETHINÆ - - - - - 99
letis Wright 622
leto Behr 622
letona dos Passos & G. 622
leucites Mabille 223
Leucochitonea - - - - - 23
Leucochitonita - - - - - 22
leucodesma Felder & F. 555
Leucoscirtes Scudder - - - - 18
leuussleri Gunder (*Euphydryas*) 594
leuussleri Gunder
 (*Glaucoopsyche*) 479
leuussleri Lindsey (*Hesperia*) 102
leuussleri Holland (*Megathymus*) 16
leuussleri Bryant (*Oeneis*) 669
leuussleri Gunder (*Plebejus*) 456
lewisi Kirby 265
Iherminier Latreille 137
Iherminieri Godart (*Anthocaris*) 325
Iherminieri Auctorum (*Nastra*) 137
liberia Plötz 117
libya Scudder 150
Libythea - - - - - 69
libythea Fabricius - - - - - 38
Libytheana - - - - - 69
 LIBYTHEIDÆ - - - - - 69
 LIBYTHEINÆ - - - - - 69
licinia Cramer - - - - - 37
licinus Edwards 101
Licus - - - - - 54, 58
lidia Plötz 117
ligea Linnæus - - - - - 104
liggetti Avinoff 569
lilea Reakirt 240
liliana H. Edwards 616
lilius Dyar 170
 LIMENITIDINÆ - - - - - 74
Limenitis - - - - - 74, 76
Limnas - - - - - - - - - 98
Limochores Scudder - - - - - 9
Limonetes - - - - - 74
limoneus Felder & F. 313
Limonitis - - - - - - - - - 74
linda H. A. Freeman
 (*Amblyscirtes*) 34
linda Edwards (*Eurema*) 316
linda dos Passos & G.
 (*Speyeria*) 617
lindseyi Holland 106
lineainita Gunder 298
lineola Ochsenheimer 123
lingicauda Sepp 231
lininia Cramer - - - - - 37
Lintneria Edwards - - - - - 22
lintnerii Fitch 536
liparops Fletcher 415
liparops LeConte 415
lisa Boisduval & LeC. 315
lividus Hübner - - - - - 29
llano Dodge 177
loammi Whitney 54
locutia Hewitson 156
logan Edwards 86
loki Skinner (*Mitoura*) 362
loki Evans (*Pyrgus*) 157
longicauda Bates 314
longinus Nabokov 454
longleyi French 130
lorata Grote & R. 412
lorquini Boisduval (*Colias*) 298
lorquini Oberthür
 (*Euphydryas*) 593
lorquini Field (*Habrodais*) 351
lorquini Boisduval
 (*Limenitis*) 520
lorquini Oberthür
 (*Parnassius*) 244
lorquini Behr (*Phedrotes*) 478
lotis Lintner 454
lotta Beutenmüller 327
louisa Stallings & T. 494
louisiana Holland 340
lucayus Rothschild & J. 247
lucia Kirby 481
lucilius Scudder & B. 166
lucilla Barnes & McD. 670
lucki Reuss 602

- luctuosa* Watson & C. 435
ludoviciae Mabille 123
lumida Möschler 99
lunus Edwards 52
lupini Boisduval 463
lurana dos Passos & G. 618
lusca Stichel 244
luski Barnes & McD. 620
luteipicta Fruhstorfer 525
luteitincta Wolcott 286
luteolus Reakirt 320
lutzi dos Passos 462
Lycaides - - - - - 63
Lycæna - - - - - 60, 68
LYCÆNIDÆ - - - - - 52
LYCÆNINÆ - - - - - 59
Lycænopsis Auctorum - - - - 69
lycea Edwards 458
Lycia Sodovskii - - - - - 60
lyciades Geyer 207
lycidas Smith 207
lycophron Hübner 260
Lycorea - - - - - 98
Lycorella - - - - - 98
Lycus - - - - - 58
lydia Felder & F. 310
lygdamus Doubleday 479
Lyroptera - - - - - 27
lyside Godart 308
- M** *macaira* Reakirt 156
macalpinei H. A. Freeman 5
macaria Edwards 616
macareus Herrich-Schäffer 20
macdunnoughi dos Passos
 (*Erebia*) 677
macdunnoughi Gunder
 (*Euphydryas*) 593
macdunnoughi Gunder
 (*Glaucopsyche*) 479
macdunnoughi Gunder (*Lycæna*) 445
macdunnoughi Gunder
 (*Papilio*) 252
macdunnoughi Gunder
 (*Phyciodes*) 561
macdunnoughi Oberthür
 (*Pyrgus*) 159
macdunnoughi Gunder
 (*Speyeria*) 617
- macdunnoughii* Remington
 (*Pieris*) 278
macfarlandi Ehrlich & Clench 428
macglashanii Rivers 593
machaon Linnaeus 253 - - 34
macinus Barnes & B. 674
macisaaci dos Passos 653
mackenziei Davenport 652
mackinleyensis Gunder
 (*Erebia*) 675
mackinleyensis dos Passos
 (*Oeneis*) 668
macounii Edwards 664
macra Plötz 125
maculata Edwards 28
maculatasuffusa Cockle 481
maculinita Gunder 444
maculosus H. A. Freeman 19
macyi Fender & J.
 (*Euphydryas*) 594
macyi Fender (*Phyciodes*) 559
mærula Fabricius 301
mæsites Herrich-Schäffer 378
mæstus Godman & S. 174
mævia Godman & S. 389
magdalena Strecker (*Erebia*) 675
magdalena Barnes & McD.
 (*Euphydryas*) 594
magdelena Gunder 593
magica Plötz 69
magnifica Clark 592
magnus Wright 245
m-album Boisduval & LeC. 355
malcolmi Gunder
 (*Euphydryas*) 593
malcolmi J. A. Comstock
 (*Melitæa*) 575
malcolmi Gunder (*Philotes*) 471
malcolmi Gunder (*Plebejus*) 464
malcolmi J. A. Comstock
 (*Speyeria*) 615
malitiosa Herrich-Schäffer 143
malvae Linnaeus - - - - 18
mammothi Gunder 617
manataqua Scudder 96
mancinus Doubleday 674
Mancipium - - - - - 38
mandan Edwards 147
maniola Nabokov 641

- manitoba* Scudder (*Hesperia*) 102
manitoba Chermock & C.
 (*Speyeria*) 623
manitobaensis Bryk & E. 245
manitoboides Fletcher 114
mansfieldi Tilden 360
manueli Bell & C. 234
marcellina Cramer 302
marcellus Cramer 269
marcia Edwards 556
marcus Strand 31
mardon Edwards 92
margaretae dos Passos 369
margarita Skinner
 (*Atrytonopsis*) 57
margarita Draudt (*Polites*) 99
marginalis Skinner
 (*Apodemia*) 335
marginalis Scudder (*Pieris*) 278
marginata Edwards
 (*Celastrina*) 481
marginata Schaus
 (*Gorgythion*) 186
marginatus Harris 130
magineapertus Gunder 630
maria Edwards (*Colias*) 287
maria Skinner (*Euphydryas*) 594
marie Barnes & B.
 (*Agathymus*) 9
mariae Bryk (*Parnassius*) 245
mariamne Scudder 624
mariana Barnes 593
maricopa Reakirt 458
marilandica Clark 598
marina Reakirt 449
mariposa Reakirt 438
maritima Edwards 656
Marius - - - - - 73
marius Cramer 513
marjorie Chermock & C. 292
marmorata Scudder 133
Marpesia - - - - - 73
mars Fabricius 381
marrys Edwards 539
martialis Scudder (*Erynnis*) 169
martialis Herrich-Schäffer
 (*Strymon*) 380
martineæ Coleman 546
martini Gunder (*Boloria*) 608
martini Gunder (*Colias*) 288
martini Stallings & T.
 (*Megathymus*) 13
martini Mattoni (*Philotes*) 471
masoni Cross 656
massachusettensis Gunder 528
massosit Scudder 72
Mastor - - - - - 4
masumbrosus Gunder 298
mata Reakirt 559
maxima Neumoegen 305
maximus Bryk & E. 245
maxwelli Franck 256
mayæ Gunder 623
mayi Chermock & C. (*Colias*) 292
mayi Chermock & C.
 (*Euchloë*) 328
mayi Gunder (*Euphydryas*) 594
mayi Gunder (*Melitaea*) 581
maynardi Field 520
mazans Reakirt 188
MC see *MAC*
mcglashanni McDunnough 593
meadi Field 436
meadii Edwards (*Cercyonis*) 657
meadii Edwards (*Colias*) 283
meadii Edwards (*Speyeria*) 616
medea Leussler 325
medicanda Bryk 249
medi Gunder 283
mediocanda Eimer 248
mediocauda Eimer 248
medionigrocellatus Bryk 244
medionigrocellatus Bryk & E. 244
megalippe Hübner 631
megalo McDunnough 468
Megalura - - - - - 73
Meganostoma Auctorum - - - - 44
MEGATHYMINÆ - - - - - 1
Megathymus - - - - - 1, 2
Megistias - - - - - 16
Megisto - - - - - 99
Megonostoma - - - - - 44
meinersi Field (*Everes*) 469
meinersi Gunder (*Strymon*) 393
mejicana Reakirt (*Pholisora*) 149
mejicanus Behr (*Apodemia*) 334
mela Strecker 450
melane Edwards 71
melania Wind 657
melanic Skinner 287

<i>melanippe</i> Stoll	303	<i>Microtia</i>	- - - - -	83
<i>melanodisca</i> J. A. Comstock	594	<i>micylla</i> Burmeister	29	
<i>melanophorus</i> Bryk	245	<i>midea</i> Hübner	325	
<i>melanotania</i> Fischer	252	<i>Midea</i> Herrich-Schäffer	- - -	49
<i>Melanthes</i>	- - - - -	<i>Migonitis</i>	- - - - -	60, 97
<i>melbertii</i> Edwards	535	<i>milberti</i> Godart	535	
<i>melicerta</i> Schaus	331	<i>mildredæ</i> Chermock	479	
<i>melimona</i> Wright	457	<i>Militæa</i> Edwards	- - - - -	83
<i>melinus</i> Hübner	393	<i>millburni</i> Rummel	570	
<i>melissa</i> Fabricius (<i>Eneis</i>)	670	<i>milo</i> Edwards	80	
<i>melissa</i> Edwards (<i>Plebejus</i>)	455	<i>mimas</i> Cramer	- - - - -	23
<i>Melitæa</i>	- - - - -	<i>minijas</i> Hübner	350	
<i>Melitæa Auctorum</i>	- - - - -	<i>minima</i> Edwards	126	
<i>MELITÆINAE</i>	- - - - -	<i>minisni</i> Bean	294	
<i>elite</i> Johansson	271	<i>minnehaha</i> Scudder	461	
<i>mella</i> Godman	- - - - -	<i>Minois</i>	- - - - -	102
<i>Mellana</i>	- - - - -	<i>minor</i> Chermock (<i>Colias</i>)	287	
<i>mellona</i> Godman	68	<i>minor</i> Verity (<i>Parnassius</i>)	245	
<i>melon</i> Godman & S.	224	<i>minor</i> McDunnough (<i>Speyeria</i>)	619	
<i>menapia</i> Felder & F.	272	<i>minor</i> Cockerell (<i>Vanessa</i>)	529	
<i>mendicus</i> Stichel	245	<i>minori</i> Cross	254	
<i>menetriesii</i> H. Edwards	244	<i>mintha</i> Edwards	458	
<i>menippe</i> Hübner	631	<i>minusculus</i> Bryk	245	
<i>menisme</i> Verity	294	<i>minuta</i> Edwards	591	
<i>mercurius</i> Fabricius	238	<i>minyas</i> Hübner	350	
<i>meridianus</i> Bell	174	<i>mira</i> Verity	294	
<i>meridionalis</i> Dyar	47	<i>mirabelle</i> Barnes	402	
<i>meris</i> Stoll	- - - - -	<i>mirabilis</i> Wright	595	
<i>mertila</i> Edwards	480	<i>miriamæ</i> MacNeill	102½	
<i>mesapano</i> Scudder	147	<i>misdice</i> Scudder	287	
<i>mesentia</i> Cramer	- - - - -	<i>miserabilis</i> Clench	427	
<i>meskei</i> Edwards	115	<i>misippus</i> Linnæus	547	
<i>messalina</i> Fabricius	317	<i>missionensis</i> Hovanitz	458	
<i>Mestra</i>	- - - - -	<i>mitchellii</i> French	644	
<i>metacomet</i> Harris	67	<i>mithrax</i> Möschler	- - - - -	21
<i>metallescens</i> Mabille	- - - - -	<i>Mitoura</i>	- - - - -	53
<i>Metamorpha</i>	- - - - -	<i>Mitouri</i>	- - - - -	53
<i>metea</i> Scudder	101	<i>Mitura</i>	- - - - -	53
<i>metra</i> Stephens	280	<i>mixturata</i> Alpheraky	649	
<i>mexicana</i> Draudt (<i>Autochton</i>)	211	<i>Mnestræ</i>	- - - - -	72
<i>mexicana</i> Boisduval (<i>Eurema</i>)	312	<i>moderata</i> Stichel	628	
<i>mexicana</i> Michener (<i>Libytheana</i>)	483	<i>modesta</i> Bates (<i>Eunica</i>)	504	
<i>mexicana</i> Godman & S. (<i>Pholisora</i>)	149	<i>modesta</i> Maynard (<i>Strymon</i>)	386	
<i>mexicana</i> Herrich-Schäffer (<i>Thorybes</i>)	203	<i>moeschleri</i> Grum-Grshimailo	294	
<i>michiganensis</i> Rawson	442	<i>mogollon</i> Burdick	278	
<i>microsticta</i> Godman & S.	146	<i>mohave</i> Auctorum	473	
<i>microstriata</i> J. A. Comstock	278	<i>moina</i> Strecker	296	
		<i>mojave</i> Watson & C.	473	
		<i>mollina</i> Hübner	- - - - -	99
		<i>mollis</i> Wright	324	

monache J. A. Comstock 589
Monca - - - - - 16
monima Stoll 504
mono Burdick 652
monooco Scudder 134
monoensis Gunder 595
montana Verity (*Euchloë*) 328
montana Skinner (*Hesperia*) 111
montana Field (*Lycæna*) 436
montana Behr (*Phyciodes*) 561
montana Reuss (*Speyeria*) 613
montanensis Watson & C. 406
montanulus Bryk & E. 245
montanus McDunnough
 (*Euphydryas*) 595
montanus Ehrmann
 (*Parnassius*) 245
montanus Gunder (*Plebejus*) 464
montezuma Scudder
 (*Codatractus*) 226
montezuma Talbot (*Danaus*) 634
monticola Clemence (*Plebejus*) 464
monticola Behr (*Speyeria*) 615
montinus Scudder 608
montis Edwards
 (*Asterocampa*) 492
montis Blackmore (*Plebejus*) 458
montivaga Behr (*Speyeria*) 617
montivaga Behr (*Speyeria*) 620
montivagus Reakirt 162
monuste Linnæus 281
mopsus Hübner 405
morandi Gunder 594
morganta Plötz 99
mormo Felder & F. 334
mormonia Boisduval
 (*Apodemia*) 334
mormonia Boisduval (*Speyeria*) 620
moroensis Sternitzky 458
morpheus Fabricius 556
morrisoni Edwards (*Anthocaris*) 321
morrisoni Edwards (*Stinga*) 118
morrisonii Edwards 486
moschus Edwards 194
mossii H. Edwards 371
muelleri Letcher 530
muiri H. Edwards 359
multicaudata Kirby 264
multiplaga Schaus 337
Murgaria - - - - - 25

muskoka Watson & C. 406
muticum McAlpine 343
mutius Plötz 85
mylitta Cramer (*Dynamine*) - 73
mylitta Edwards (*Phyciodes*) 559
mylotes Bates 270
myrina Cramer 598
myrina Martyn 599
myrinus Herbst 598
myrissa Godart 598
myrta Skinner 504
myrtis Edwards 131
myrtleæ dos Passos & G. 615
myrto Godart 504
Myscelia - - - - - 73
mystie Dyar 206
mystic Scudder 97
myus French 94

N nabokovi Stallings & T. 605
nævius Lintner 168
nahanni Dyar 661
naïs Edwards 338
Najas - - - - - 74
nanno Edwards 31
nanus Neumoegen 245
napa Edwards 79
napæ Edwards 278
napæa Hoffmannsegg 597
napi Linnæus 278
narcosius Stoll
Narga - - - - - 24
nurses Staudinger 332
Nascus - - - - - 24
nastes Boisduval 296
Nastra - - - - - 16
nasturtii Boisduval (*Pieris*) 278
nasturtii Edwards (*Pieris*) 277
natazhati Gibson 605
Nathalis - - - - - 47
nausicaa Edwards 618
navajo Skinner 13
Neadopæa - - - - - 14
nealces Rothschild & J. 255
neamathla Skinner & W. 139
nearchus Edwards 153
nearctica Verity 597
nebraskensis Holland 598
neda Godart 316
neglecta Edwards 481

- neglectamajor* Tutt 481
negra Felder & F. 531
negrociliata Mabille & B. 210
nelphe R. Felder 316
nelsoni Boisduval (*Mitoura*) 359
nelsoni Edwards (*Pieris*) 277
nemesis Edwards 344
nemoris Edwards 37
nemorum Boisduval 80
Nennius - - - - - 29
Neoacidalia - - - - - 91, 95
neocypris Hübner 306
Neominois - - - - - 102
Neonympha - - - - - 99
neoperplexa Barnes & B. 426
Neophasia - - - - - 38
nephela Kirby 656
nepi Barnes & B. 291
Nereis - - - - - 81
nereus Edwards 42
neri Barnes & B. 294
nero Auctorum 25
nessus Edwards 152
nestos Boisduval 468
neui Rummel 443
neumoegeni Edwards
 (*Agathymus*) 1
neumoegeni Skinner
 (*Melitaea*) 573
neumoegenii Skinner (*Appias*) 274
neurona Skinner 466
nevada Scudder (*Hesperia*) 105
nevada Scudder (*Thorybes*) 203
nevadæ Barnes & B. 519
nevadensis Felder & F.
 (*Oeneis*) 663
nevadensis Edwards
 (*Speyeria*) 616
newcombi Gunder (*Colias*) 298
newcombi J. A. Comstock
 (*Melitaea*) 574
nezahualcoyotl Strecker 246
nicasius Plötz 229
nichollæ Barnes & B. 610
nicias Fabricius 198
nicippe Cramer 319
nig Strecker (*Asterocampa*) 494
nig Strecker (*Celastrina*) 481
nig Strecker (*Colias*) 287
nig Strecker (*Limenitis*) 518
niger Wright 245
nigerrima Cockerell 519
nigerrimus Verity 245
nigra Edwards (*Celastrina*) 481
nigra Cockerell (*Chlosyne*) 550
nigra Cary (*Melitaea*) 571
nigra Mabille & B.
 (*Nisoniades*) 191
nigra Edwards (*Oeneis*) 670
nigracosta J. A. Comstock 272
nigrescens Fletcher
 (*Celastrina*) 481
nigrescens Cockerell
 (*Chlosyne*) 550
nigrescens Hall (*Phyciodes*) 556
nigricans Strecker 518
nigricosta Chermock 286
nigridice Scudder 287
nigrina Strecker 287
nigrior Michener 630
nigrisuperripennis Gunder 593
nigroanalis Bryk & E. 244
nigrocerulea Cockerell & C. 612
nigrofasciata Reiff 287
nigroinita Gunder 354
nigrosuffusa Field (*Graphium*) 269
nigrosuffusa Barnes & McD.
 (*Precis*) 531
nikias Ehrmann 618
nilus Edwards 44
ninonia Boisduval 272
ninus Edwards 357
nipha Morris 374
niphon Hübner 374
nipisiquit McDunnough 653
nipona Hewitson 390
nise Cramer 316
Nisoniades Auctorum - - - - 19
Nisoniades Hübner - - - - 23
nitela J. A. Comstock 564
nitocris Edwards 612
nitra Edwards 251
nittanyensis Chermock 479
nivalis Boisduval 439
nivea Gunder 598
niveus Cramer - - - - - 18
nivifera Fruhstorfer 300
nivium Boisduval 461
nivosa Gunder 530
nivosus Gunder (*Danaus*) 630

- nivosus* Gunder (*Limenitis*) 518
nokomis Edwards 612
Nomiades - - - - - 68
norna Thunberg - - - - 103
nortonii Edwards 134
norus Plötz 28
notabilis Strecker 152
notatus Clark & C. 287
novangliae Scudder 280
novascotiae McDunnough
 (*Feniseca*) 429
novascotiae McDunnough
 (*Speyeria*) 622
nox Gunder 571
nubes Scudder 598
nubigena Behr 595
nubigeria Edwards 595
nubilia J. A. Comstock 430
nubs Scudder 97
nudeola Stichel 628
numitor Fabricius 130
nunenmacheri Strand 481
nycteis Doubleday & H. 570
Nyctelius - - - - - 2
nyctelius Latreille 21
Nympha - - - - - 74
nympha Edwards 591
NYMPHALIDÆ - - - - - 70
NYMPHALINÆ - - - - - 78
Nymphalis Felder - - - - - 74
Nymphalis Kluk - - - - - 78
Nymphalis Latreille - - - - - 77
Nymphalus - - - - - 74
Nymphidia - - - - - 51
Nymphidium Auctorum - - - 51
nysa Edwards 43
- O** *Oarisma* - - - - - 14
oberfoelli Puckering & P. 519
oberon Worthington 235
obliterata Scudder (*Lycæna*) 443
obliterata Strecker (*Melitæa*) 584
obliteratus Scudder
 (*Epargyreus*) 236
obliteratus Dufrane (*Papilio*) 267
obscura Mabille (*Lerodea*) 29
obscura Cockerell (*Nymphalis*) 536
obscura Edwards (*Eneis*) 661
obscurata M'Lachlan (*Boloria*) 609
obscurata Verity (*Colias*) 296
- obscuripennis* Gunder 603
obsoleta Ehrmann (*Battus*) 246
obsoleta Edwards (*Limenitis*) 518
obsoleta Barnes & McD.
 (*Lycaena*) 443
obsoleta H. Edwards
 (*Melitæa*) 584
obsoleta Niepelt (*Phæbis*) 303
obsoletalunulata Tutt 481
occidentalis Scudder (*Colias*) 290
occidentalis Reakirt (*Pieris*) 277
occidentalis Skinner (*Pyrgus*) 161
oceanus Edwards 155
ocellata Edwards 494
ocellifera Grote 386
Ochlodes Scudder - - - - - 7
Ochlodes Auctorum - - - - - 13
ochracea Chermock & C.
 (*Cercyonis*) 656
ochracea Edwards
 (*Cænonympha*) 652
ochracea Lindsey (*Hesperia*) 102
ochracia Chermock & C. 652
ochreocellatus Bryk & E. 243
ocola Edwards 24
octomaculata Dean 443
octoscripta Bucholz 363
Ocytes - - - - - 11
odia Hübner - - - - - 70
odilia Burmeister 136
odius Fabricius 489
œdipe Hübner - - - - - 101
œdippus Fabricius - - - - - 101
Œneis - - - - - 103
œno Boisduval 670
œnone Scudder 570
œtus Boisduval 660
ogallala Leussler 112
ogdenensis Holland 110
ogeechensis Scudder 74
Oileides - - - - - 21
oileus Linnæus 162
okanagana McDunnough 419
okeechoee Worthington 239
okius Oberthür 658
olancha Wright 593
oleracea Harris 278
Oligoria - - - - - 3
olympia Edwards 329
olympianus Burdick 245

<i>olympus</i> Edwards	656	<i>oxilus</i> Hübner	256
<i>olynthus</i> Boisduval & LeC.	27	<i>P</i> <i>Pachyrhopala</i>	- - - - - 30
<i>omniluteofuscus</i> Gunder	593	<i>packardii</i> Saunders	556
<i>oneka</i> McDunnough	40	<i>pacuvius</i> Lintner	170
<i>oneko</i> Scudder	40	<i>pahaska</i> Leussler	108
<i>ontario</i> Edwards	402	<i>palea</i> Hewitson	59
<i>ophis</i> Edwards	22	<i>palemon</i> Pallas	147
<i>opis</i> Edwards	620	<i>paleo</i> Linnæus	295
<i>ops</i> Druce	484	<i>palamedes</i> Hemming (<i>Colias</i>)	284
<i>optilete</i> Knoch	467	<i>palamedes</i> Drury (<i>Papilio</i>)	268
<i>orbitulus</i> Prunner	- - - - - 66	<i>palatka</i> Edwards	61
<i>orcus</i> Edwards	460	<i>palemon</i> Cramer	240
<i>oreas</i> Edwards	545	<i>pales</i> Dennis & S.	- - - - - 89
<i>oregonensis</i> Barnes & McD.	471	<i>pales</i> Auctorum	597
<i>oregonia</i> Edwards (<i>Hesperia</i>)	102	<i>palica</i> Mabille	178
<i>oregonius</i> Edwards (<i>Papilio</i>)	250	<i>palila</i> Boisduval	582
<i>orestes</i> Edwards	208	<i>palillas</i> Gray	260
<i>oricus</i> Edwards	151	<i>pallens</i> Whittaker & S.	319
<i>orientalides</i> Verity	327	<i>palleascens</i> Tilden & D.	474
<i>origines</i> Fabricius	96	<i>pallida</i> Cockerell (<i>Colias</i>)	286
<i>orion</i> Fabricius	489	<i>pallida</i> Cockerell (<i>Colias</i>)	293
<i>ornata</i> Leussler	673	<i>pallida</i> Skinner (<i>Colias</i>)	284
<i>ornythion</i> Boisduval	257	<i>pallida</i> Klots (<i>Eurema</i>)	310
<i>oro</i> Scudder	479	<i>pallida</i> Hayward (<i>Hylephila</i>)	122
<i>orono</i> Scudder	64	<i>pallida</i> Fruhstorfer (<i>Metamorpha</i>)	524
<i>orpheus</i> Cross	541	<i>pallida</i> Field (<i>Nathalis</i>)	320
<i>orsa</i> Boisduval	561	<i>pallida</i> Cockerell (<i>Phæbis</i>)	302
<i>orseis</i> Edwards	560	<i>pallida</i> Edwards (<i>Phyciodes</i>)	559
<i>orsis</i> Drury	- - - - - 73	<i>pallida</i> Scudder (<i>Pieris</i>)	278
<i>orsua</i> Godman & S.	246	<i>pallida</i> Gunder (<i>Plebejus</i>)	464
<i>orthomenes</i> Scudder	28	<i>pallida</i> Watson (<i>Poanes</i>)	73
<i>ortygia</i> Möschler	24	<i>pallida</i> Skinner (<i>Polites</i>)	97
<i>osceola</i> Lintner	67	<i>pallida</i> Röber (<i>Polygonus</i>)	233
<i>oslari</i> Skinner (<i>Ambliscirtes</i>)	35	<i>pallida</i> Eisner (<i>Speyeria</i>)	611
<i>oslari</i> Gunder (<i>Euphydryas</i>)	594	<i>pallida</i> Tutt (<i>Thymelicus</i>)	123
<i>oslari</i> Skinner (<i>Eneis</i>)	666	<i>pallidice</i> Scudder	287
<i>oslari</i> Dyar (<i>Strymon</i>)	404	<i>pallidissima</i> Bowman (<i>Colias</i>)	293
<i>ossianus</i> Boisduval	610	<i>pallidissima</i> Barnes & McD. (<i>Pieris</i>)	278
<i>osyka</i> Edwards (<i>Euphyes</i>)	67	<i>palliflava</i> McDunnough	296
<i>osyka</i> Edwards (<i>Lerodea</i>)	29	<i>palmerii</i> Edwards	335
<i>osyka</i> Edwards (<i>Polites</i>)	99	<i>palmira</i> Poey	310
<i>otho</i> Smith	89	<i>palmyra</i> Auctorum	310
<i>otreus</i> Stoll	- - - - - 21	<i>Pamphila</i>	- - - - - 11
<i>ottoe</i> Edwards	112	<i>Pamphilida</i>	- - - - - 17
<i>outis</i> Skinner	193	<i>pandarus</i> Linnæus	- - - - - 80
<i>ovidius</i> Scudder & B.	168	<i>pandion</i> Felder & F.	259
<i>ovidius</i> Fabricius	- - - - - 51	<i>paniscus</i> Fabricius	147
<i>oviedo</i> Gundlach	255		
<i>ovinia</i> Hewitson	58		
<i>oweni</i> Edwards	617		

<i>panoquin</i> Scudder	22	<i>Pellicia</i>	- - - - -	23
<i>Panoquina</i>	- - - - -	<i>pelona</i> Gunder	584	
<i>panoquinoides</i> Skinner	23	<i>pembina</i> Edwards	458	
<i>Pansydia</i>	- - - - -	<i>pennsylvanicus</i> Chermock & C.	256	
<i>panthius</i> Herrich-Schäffer	230	<i>penrose</i> Brown, E. & R.	438	
<i>Paphia</i> Auctorum	- - - - -	<i>penroseæ</i> Field	438	
<i>Papilio</i>	- - - - -	<i>percosius</i> Godman	132	
PAPILIONIDÆ	- - - - -	<i>perdiccas</i> Edwards	593	
PAPILIONINÆ	- - - - -	<i>perdiceas</i> Edwards	593	
PAPILIONOIDEA	- - - - -	<i>perditalis</i> Barnes & McD.	345	
<i>Paradopæa</i>	- - - - -	<i>Pereneia</i>	- - - - -	6
<i>paradoxa</i> McDunnough (<i>Euphydryas</i>)	593	<i>pergamus</i> H. Edwards	254	
<i>paradoxa</i> Chermock (<i>Lycaïdes</i>)	455	<i>Perichares</i>	- - - - -	15
<i>Paramecera</i>	- - - - -	<i>Peridromia</i>	- - - - -	72
<i>Paratrytone</i> Godman	- - - - -	<i>perimede</i> Klots	316	
<i>Paratrytone</i> Dyar	- - - - -	<i>pernigra</i> Grinnell	170	
<i>pardalis</i> Behr	459	<i>perplexa</i> Barnes & B.	421	
<i>pardopsis</i> Holland	599	<i>perplexus</i> Bell	184	
<i>Parides</i>	- - - - -	<i>perse</i> Edwards	566	
PARNASSIINÆ	- - - - -	<i>persius</i> Scudder	165	
<i>Parnassius</i>	- - - - -	<i>peruvianus</i> Mabille & B.	181	
<i>parumpunctata</i> Herrich-Schäffer	134	<i>petersii</i> Clark	253	
<i>pasadenæ</i> Gunder	574	<i>petiveranus</i> Doubleday	627	
<i>pascoensis</i> Wright	556	<i>petreius</i> Edwards	158	
<i>passifloræ</i> Fabricius	630	<i>petreus</i> Cramer	514	
<i>pastor</i> R. Felder (<i>Helioptetes</i>)	155	<i>Petreus</i>	- - - - -	73
<i>pastor</i> Butler & D. (<i>Strymon</i>)	383	<i>petronius</i> Lintner	173	
<i>paterculus</i> Herrich-Schäffer	199	<i>pfoutsi</i> Gunder	615	
<i>patersonia</i> Brehme	363	<i>phaëdon</i> Herrich-Schäffer	592	
<i>patrobas</i> Hewitson	682	<i>Phædrotes</i>	- - - - -	68
<i>pattenii</i> Scudder	134	<i>phædrus</i> Hall	442	
<i>paucipuncta</i> Dyar	205	<i>phaëtæna</i> Hübner	592	
<i>paucipunctata</i> Evans	205	<i>phæthusa</i> Hulst	592	
<i>paulus</i> Edwards	658	<i>phaëton</i> Drury	592	
<i>pavon</i> Latreille	496	<i>phaëtonæa</i> Godart	592	
<i>pawnee</i> Dodge	111	<i>phætusa</i> Linnæus	629	
<i>pearleæ</i> Gunder	576	<i>phantasma</i> Burdick	653	
<i>peartieæ</i> Edwards	671	<i>phaon</i> Edwards	558	
<i>peckius</i> Kirby	90	<i>phareus</i> Panzer	122	
<i>pecta</i> Evans	143	<i>pherecydes</i> Stoll	490	
<i>pegala</i> Fabricius	656	<i>pheres</i> Boisduval	460	
<i>pegale</i> J. B. Smith	656	<i>phidias</i> Linnæus	- - - - -	30
<i>pelagica</i> Weeks	178	<i>philea</i> Johansson	303	
<i>peleus</i> Sulzer	514	<i>philemon</i> Fabricius (<i>Ephyriades</i>)	- - - - -	21
<i>pelidne</i> Boisduval & LeC.	294	<i>philemon</i> Boisduval (<i>Lycaïdes</i>)	454	
<i>pelidneides</i> Staudinger	292	<i>philenor</i> Linnæus	246	
<i>Pelion</i>	- - - - -	<i>phileros</i> Boisduval	458	
<i>pellenis</i> Godart	515	<i>phileta</i> Fabricius	281	

<i>philetas</i> Edwards	162	<i>Plebeius</i> Kirby	- - - - -	64
<i>philetes</i> Gmelin	133	PLEBEJINÆ	- - - - -	62
<i>Philocala</i> - - - - -	72	<i>Plebejus</i> - - - - -	63, 64, 66	
<i>philodice</i> Godart	287	<i>Plebulina</i> - - - - -	64	
<i>philodin</i> Edwards	287	<i>Plesiocera</i> - - - - -	22	
<i>philomene</i> Hübner	295	<i>Plestia</i> - - - - -	28	
<i>Philotes</i> - - - - -	67	<i>plexippus</i> Linnæus	631	
<i>phleas</i> Linnæus	443	<i>plicaduta</i> Nakahara	287	
<i>Phocides</i> - - - - -	30	<i>plutargus</i> Fabricius	- - - - -	50
<i>phocion</i> Fabricius (<i>Euptychia</i>)	643	<i>Poanes</i> - - - - -	7	
<i>phocion</i> Fabricius (<i>Perichares</i>)	133	<i>pocahontas</i> Scudder (<i>Nymphalis</i>)	533	
<i>phocion</i> Fabricius (<i>Polites</i>)	95	<i>pocahontas</i> Scudder (<i>Poanes</i>)	73	
<i>phocus</i> Edwards	660	<i>Podalirius</i> - - - - -	37	
<i>phocylides</i> Plötz	134	<i>podarce</i> Felder & F.	468	
<i>Phæbis</i> - - - - -	46	<i>pœas</i> Hübner	384	
<i>phæbus</i> Fabricius	245	<i>pœyi</i> Butler	274	
<i>Phædinus</i> - - - - -	24	<i>pola</i> Boisduval	589	
<i>Pholisora</i> - - - - -	17	<i>polaris</i> Boisduval	604	
<i>pholus</i> Barnes & Benj.	245	<i>polingii</i> Skinner (<i>Agathymus</i>)	11	
<i>phormio</i> Mabille	99	<i>polingii</i> Gunder (<i>Atrytonopsis</i>)	58	
<i>Phycanassa</i> - - - - -	7	<i>polingii</i> Gunder (<i>Melitæa</i>)	589	
<i>Phyciodes</i> - - - - -	81	<i>polingii</i> Barnes & Benj. (<i>Strymon</i>)	403	
<i>Phyciodes Auctorum</i>	- - - - -	<i>polingii</i> Barnes	145	
<i>phyciodoides</i> Barnes & B.	339	<i>polios</i> Cook & W.	370	
<i>phylace</i> Edwards	48	<i>Polites</i> - - - - -	9	
<i>phylæus</i> Auctorum	122	<i>polixenes</i> Fabricius	671	
<i>phyleus</i> Drury	122	<i>polus</i> Ehrmann	245	
<i>phylo</i> Mabille	- - - - -	<i>Polybius</i> Fabricius	240	
<i>piasus</i> Boisduval	478	<i>polychloros</i> Linnæus	- - - - -	78
<i>picta</i> Edwards (<i>Phyciodes</i>)	562	<i>Polydamas</i> Linnæus	247	
<i>picta</i> McDunnough (<i>Speyeria</i>)	615	<i>Polydamus</i> McDunnough	247	
<i>PIERIDÆ</i> - - - - -	37	<i>Polydorus</i> - - - - -	37	
<i>PIERINÆ</i> - - - - -	38	<i>Polygonia</i> - - - - -	79	
<i>Pierio</i> - - - - -	38	<i>Polygonus</i> - - - - -	29	
<i>Pieris</i> - - - - -	38	<i>Polyommatus</i> - - - - -	59, 68	
<i>pigmalion</i> Cramer	239	<i>Polyphemus</i> Boisduval	480	
<i>pilalka</i> Kirby	61	<i>Polythrix</i> - - - - -	28	
<i>pilatka</i> Edwards	61	<i>polyxenes</i> Fabricius	248	
<i>pilatus</i> Plötz	220	<i>pompadour</i> Pollich	536	
<i>pilumnus</i> Boisduval	266	<i>Pompeius</i> - - - - -	9	
<i>pima</i> Edwards	322	<i>pompeius</i> Latreille	- - - - -	9
<i>Pinis</i> - - - - -	38	<i>ponceanus</i> Schaus	258	
<i>pilepis</i> Linnæus	- - - - -	<i>pontiac</i> Edwards	64	
<i>Piruna</i> - - - - -	17	<i>populi</i> Linnæus	- - - - -	74
<i>pirus</i> Edwards	144	<i>porseenna</i> Scudder	429	
<i>pithyusa</i> R. Felder	487	<i>portia</i> Fabricius	485	
<i>pittacus</i> Edwards	55	<i>portlandia</i> Fabricius	636	
<i>platina</i> Skinner	615	<i>Potamis</i> - - - - -	71	
<i>plautus</i> Scudder & B.	174			
<i>Plebeius</i> Auctorum	- - - - -			

- potrillo* Lucas 199
pottawattomie Worthington 88
powelli Field 520
powesheik Parker 127
praeceps Scudder 99
pratensis Behr 561
pratincola Boisduval - - - 79, 80
Precis - - - - - 77
premnas Wallengren - - - - 9
prenda Evans 39
Prenes - - - - - 2
pretona Boisduval 550
pricei Field 269
primoetertiopictaetornatus
 Bryk & E. 244
Princeptis - - - - - 34
princetonia Poling 273
prittwitzii Plötz 124
Problema - - - - - 8
procerus Plötz 228
Proclossiana - - - - - 91
procne Plötz 219
procris Edwards 125, 126
progne Cramer 546
PRONOPHILINÆ - - - - - 105
propertius Scudder & B. 175
proserpina Scudder
 (*Asterocampa*) 494
proserpina Edwards (*Limenitis*) 516
prosperpina McDunnough 516
Proteides - - - - - 29
protoerpia Fabricius 314
proteus Hübner 218
proteus Linnæus 217
protillus Herrich-Schäffer 218
protodice Boisduval & LeC. 277
protodin Edwards 277
proto Watson & C. 419
bruina Scudder 415
pseudargiolus Boisduval & LeC. 481
pseudoamericanus Brown 248
pseudoausonides Verity 327
pseudobryoniae Verity 278
pseudocarpenteri
 Chermock & C. 622
pseudocellus Collidge & C. 212
pseudochloridice McDunnough 275
Pseudocopæodes - - - - - 13
pseudocorybas Verity 245
pseudodoriphus Strecker 518
pseudofea Morrison 447
pseudogallatinus Bryk 244
pseudoleraea Verity 278
pseudonapi Barnes & McD. 278
pseudoptiletes Boisduval & LeC. 452
pseudora Scudder 481
pseudosamuelis Nabokov 455
psyche Boisduval & LeC. 355
pudica H. Edwards 393
puer Hübner 130
pugetensis Chermock & F. 622
pulchella Boisduval 556
pulchra Strecker 631
pulla H. Edwards 651
pullata Mabille - - - - - 23
pulverulenta R. Felder 182
pumila Boisduval & LeC. 340
pumilio Strand 327
punctata Edwards 554
punctella Grote & R. 134
purpurascens H. Edwards 619
purpuratus Gunder 517
pustula Geyer 89
putmani Brown, E. & R. 409
putnami H. Edwards 409
pylades Scudder 201
pyralina Moschler 186
Pyrameis - - - - - 77
PYRGINÆ - - - - - 17
Pyrgus - - - - - 18
Pyrisitia - - - - - 47
Pyristia - - - - - 47
Pyrrhococles - - - - - 16
Pyrrhopygia - - - - - 30
Pyrrhopage - - - - - 30
PYRRHOPYGINÆ - - - - - 30
Pyrrhosidia - - - - - 9
Pyrrhosydia Auctorum - - - - - 9
python Edwards 56
Pythonides - - - - - 23
- Q quadquina* Scudder 73
quaderna Hewitson 375½
quadraquina Kirby 73
quaiajan Evans 116
quaiajen Scudder 116
quebecensis Barnes & B. 653
quercus Butler 169
quesnelii Cockle 481
quincunx Bryk (*Parnassius*) 245

- quincunx* Bryk & E. (*Parnassius*) 243
quino Behr 593
quinquemacula Skinner 44
- R** *radians* Lucas 69
radiatus Plötz (*Celotes*) 152
radiatus Strecker (*Papilio*) 267
ragani Barnes 264
rainierensis Gunder 620
rainieri Barnes & McD. 608
rapæ Linnæus 280
rapahoe Reakirt 458
raritus Gunder 291
rauterbergi Skinner 218
rawsoni McAlpine
 (*Lephealisca*) 341
rawsoni Field (*Lethe*) 638
rayata Barnes & McD. 126
raza Klots 281
reaghi Reiff 556
reakirti Field 449
reakirtii Edwards 324
recta Klots 312
reducta Dufrane (*Colias*) 287
reducta McDunnough (*Oeneis*) 669
reducta O. Bang-Haas
 (*Parnassius*) 245
regia Boisduval 477
regulus Edwards 54
reiffi Reuss 597
reinthali Brown 661
remingtoni Ehrlich (*Erebia*) 680
remingtoni Burdick
 (*Euphydryas*) 595
resedæ Boisduval 278
retractus Plötz 218
reversa Jones (*Ambliscirtes*) 41
reversa Chermock & C.
 (*Melitaea*) 570
Rhabdooides - - - - - 26
rhæa Boisduval 478
rhena Edwards 96
rhesus Edwards 120
rhexenor Godman - - - - - 7
rhodia Edwards 680
Rhodocera - - - - - 45
rhodope Godman & S.
 (*Mitoura*) 360
rhodope Edwards (*Speyeria*) 619
ricara Edwards 158
- ricaria* McDunnough 158
ricei Cross 454
ridingiana Chermock & C. 669
ridingsii Reakirt (*Hesperia*) 100
ridingsii Edwards
 (*Neominois*) 655
ridingsii Chermock & C.
 (*Poanes*) 73
rileyi dos Passos 679
RIODINIDÆ - - - - - 50
RIODININÆ - - - - - 50
rita Barnes & McD. 474
rocky Grum-Grschimailo 245
rohwperi Cockerell 561
rosa M'Neil (*Colias*) 299
rosa Edwards (*Euchloë*) 329
rosa Whittaker & S. (*Eurema*) 312
rosa Whittaker & S. (*Junonia*) 531
rosea Röber 299
rossii Guenée (*Colias*) 296
rossii Curtis (*Erebia*) 673
rotgeri O. Bang-Haas 245
rothkei Reiff (*Colias*) 287
rothkei Gunder (*Nymphalis*) 535
rubescens Möschler 191
rubi Linnæus - - - - - 58
rubicunda H. Edwards 595
rubidus Strecker (*Limenitis*) 518
rubidus Behr (*Lycæna*) 437
rubricata Edwards 647
rubrofasciata Barnes & McD. 516
rubrofasechippus Gunder 518
rubrolimbata J. A. Comstock 594
rubrosuffusa J. A. Comstock
 (*Euphydryas*) 595
rubrosuffusa Field (*Junonia*) 531
rubyæ Hower 595
rubyensis Gunder 620
ruckesi Klots 292
rudkini Gunder (*Colias*) 286
rudkini J. A. Comstock
 (*Papilio*) 250
rufa Cockerell 550
rufescens Cockerell (*Chlosyne*) 550
rufescens Cockerell
 (*Limenitis*) 516
rufescens Boisduval (*Plebejus*) 456
rufescens Cockerell (*Speyeria*) 612
rufofusca Hewitson 397
rupestris Behr 616

- ruptifasciatus* Plötz 179
ruralis Boisduval 158
rurea Edwards 67
ruricola Auctorum (*Euphyes*) 67
ruricola Boisduval (*Hesperia*) 102
rustica Edwards 468
Rusticus - - - - 63, 64, 66
rusticus Edwards 540
rutilius Evans 165
rutulus Lucas 263
- S** *sabina* Wright 574
sabuleti Boisduval 91
sæpiolus Boisduval 456
sæpium Boisduval 419
saga Staudinger 600
sagata Barnes & B. 600
sagittigera Felder & F. 478
sakuntala Skinner 619
salenus Mabille - - - - 16
salome Felder 313
salvianus Fabricius 184
samoset Scudder 37
samuelis Nabokov 455
sanantonio Lucas 238
sandarac Herrich-Schäffer 59
Sandia - - - - 59
sanfordi dos Passos 375
sanguineus Scudder 240
santes Fitch 287
sara Lucas 324
Sarega - - - - 15
sarita Skinner 382
sarpedon Linnæus - - - - 37
sassacus Harris 114
saturnus Herrich-Schäffer 141
SATYRIDÆ - - - - 99
SATYRINÆ - - - - 99
Satyrodes - - - - 99
Satyrium - - - - 53
Satyrus - - - - 102
satyrus Edwards 539
sayii Edwards 245
Scantilla - - - - 23
Scelothrix - - - - 18
Scelotrix - - - - 18
schæfferi Plötz 194
schausi Clark (*Euphydryas*) 592
schausi Godman (*Melitaea*) 588
scheba Plötz 230
- schellbachi* Tilden (*Lycæna*) 430
schellbachi Garth (*Speyeria*) 618
schraderi Gunder (*Junonia*) 531
schraderi Gunder (*Vanessa*) 530
schryveri Cross 371
Scolitanites - - - - 67
scriptura Boisduval 160
scudderi Skinner (*Erynnis*) 171
scudderi Skinner (*Ochlodes*) 82
scudderii Reakirt (*Colias*) 292
scudderii Edwards (*Lycæides*) 454
Sebaldia - - - - - 22
sebaldus Stoll - - - - - 24
secreta dos Passos & G. 617
sedakowii Ménétriés 245
segregata Barnes & McD. 583
selene Dennis & S. 598
selenis Kirby 556
semialbus Ehrmann 248
semicæca Mabille & B. 144
semidea Say 670
semiflava J. A. Comstock 328
semiluna Klots 356
seminole Scudder (*Hesperia*) 116
seminole Skinner (*Phyciodes*) 553
semiramis Edwards 614
semivirida McDunnough 616
Semnopsyche - - - - - 95
semplei Holland 670
sennæ Linnæus 302
senrabii Barnes 564
septentrionalis Davis 643
sequoyah H. A. Freeman 88
sergia Godman & S. 330
serrata Chermock 287
serratimarginata Gunder 598
sessilis Schaus 333
setonia McDunnough 393
shasta Edwards 461
shastæ Barnes & B. 290
shastaensis J. A. Comstock 615
sheltonensis Chermock & F. 373
sheridanii Carpenter 426
sheridoni Carpenter 426
Shijimia - - - - - 67
sidara Clench 481
sierra Wright (*Euphydryas*) 593
sierra dos Passos & G.
 (*Speyeria*) 616
sigida Mabille 88

- silenus* Edwards 545
silvestris Edwards 658
silvius Edwards 540, 542
simætha dos Passos & G. 614
simæthis Drury 382
similis Strecker 43
simius Edwards 32
simmsi Gunder 528
simplex Auctorum
 (*Adopæoides*) 124
simplex R. Felder (*Copæodes*) 125
simplicius Stoll 220
simulans Gibson 670
sineargentatus Gunder 615
sinefascia Edwards
 (*Limenitis*) 519
sinefascia Williams (*Melitaea*) 587
sineocellata Skinner 680
sinepunctata J. A. Comstock 479
sinepuncta McDunnough 479
sinepunctis Avinoff & S. 135
singularis Plötz 126
sinope dos Passos & G. 615
Sipræta - - - - - 76
siris Edwards 98
sirius Edwards 437
siskiyouensis J. A. Comstock 651
sissona Wright 469
sisymbrii Boisduval 276
siva Edwards 360
skada Edwards 147
skinneri Barnes (*Colias*) 294
skinneri Gunder (*Euphydryas*) 594
skinneri Mengel (*Myscelia*) 510
skinneri Gunder (*Pyrgus*) 161
skinneri Holland (*Speyeria*) 619
slossonæ Skinner 116
smerdis Hewitson 553
smilacis Boisduval & LeC. 363
sminthœus Doubleday 245
smithi Mattoni (*Philotes*) 472
smithi Druce (*Stallingsia*) 18
smithorum Wind 647
Smyrna - - - - - 71
smythi Williams (*Epargyreus*) 236
smythi Clark (*Polygonia*) 540
snowi Edwards (*Lycæna*) 445
snowi Edwards (*Ochlodes*) 81
snyderi Skinner 614
socius Butler & D. 240
sofia Strecker 678
sol Bryk & E. 244
solatus Cook & W. 369
solivaga Kirby 291
somnus Lintner 164
sonora Scudder 98
sonoreæ Boisduval 574
sonoralba Watson & C. 477
sonorensis Felder & F.
 (*Apodemia*) 334
sonorensis Felder & F.
 (*Philotes*) 477
sordellus Fruhstorfer 245
sordida Wright 615
sosybius Fabricius 645
souhegan Whitney 406
souhegon McDunnough 406
spadix H. Edwards 417
spaldingi Gunder
 (*Euphydryas*) 594
spaldingi Barnes & McD.
 (*Philotes*) 475
spangelaetus Burdick 463
Spathilepia - - - - - 24
speciosa H. Edwards 476
sperryi Chermock & C. 593
Speyeria - - - - - 91, 95
spinetorum Hewitson 357
spinimaculata Gunder 458
spurina Hewitson 416
stabilis Rothschild & J. 248
stainkeæ Field 299
stallingsi H. A. Freeman
 (*Celanorrhinus*) 197
stallingsi H. A. Freeman
 (*Hesperia*) 117
stallingsi H. A. Freeman
 (*Megathymus*) 13
Stallingsia - - - - - 2
standfussi Röber 296
stanislaus Hovanitz 665
Staphylus - - - - - 23
statira Cramer 307
staudingeri Mabille - - - - - 28
steckeri Holland 674
stelenes Linnaeus 524
steneles Blanchard 524
stella Edwards 324
stephensi Skinner (*Agathymus*) 10
stephensi Wright (*Cercyonis*) 656

- sternitzkyi* Gunder
 (Anthocaris) 324
- sternitzkyi* Gunder
 (Euphydryas) 595
- sternitzkyi* Gunder
 (Glaucoopsyche) 479
- sternitzkyi* Gunder
 (Lycaena) 440
- sternitzkyi* Field (Lycaena) 441
- sternitzkyi* McDunnough
 (Parnassius) 245
- Steropes* Auctorum - - - - - 17
- sterope* Edwards 578
- sthenele* Boisduval
 (Cercyonis) 659
- sthenele* Hübner (*Metamorpha*) 524
- stigma* Skinner 99
- stigmaticus* Mabille 180
- Stinga* - - - - - 13
- Stomyles* - - - - - 4
- straton* Edwards 115
- stratyllis* Burmeister 24
- streckeri* Skinner
 (Choranthus) 69
- streckeri* Grum-Grshimailo
 (Colias) 296
- streckeri* Ellsworth
 (Euphydryas) 592
- streckeri* Field (Libytheana) 482
- streckeri* Skinner (*Megathymus*) 16
- streckeri* Skinner (*Myscelia*) 510
- streckeri* Holland (Papilio) 248
- stretchii* Edwards 655
- striata* Edwards 448
- strigosa* Harris (*Strymon*) 415
- strigosus* Bates (*Danaus*) 633
- strigulosa* McDunnough 665
- strohbeeni* Sternitzky 244
- Strymon* - - - - - 55
- stygiana* J. A. Comstock 582
- suasa* Boisduval 356
- subampliata* Dufrane 248
- subarctica* McDunnough
 (Colias) 296
- subarctica* McDunnough
 (Erebia) 674
- subarcticus* Chermock 454
- subflavus* Williams 216
- subfuscata* Barnes & B. 652
- subhyalina* Curtis 671
- sublivens* Nabokov 454
- sublivent* Brown, E. & R. 454
- subpallida* Barnes & McD.
 (Asteroampa) 495
- subpallida* Cockerell
 (Nymphalis) 535
- subreticulata* Plötz - - - - - 13
- subtusjuncta* Tutt 481
- suffusa* Cockerell (Colias) 287
- suffusa* Warren (Erebia) 676
- suffusa* Dean (*Feniseca*) 429
- suffusa* Stretch (*Neophasia*) 272
- suffusa* Laurence (Poanes) 72
- suffusa* Wolcott (*Speyeria*) 623
- sulfureus* Gunder 244
- sulfuris* Gunder 324
- sulfuria* Mabille 99
- sumichrasti* Scudder 229
- superba* Strecker 592
- suprafusa* J. A. Comstock 593
- supranigrella* J. A. Comstock 593
- susanæ* Miller 102 $\frac{1}{4}$
- suttoni* Holland 468
- svihlae* Gunder 593
- swainsonia* Swainson 300
- sweadneri* Chermock & C.
 (*Cænonympha*) 650
- sweadneri* Chermock
 (Lyceides) 454
- sweadneri* Chermock
 (Mitoura) 363
- swetti* Watson & C. 406
- sylla* Perty 512
- syloson* Mabille 200
- sylvanoides* Boisduval 79
- sylvicola* Herrich-Schäffer 25
- sylvinus* Boisduval 409
- Symmachia* - - - - - 11
- Synapte* - - - - - 16
- Synchloë* - - - - - 80
- Syrichtus* - - - - - 18
- syrichtus* Fabricius 162
- Systasea* - - - - - 22
- T *Tachyptera* - - - - - 38
- tacita* H. Edwards 417
- tæniatus* Plötz 182
- tages* Linnæus - - - - - 19
- Talides* Auctorum - - - - - 9
- tamiatus* Evans 182

<i>tamenund</i> Edwards	181	<i>Thanaos</i>	- - - - -	19
<i>Tamyris</i>	- - - - -	<i>Thanatos</i>	- - - - -	19
<i>tanna</i> Evans	222	<i>tharos</i> Drury	556	
<i>tarchon</i> Hübner	231	<i>tharossa</i> Godart	556	
<i>tarquinius</i> Curtis (<i>Boloria</i>)	605	<i>Tharsalea</i>	- - - - -	59
<i>tarquinius</i> Fabricius (<i>Feniseca</i>)	429	<i>thaumas</i> Fabricius	95	
<i>Tasitia</i>	- - - - -	<i>theano</i> Tauscher	678	
<i>tatila</i> Herrich-Schäffer	505	<i>thebais</i> Godman & S.	559	
<i>tatilista</i> Kaye	505	<i>Thecla</i> Auctorum	- - - - -	55
<i>tatus</i> Edwards	172	THECLINÆ	- - - - -	51
<i>tau</i> Scudder	272	<i>thekla</i> Edwards	567	
<i>taumus</i> Fabricius	95	<i>themistocles</i> Latreille	95	
<i>taxiles</i> Edwards	75	<i>theona</i> Ménétrier	567	
<i>taygete</i> Geyer	667	<i>theonus</i> Lucas	448	
<i>taylori</i> Edwards	595	<i>Therius</i>	- - - - -	31
<i>tecumseh</i> Grinnell	91	<i>Thespieus</i>	- - - - -	2
<i>tehachapina</i> J. A. Comstock	617	<i>thetis</i> Godart	514	
<i>tehama</i> Reakirt	468	<i>thetys</i> Fabricius	514	
<i>tejonica</i> J. A. Comstock	617	<i>thielsenensis</i> Gunder	595	
<i>telamonides</i> Felder & F.	269	<i>thielsonensis</i> McDunnough	595	
<i>telata</i> Herrich-Schäffer	140	<i>thiemei</i> Ehrmann	220	
<i>telea</i> Hewitson	378	<i>thiodamas</i> Scudder	543	
<i>Telegonus</i>	- - - - -	<i>Thoas</i>	- - - - -	34
<i>telemachus</i> Burns	175½	<i>thoas</i> Linnæus	255	
<i>Teleomorpha</i>	- - - - -	<i>thodena</i> Godart	496	
<i>teleus</i> Hübner	221	<i>thoë</i> Guérin-Méneville	433	
<i>tenera</i> Plötz	141	<i>thoosa</i> Scudder	324	
<i>tenuistriga</i> Mabilde & B.	239	<i>thor</i> H. Edwards	243	
<i>terentius</i> Scudder & B.	168	<i>thornei</i> Gunder (<i>Euphydryas</i>)	595	
<i>terissa</i> Lucas	308	<i>thornei</i> Gunder (<i>Phyciodes</i>)	558	
<i>terlooiti</i> Behr	273	<i>Thorybes</i>	- - - - -	25
<i>terrænovæ</i> Holland (<i>Boloria</i>)	598	<i>thraso</i> Hübner	181	
<i>terrænovæ</i> dos Passos (<i>Œneis</i>)	669	<i>thula</i> Hovanitz	296	
<i>terranea</i> Butler	192	<i>Thymale</i>	- - - - -	19
<i>tessellata</i> Scudder	161	<i>Thymele</i>	- - - - -	19
<i>tethys</i> Forbes	634	<i>Thymelicus</i>	- - - - -	13
<i>tetonia</i> dos Passos & G.	618	<i>Thymelinus</i>	- - - - -	13
<i>tetra</i> Edwards	417	<i>tibullus</i> Scudder & B.	175½	
<i>texana</i> Skinner (<i>Asterocampa</i>)	494	<i>tildeni</i> H. A. Freeman (<i>Hesperia</i>)	103	
<i>texana</i> Edwards (<i>Cercyonis</i>)	656	<i>tildeni</i> Field (<i>Limenitis</i>)	517	
<i>texana</i> Wind (<i>Euptychia</i>)	640	<i>Timetes</i>	- - - - -	73
<i>texana</i> Edwards (<i>Phyciodes</i>)	553	<i>Timochares</i>	- - - - -	22
<i>texana</i> Bell	38	<i>tioaensis</i> Gunder	595	
<i>texanus</i> Chermock (<i>Everes</i>)	469	<i>tioogoensis</i> McDunnough	595	
<i>texanus</i> Barnes & McD. (<i>Megathymus</i>)	16	<i>titania</i> Esper	608	
<i>texanus</i> Ehrmann (<i>Papilio</i>)	267	<i>titus</i> Fabricius	405	
<i>texanus</i> Scudder (<i>Phocides</i>)	241	<i>tiyurus</i> Fabricius	236	
<i>textor</i> Hübner	40	<i>Tmetocerus</i>	- - - - -	28
<i>thadana</i> Godart	497	<i>toddi</i> Holland	599	

- tollandensis* Barnes & B. 598
tolteca Scudder 39
tomyris Herbst 610
torones Hübner 218
toxea Godart 350
toxeus Plötz 210
transmontana Gosse 638
transvera Barnes & B. 276
transvera Barnes & B. 276
trebius Mabille 136
triangulus Mabille 191
triclaris Hübner 610
trifasciata Hewitson - - - - 22
Trigonia - - - - 38
trinitad Lucas 133
tripunctus Herrich-Schäffer 135
tristis Boisduval (*Erynnis*) 172
tristis Cockerell (*Phyciodes*) 561
Tritanassa - - - - 81
tritonia Edwards 682
trixus Stoll 184
troglodita Fabricius - - - - 70
troglodyta Fabricius - - - - 70
troilus Linnæus 267
truckensis Gunder 593
trixus Stoll 184
tryxus Auctorum 184
tuckeri Comstock & B. 626
tucumana Burmeister 186
tulcis Bates 554
tulliola Godman & S. 450
tuolumnensis Opler & P. 334
turneri H. A. Freeman
 (*Atrytonopsis*) 50
turneri Clench (*Incisalia*) 369
turneri H. A. Freeman (*Polites*) 95
turnus Linnæus 262
tychios Plötz 198
Tymetes - - - - - 73
Typhedanus - - - - - 28
typica Cockerell 286
tyrtæus Plötz 140
- U* *uhleri* Reakirt 661
ulrica Edwards 565
umber Herrich-Schäffer - - - - 28
umbrobasana J. A. Comstock 593
umbrosa Lintner 537
uncas Edwards 100
uncus Brown, E. & R. 100
- undulatus* Hewitson 229
unicitrina Gunder 286
unicolor Godman & S. 308
unna Plötz 99
urania Westwood 241
Urbanus - - - - - - - - - 27
Urbicola - - - - - - - - - 11
uridon Dyar 215
ursa Worthington 89
ursula Fabricius 517
ursus Poling 17
utahensis Strecker (*Papilio*) 250
utahensis Rothschild
 (*Parnassius*) 245
utahensis Skinner (*Polites*) 98
utahensis Skinner (*Speyeria*) 617
- V* *Vaccinia* - - - - - - - - - 66
Vacciniina - - - - - - - - - 66
valerata Burdick 665
valerieæ Clench 469
valeriana Plötz 206
valerius Godman 206
valesinoidesalba Reuss 612, 622
vallismortis Johnson 582
vanduzeei Gunder (*Lycæna*) 436
vanduzeei Gunder (*Melitæa*) 582
Vanessa Fabricius - - - - - 77
Vanessa Auctorum - - - - - 78
VANESSINÆ - - - - - 77
vanille Linnæus 630
varuna Edwards 661
varus Plötz 161
vau-album Denis & S. 533
vazquezæ Comstock & B. 626
veazieæ Fender & J. 594
velinus Plötz 218
venosa Scudder 278
venusta Fruhstoffer (*Anartia*) 526
venusta Gunder (*Euphydryas*) 593
vergulti Anonymous 334
verity Ehrmann 245
verna Edwards 88
vernalis Edwards 277
versmanni Bryk & E. 243
verus Edwards 80
vesta Edwards 563
vestris Boisduval 67
vetulina Plötz 88
viaca Edwards 478

- vialis* Edwards 45
viator Edwards 78
vibex Geyer 99
victoria Edwards 607
victoriae Gunder 595
Victorina - - - - - 76
vidleri Elwes 672
vierecki Skinner 53
viola Maynard (*Euptychia*) 646
viola dos Passos (*Nymphalis*) 535
viola dos Passos & G.
 (*Speyeria*) 618
violacea Edwards
 (*Celastrina*) 481
violacea Gunder (*Lycæna*) 449
violæ Stallings & T.
 (*Megathymus*) 17
violæ Stallings & T. (*Strymon*) 402
virescens Scudder 540
virgilius Scudder & B. 173
virginiensis Guérin-Méneville
 (*Lepelisca*) 340
virginiensis Edwards (*Lycæna*) 430
virginiensis Edwards (*Pieris*) 278
virginiensis Edwards (*Pieris*) 279
virginiensis Drury (*Vanessa*) 528
virgula Hübner 123
virgulti Behr 334
virida Strecker 287
viridicornis J. A. Comstock 619
viridis Edwards (*Callophrys*) 425
viridis Edwards (*Hesperia*) 109
viridis Strecker (*Limenitis*) 517
viridis Whittaker & S.
 (*Nathalis*) 320
viridis Cockerell (*Papilio*) 248
virithemis Field 516
vitabunda Hovanitz 287
vulcanides Röber 239
- W** *waco* Edwards 125
wakulla Edwards 40
walkeri Godman & S. 336
wallaceensis Gunder 593
Wallengrenia - - - - - 9
walshii Edwards 269
wamsutta Harris 90
wardi Oberthür 582
wasatchia dos Passos & G. 618
- washingtonia* Clench (*Callophrys*) 424
washingtonia Barnes & McD.
 (*Speyeria*) 620
wasmuthii Weeks 246
watermani Nakahara 469
waterini Dufrane 406
watsoni dos Passos (*Limenitis*) 518
watsoni Hall (*Nymphalis*) 533
watsoni Barnes & B. (*Strymon*) 405
warwonæ Gunder 603
weaveræ Gunder 288
weetamo Scudder 97
weidechippus Cross 518
weidemeyerii Edwards 519
weidenhammeri Polacek 531
wenona dos Passos & G. 612
werdandi Herrich-Schäffer 295
westwoodi Boisduval 318
wheeleri Edwards (*Cercyonis*) 656
wheeleri H. Edwards
 (*Euphydryas*) 594
whitehousei Gunder 623
whitmeri Brown 456
whitneyi Behr 582
wilhelmi Gunder 531
willi Plötz 153
williamsi Lindsey (*Hesperia*) 108
williamsi Gunder (*Lycæna*) 440
wimico Plötz 22
windi Gunder (*Euphydryas*) 594
windi Clench (*Incisalia*) 371
windi Gunder (*Plebejus*) 459
wingina Scudder 99
winni Gunder 623
wittfeldii Edwards 411
woodgatei Williams 104
woodruffi Watson 25
wormsbacheri Gunder 433
wosnesenskii Ménétriés 298
wrighti J. A. Comstock
 (*Anthocaris*) 324
wrighti Gunder (*Euphydryas*) 595
wrighti Holland (*Lepelisca*) 346
wrighti Edwards (*Melitæa*) 584
wrighti Wright (*Speyeria*) 616
wrightii Edwards
 (*Pseudocopæodes*) 119
wyandot Edwards 157
wyatti Gunder 433

<i>X xami</i> Reakirt	361	<i>Z zabulon</i> Boisduval & LeC.	74
<i>Xanthidia</i> - - - - -	47	<i>zacheina</i> Butler & D.	452, 453
<i>xanthoides</i> Boisduval	435	<i>zalanthus</i> Plötz	221
<i>xanthophila</i> Röber	308	<i>zampa</i> Edwards	182
<i>xanthus</i> Ehrmann (<i>Parnassius</i>)	245	<i>zarucco</i> Lucas	168
<i>xanthus</i> Edwards (<i>Pyrgus</i>)	159	<i>zebina</i> Hewitson	395
<i>xanthus</i> Plötz (<i>Pyrgus</i>)	159	<i>zeia</i> Brown, E. & R.	347
<i>Xenophanes</i> - - - - -	22	<i>zela</i> Butler	347
<i>xerxes</i> Boisduval	480	<i>zelicaon</i> Lucas	252
<i>xicaque</i> Reakirt	648	<i>zelicayn</i> Skinner	252
 Y		<i>zelmira</i> Auctorum (<i>Appias</i>)	- 38
<i>yamana</i> Reakirt	302	<i>zelmira</i> Felder & F.	
<i>Yanguna</i> - - - - -	30	 <i>(Plebejus)</i> 461	
<i>yehl</i> Skinner	77	<i>zelmire</i> Stoll	- - - - - 38
<i>yjoja</i> Reakirt	400	<i>zenckei</i> Plötz	99
<i>yosemite</i> Leussler	102	<i>zephus</i> Butler	- - - - - 28
<i>youngi</i> Holland (<i>Boloria</i>)	601	<i>zephyrus</i> Edwards	543
<i>youngi</i> Holland (<i>Erebia</i>)	679	<i>zerene</i> Boisduval	615
<i>youngi</i> Field (<i>Strymon</i>)	393	<i>Zerene</i> - - - - -	44
<i>yreka</i> Edwards (<i>Ochlodes</i>)	80	<i>zeroe</i> Boisduval	438
<i>yreka</i> Reakirt (<i>Pieris</i>)	280	<i>zerynthia</i> Hübner	512
<i>yuccæ</i> Boisduval & LeC.	13	<i>zestos</i> Geyer	235
<i>yukona</i> Holland	467	<i>Zestusa</i> - - - - -	28
<i>yukonensis</i> Holland (<i>Cænonymphia</i>)	649	<i>Zetides</i> Hübner	- - - - - 37
<i>yukonensis</i> Gibson (<i>Œneis</i>)	671	<i>zilpa</i> Butler	232
<i>yuma</i> Edwards	82	<i>Zizula</i> - - - - -	62
<i>Yvretta</i> - - - - -	13	<i>zolicaon</i> Boisduval	252
		<i>Zonaga</i> - - - - -	72
		<i>zonalis</i> Felder & F.	532

THE LEPIDOPTERISTS' SOCIETY

La Société des Lépidoptéristes

Die Gesellschaft der Lepidopterologen

The object of The Lepidopterists' Society, which was formed in May, 1947, and formally constituted in December, 1950, is "to promote the science of lepidopterology in all its branches, to issue a periodical and other publications on Lepidoptera; to facilitate the exchange of specimens and ideas by both the professional worker and the amateur in the field; to secure cooperation in all measures" directed toward these aims (*Constitution*, Art. II). A special goal is to encourage free interchange among the lepidopterists of all countries.

Membership in the Society is open to all persons interested in any aspect of lepidopterology. All members in good standing receive the *Journal* and the *News of the Lepidopterists' Society*. Institutions may subscribe to the *Journal* but may not become members. Prospective members should write for information to the Treasurer, Mr. GEORGE EHLE, 314 Atkins Ave., Lancaster, Penna., U. S. A.

In alternate years a list of members of the Society is issued, with addresses and special interests. All members are expected to vote for officers when mail ballots are distributed by the Secretary annually. There are four numbers in each annual volume of the *Journal*, and eight numbers of the *News* each year.

The Lepidopterists' Society is a non-profit, scientific organization. The office of publication is New Haven, Connecticut.

EDITORIAL BOARD OF THE SOCIETY

Editor-in-Chief:

CHARLES L. REMINGTON

Manager of the *Memoirs*:

SIDNEY A. HESSEL

Editor, *News of the Lepidopterists' Society*:

J. W. TILDEN

Associate Editor:

PETER F. BELLINGER

Associate Editor:

FRED T. THORNE

HARRY K. CLENCH — N. S. OBRAZTSOV — EUGENE G. MUNROE

ADDENDA ET CORRIGENDA

to the "Synonymic List of Nearctic Rhopalocera."

- Page 3 25½ add *hacebolus* (Scudder), 1872
- Page 10 *Polites* 98—Transpose *siris* Edwards, 1881 and *sonora* Scudder 1872. The specific name is *sonora* and *s. siris* is a subspecies.
- Page 19 162—add *oilus* MacNeill, 1962 (*lapsus calami*)
- Page 20 *Erynnis* 170—*pacuvius* Lintner should be listed also as a subspecies and preceded by an a. The other subspecies become b, c, and d.
- Page 21 175½ *tibullus* (Scudder & Burgess) is a synonym of *propertius* (Scudder & Burgess) and not of *telemachus* Burns.
- Page 35 256b—add *luxuriosus* Forbes, 1960 (Reiff MS)
- Page 36 262 *glaucus* Linnaeus, 1758 instead of 1764
a. g. *glaucus* Linnaeus 1758 instead of 1764
- Page 39 278 *napi* (Linnaeus), 1758 instead of 1761
- Page 43 *vividior* Berger, 1945, should be added to 291 as b and the present "b" changed to c.
- Page 44 *Zerene eurydice ab. nigrocapitata* Riddell, 1941
Zerene eurydice f. marginata Riddell, 1941
Zerene eurydice ab. flavolineata Riddell, 1941
Zerene eurydice f. rubrosuffusa Riddell, 1941. These four names should be added to 298 chronologically under forms and aberrations.
- Page 51 line after *Emesis* Fabricius, 1807 add (Opinion 232, name 660)
- Page 70 486 *aidea* author's name and date should read (Guérin-Meneville) "1829-44" [1844]. Also the author's name should be corrected in the index p. 107.
- Page 78 Add asterisk before 532. Next line—delete line a. Next, third line change b to a.
- Page 98 Correct spelling of Latreille in three places: Lines 5, 7, and 8
 Danaida Latreille
 Danais Latreille
 Danaus Latreille
- Page 101 649 *mixturata* and *kodiak* should be transposed and the subspecies preceded by k. instead of m.
- Page 105 *678—*sofia*, Strecker 1881 should read 1880.

